
2020-2021 Status of Surface Water Quality, South Saskatchewan Region, Alberta



2020-2021 Status of Surface Water Quality, South Saskatchewan Region, Alberta

J.Patrick Laceby, Cecilia Chung, and Jason G. Kerr

Cover photo credit: Ryan Martin

Comments or questions regarding the content of this document may be directed to:

Airshed and Watershed Stewardship Branch, Resource Stewardship Division, Alberta Environment and Parks

10th Floor, 9888 Jasper Avenue NW, Edmonton, Alberta, T5J 5C6

Email: aep.info-centre@gov.ab.ca.

This publication is issued under the Open Government Licence – Alberta open.alberta.ca/licence.

This publication is available online at: <https://open.alberta.ca/publications/status-of-surface-water-quality-south-saskatchewan-region-alberta>.

Recommended citation:

Laceby, J.P., Chung, C., and Kerr, J.G. 2022. 2020-2021 Status of Surface Water Quality, South Saskatchewan Region, Alberta. Government of Alberta, Ministry of Environment and Parks. ISBN 978-1-4601-5477-9. Available at: <https://open.alberta.ca/publications/status-of-surface-water-quality-south-saskatchewan-region-alberta>.

© 2022 Government of Alberta | September 12, 2022 | ISBN 978-1-4601-5477-9



Alberta's Environmental Science Program

The Chief Scientist has a legislated responsibility for developing and implementing Alberta's environmental science program for monitoring, evaluation and reporting on the condition of the environment in Alberta. The program seeks to meet the environmental information needs of multiple users in order to inform policy and decision-making processes. Two independent advisory panels, the Science Advisory Panel and the Indigenous Wisdom Advisory Panel, periodically review the integrity of the program and provide strategic advice on the respectful braiding of Indigenous Knowledge with conventional scientific knowledge.

Alberta's environmental science program is grounded in the principles of:

- *Openness and Transparency.* Appropriate standards, procedures and methodologies are employed and findings are reported in an open, honest and accountable manner.
- *Credibility.* Quality in the data and information are upheld through a comprehensive Quality Assurance, Quality Control program that invokes peer review processes when needed.
- *Scientific Integrity.* Standards, professional values, and practices of the scientific community are adopted to produce objective and reproducible investigation.
- *Accessible Monitoring Data and Science.* Scientifically-informed decision making is enabled through the public reporting of monitoring data and scientific findings in a timely, accessible, unaltered and unfettered manner.
- *Respect.* A multiple evidence-based approach is valued to generate an improved understanding of the condition of the environment, achieved through the braiding of multiple knowledge systems, including Indigenous Knowledge, together with science.

Learn more about the condition of Alberta's environment at: alberta.ca/albertas-environmental-science-program.aspx.



Acknowledgements

The authors would like to thank the technical staff in the Air and Watershed Monitoring team of the Airshed and Watershed Stewardship Branch of the Resource Stewardship Division for data collection and sample processing, and Nadine Taube, Ph.D. (Water Quality Data Analyst, Watershed Sciences) for the original development of the R analytical code. The authors would also like to thank the following reviewers for their technical reviews and feedback, which have enhanced this work: John Orwin, Ph.D. (Director, Watershed Sciences); Chantelle Leidl, M.Sc. (Science Team Lead, Cumulative Effects Management Planning); and Natalie Kromrey, M.Sc. (Limnologist, Air and Watershed Resource Management).

Contents

- Alberta’s Environmental Science Program.....3**
- Acknowledgements.....4**
- List of Tables6**
- List of Figures.....7**
- Acronyms and Abbreviations.....8**
- Executive Summary9**
- Background9
- Methodology.....9
- 2020-2021 (April 1 – March 31) Result Summary9
- South Saskatchewan Regional Plan.....11**
- Methodology11**
- Monitoring Stations.....11
- Monitoring Parameters13
- Statistical Analysis.....15
- Results16**
- Exceedances of Water Quality Triggers16
- Exceedances of Water Quality Limits20
- Exceedances of Secondary Indicators21
- References.....22**
- Appendix A23**
- Analytical and Statistical Methods Used to Assess Trigger and Limit Exceedances23
 - Preliminary Data Screening24
 - Outlier and Distribution Testing25
 - Seasonality25
 - *Trigger Exceedances*27
 - *Median Trigger Exceedances*27
 - *Peak Trigger Exceedances*27
 - *Limit Exceedances*27
- Appendix B29**
- Descriptive Statistics for the Nine Long Term River Network Stations29
- Appendix C56**
- Statistical Summary, LTRN Station Information and Boxplots.....56

List of Tables

Table 1. List of primary indicators for the SSR SWQMF.	14
Table 2. List of secondary indicators for the SSR SWQMF.	14
Table 3. Median and peak (90 th percentile) values for primary indicators exhibiting a statistically significant trigger exceedance (shaded in blue) in the SSR during 2020-2021.	17
Table 4. Central tendency (mean/median) UPL and peak UPL results for primary indicators exhibiting a statistically significant trigger exceedance in the SSR.	19
Table 5. List of surface water quality limits for primary indicators.	20
Table 6. List of guideline values for secondary indicators. Guideline values were taken from the Environmental Quality Guidelines for Alberta Surface Waters (GOA 2018).	21
Table B-1. Median and 90 th percentile values for primary indicators in the Oldman River at Brocket.	29
Table B-2. Median and 90 th percentile values for secondary indicators in the Oldman River at Brocket.	31
Table B-3. Median and 90 th percentile values for primary indicators in the Oldman River at Hwy 3 in Lethbridge.	32
Table B-4. Median and 90 th percentile values for secondary indicators in the Oldman River at Hwy 3 in Lethbridge.	34
Table B-5. Median and 90 th percentile values for primary indicators in the Oldman River at Hwy 36.	35
Table B-6. Median and 90 th percentile values for secondary indicators in the Oldman River at Hwy 36.	37
Table B-7. Median and 90 th percentile values for primary indicators in the Bow River at Cochrane.	38
Table B-8. Median and 90 th percentile values for secondary indicators in the Bow River at Cochrane.	40
Table B-9. Median and 90 th percentile values for primary indicators in the Bow River at Carseland.	41
Table B-10. Median and 90 th percentile values for secondary indicators in the Bow River at Carseland.	43
Table B-11. Median and 90 th percentile values for primary indicators in the Bow River at Cluny.	44
Table B-12. Median and 90 th percentile values for secondary indicators in the Bow River at Cluny.	46
Table B-13. Median and 90 th percentile values for primary indicators in the Bow River at Ronalane.	47
Table B-14. Median and 90 th percentile values for secondary indicators in the Bow River at Ronalane.	49
Table B-15. Median and 90 th percentile values for primary indicators in the South Saskatchewan River at Medicine Hat at Hwy 1.	50
Table B-16. Median and 90 th percentile values for secondary indicators in the South Saskatchewan River at Medicine Hat at Hwy 1.	52
Table B-17. Median and 90 th percentile values for primary indicators in the Milk River at SH 880.	53
Table B-18. Median and 90 th percentile values for secondary indicators in the Milk River at SH 880.	55
Table C-1. Results of the statistical assessment of the 2020-2021 compliance values against the Framework triggers for sites on the Oldman River.	56
Table C-2. Results of the statistical assessment of the 2020-2021 compliance values against the Framework triggers for sites on the Bow River.	59
Table C-3. Results of the statistical assessment of the 2020-2021 compliance values against the Framework triggers for sites on the South Saskatchewan and the Milk Rivers.	62
Table C-4. Monitoring station numbers and corresponding station names.	64



List of Figures

Figure 1. Location of the seven Land-Use Framework Regions in Alberta.....	12
Figure 2. Location of Long Term River Network water quality stations used in the SSR SWQMF.....	13
Figure A-1. Overview flowchart of the statistical steps taken in SSR SWQMF.....	23
Figure A-2. Flowchart of preliminary data screening steps.	24
Figure A-3. Flowchart of outlier and distribution testing steps.	25
Figure A-4. Flowchart of seasonality testing steps.	26
Figure A-5. Flowchart of exceedance testing steps.....	28
Figure C-1. Graphical presentations of the historical data (1999 – 2009), and the compliance data (2020-2021) for water quality parameters (all primary indicators) measured at the sites in the SSRB.	64

Acronyms and Abbreviations

AEP	Alberta Environment and Parks
EQGASW	Environmental Quality Guidelines for Alberta Surface Waters
GOA	Government of Alberta
LTRN	Long Term River Network
LUF	Land Use Framework
SSR	South Saskatchewan Region
SSRP	South Saskatchewan Regional Plan
SSR SWQMF	South Saskatchewan Region Surface Water Quality Management Framework

Executive Summary

Background

This report was prepared by the Air and Watershed Stewardship Branch within the Resource Stewardship Division at Alberta Environment and Parks (AEP) to fulfill reporting requirements mandated by the South Saskatchewan Region Surface Water Quality Management Framework (SSR SWQMF; GOA 2014b), which supports the South Saskatchewan Regional Plan (SSRP; GOA 2014a).

The 2020-2021 report is the seventh annual report for the South Saskatchewan Region. Previous annual reports for the status of ambient environmental condition in the South Saskatchewan Region are accessible at: alberta.ca/south-saskatchewan-regional-planning.aspx. The Government of Alberta (GOA) determines reporting requirements for the SSRP and AEP has a responsibility for monitoring, evaluation and reporting under the Environmental Management Frameworks, including the SSR SWQMF. This report communicates any water quality triggers or limits that were exceeded from April 1, 2020 to March 31, 2021.

Methodology

The SSR SWQMF includes 15 primary indicators and six secondary indicators. In 2020-2021 (April 1 to March 31 inclusive), these water quality indicators were measured monthly at nine water quality monitoring stations. Using methodology described in the SSR SWQMF, the annual data for the 15 primary indicators were compared to the historical record to determine if the median and 90th percentile (peak) concentrations deviated in an undesirable direction from the historical median or peak trigger values. Values for primary indicators that deviated from historical triggers in an undesirable direction were statistically assessed for changes in the central tendency or peak concentration as per the SSR SWQMF: Statistical Methods Final Report (HDR 2011). 2020-2021 data for each primary and secondary indicator at each station were compared to historical data for both open water (April to October) and winter (November to March) seasons¹. In addition, the 2020-2021 medians for primary indicators were compared to water quality limits as defined in the SSR SWQMF, and the 2020-2021 medians for secondary indicators were compared to provincial or federal water quality guidelines where available (GOA 2014b, GOA 2018).

2020-2021 (April 1 – March 31) Result Summary

For the following, exceedances were in both open water and winter seasons unless noted otherwise.

A statistically significant exceedance of the median trigger value was observed for:

- sulphate at Bow River at Carseland;
- nitrate at Bow River at Cluny;
- total dissolved solids at Bow River at Cochrane; and
- total nitrogen at Bow River at Cochrane (winter only).

A statistically significant exceedance of the peak trigger values was observed for:

- chloride at Bow River at Carseland, Bow River at Ronalane and Milk River at SH 880;
- sulphate at Bow River at Cochrane and Bow River at Carseland and Milk River at SH 880;
- *Escherichia coli* at South Saskatchewan River at Medicine Hat at Hwy 1 (winter only);

¹ Due to public health considerations during the COVID-19 pandemic, most of the sampling stations are missing samples in April and May. Please see "Monitoring Parameters" under "Methodology" for details.

- pH at Milk River at SH 880;
- specific conductance at Milk River at SH 880;
- Sodium Adsorption Ratio (SAR) at Milk River at SH 880; and
- total dissolved solids at Bow River at Cochrane, Bow River at Carseland and Milk River at SH 880.

There were no other median or peak trigger exceedances observed for any other stations or indicators.

Median total dissolved solids concentrations (winter only) and median *Escherichia coli* (open water only) at Milk River at SH 880 exceeded water quality limits (as defined in the SSR SWQMF). There were no other exceedances of surface water quality limits for primary indicators.

Although there were individual sample exceedances of mercury concentrations at Milk River at SH 880 and at the Bow River at Cluny in the open water season, 2020-21 median mercury concentrations did not exceed the applicable guideline value. There were no median guideline exceedances for the remaining secondary indicators.

South Saskatchewan Regional Plan

The South Saskatchewan Regional plan (SSRP) was developed by the Government of Alberta under the Land Use Framework (LUF; GOA 2008). The plan sets outcomes that describe what the Government of Alberta wants to accomplish at a regional level and is given legislative authority under the *Alberta Land Stewardship Act* (GOA 2009). The SSRP applies to the South Saskatchewan region (SSR), an area of approximately 83,764 square kilometers in size located in southern Alberta (Figure 1). For more information, see the SSRP publication (GOA 2014a).

The Air and Watershed Stewardship Branch within the Resource Stewardship Division at Alberta Environment and Parks (AEP) is responsible for monitoring, evaluation and reporting on the condition of the environment in the SSR. The 2020-2021 Status of Surface Water Quality for the South Saskatchewan Region report fulfills the annual reporting requirements mandated by the South Saskatchewan Region Surface Water Quality Management Framework for the mainstem Bow, Milk, Oldman and South Saskatchewan Rivers (SSR SWQMF; GOA 2014b), in support of the SSRP.

Methodology

Monitoring Stations

Water quality in the SSR is assessed based on data derived from monthly water quality sampling at nine Long-Term River Network (LTRN) stations within the SSR (Figure 2). The nine LTRN stations are located within four major river systems:

- **The Oldman River:** Oldman River at Brocket, Oldman River at Hwy 3 in Lethbridge and Oldman River at Hwy 36.
- **The Bow River:** Bow River at Cochrane, Bow River at Carseland, Bow River at Cluny and Bow River at Ronalane.
- **The South Saskatchewan River:** South Saskatchewan River at Medicine Hat at Hwy 1.
- **The Milk River:** Milk River at SH 880.

Additional details on the four major river basins and the nine LTRN stations are given in the SSR SWQMF (GOA 2014b).



Figure 1. Location of the seven Land-Use Framework Regions in Alberta. The South Saskatchewan Region is shaded green.




Figure 2. Location of Long Term River Network water quality stations used in the SSR SWQMF.

Monitoring Parameters

Annual data used in the 2020-2021 report were taken from monthly water quality samples at the nine LTRN stations within the SSR, taken between April 2020 and March 2021. Twenty-one water quality parameters, including 15 primary indicators (Table 1) and six secondary indicators (Table 2), were chosen as indicators in the framework. Rationale for indicator selection is given in the SSR SWQMF (GOA 2014b). Sample collection, data verification and analyses follow recognized standards and protocols established by AEP for consistent sample collection and processing across the Province (AENV 2006).

Due to public health considerations during the COVID-19 pandemic, samples were not collected at any LTRN station in April 2020. In May 2020, only one LTRN station in the SSR was sampled (Milk River at SH 880). Monthly water quality sampling recommenced for the full network from June 2020 and continued throughout the remainder of the monitoring period. The sampling resulted in 11 compliance samples for the Milk River at SH 880 site and 10 compliance samples for the other LTRN stations.

Table 1. List of primary indicators for the SSR SWQMF.

Total Ammonia (NH ₃)	Specific Conductance (Sp. Cond.)
Chloride (Cl ⁻)	Total Dissolved Solids (TDS)
Nitrate (NO ₃ ⁻)	Total Organic Carbon (TOC)
Total Nitrogen (TN)	Total Suspended Solids (TSS)
Total Dissolved Phosphorus (TDP)	Turbidity
Total Phosphorus (TP)	pH
Sulphate (SO ₄)	<i>Escherichia coli</i> (<i>E. coli</i>)
Sodium Adsorption Ratio (SAR)	

Table 2. List of secondary indicators for the SSR SWQMF.

Mercury	Dicamba
Selenium	Methylchlorophenoxyacetic acid (MCPA)
2,4-Dichlorophenoxyacetic acid (2,4-D)	Mecoprop (MCP)

Statistical Analysis

Median (50th percentile) and peak (90th percentile) triggers were calculated from historical datasets (1999-2009, with some exceptions; see GOA 2014b), and separately for two different seasons: the open-water season (April to October) and the winter season (November to March). This seasonal split is to address the difference in seasonal temperature and precipitation patterns as they affect water quality measurements. For primary indicators, seasonal median and peak concentrations calculated from the 2020-2021 data were first compared to these historical triggers to determine if there was deviation in an undesirable direction from the historical trigger values. With the exception of pH, an undesirable direction is a value greater than the trigger. For pH, values below or above the trigger could be potentially impactful (i.e., increased acidity or increased alkalinity). Seasonal median or peak concentrations (calculated from 2020-2021 data) that crossed their respective historical trigger values in an undesirable direction were then assessed for statistical significance to determine if there was a (median or peak) trigger exceedance.

A median trigger exceedance is defined as a statistically significant shift in the central tendency of the 2020-2021 data for open water and winter seasons, relative to a corresponding upper prediction limit (UPL) calculated from the historical record (HDR 2011). A peak trigger exceedance was reported when the frequency of observations in the 2020-2021 data exceeding an UPL calculated from the historical record was higher than an expected frequency. A peak trigger exceedance also represents a statistically significant shift in the frequency of extreme values in the 2020-2021 data. Details of the statistical analyses used to determine a median or peak trigger exceedance are in Appendix A. Identification of median and peak exceedances are intended to act as an early warning system of potential changes in surface water quality and a signal to do further analyses (preliminary assessment) to determine the need for further investigation.

Water quality limits for primary and secondary indicators were derived from provincial and federal water quality guidelines (GOA 2014b). A surface water quality limit is exceeded if the seasonal 2020-2021 median for a given indicator exceeded the surface water quality limit for that indicator. For water quality indicators that are affected by toxicity modifying factors (i.e., total ammonia and sulphate), individual limits were calculated for each sample in the compliance year using guideline equations (GOA 2018). Individual concentrations from the compliance data were then compared against corresponding calculated limits. If greater than 50% of all months exceeded their calculated limits for a specific parameter at a specific site within a season, this was identified as a limit exceedance.

Historically, AEP replaced any censored data of a given parameter (i.e., observations measured below the method detection limit) with one-half of the detection limit value. This practice was adopted for this report with the calculation of the historical triggers, as well as with the annual compliance dataset. Statistical methods used in this report are described in the SSR SWQMF: Statistical Methods Final Report (HDR 2011), *Unified Guidance* (USEPA 2009) and Smith et al. (2001). Additional details on the analytical and statistical methods are provided in Appendix A and the SSR SWQMF (GOA 2014b). All statistical assessments were performed using R statistical software (Millard 2013, R Development Core Team 2020).



Results

Exceedances of Water Quality Triggers

In 2020-2021, statistically significant median and peak trigger exceedances were observed at six stations for nine primary indicators. Unless otherwise noted, these exceedances are for combined open water and winter season datasets.

A statistically significant exceedance of the median trigger value was observed for:

- sulphate at Bow River at Carseland;
- nitrate at Bow River at Cluny;
- total dissolved solids at Bow River at Cochrane; and
- total nitrogen at Bow River at Cochrane (winter only).

A statistically significant exceedance of the peak trigger values was observed for:

- chloride at Bow River at Carseland, Bow River at Ronalane and Milk River at SH 880;
- sulphate at Bow River at Cochrane and Bow River at Carseland and Milk River at SH 880;
- *Escherichia coli* at South Saskatchewan River at Medicine Hat at Hwy 1 (winter only);
- pH at Milk River at SH 880;
- specific conductance at Milk River at SH 880;
- Sodium Adsorption Ratio (SAR) at Milk River at SH 880; and
- total dissolved solids at Bow River at Cochrane, Bow River at Carseland and Milk River at SH 880.

There were no other median or peak trigger exceedances observed for any other stations or indicators. Summary statistics, including the annual and historical medians (50th percentile) and peaks (90th percentile) are presented in Appendix B.

Table 3. Median and peak (90th percentile) values for primary indicators exhibiting a statistically significant trigger exceedance (shaded in blue) in the SSR during 2020-2021. Calculation results leading to identification of the statistically significant trigger exceedances are listed in Table 4. An asterisk for the compliance period indicates that the statistically significant exceedances were calculated with aggregate (open + winter) data.

Station	Indicator	Period	Season	Median	90 th Percentile	n
Bow River at Cochrane	Sulphate (mg/L)	1999-2009 (trigger)	open	33.6	40.4	70
			winter	42.2	45.8	50
		2020-2021*	open	33	73.4	5
			winter	50	52.6	5
Bow River at Cochrane	Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	165	190	70
			winter	190	200	50
		2020-2021*	open	180	216	5
			winter	200	226	5
Bow River at Cochrane	Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.18	0.4	70
			winter	0.17	0.23	50
		2020-2021	open	0.16	0.23	5
			winter	0.17	0.35	5
Bow River below Carseland Dam	Chloride (mg/L)	1999-2009 (trigger)	open	7.6	13.1	70
			winter	12.7	20.4	50
		2020-2021*	open	11	16.8	5
			winter	22	36.8	5
Bow River below Carseland Dam	Sulphate (mg/L)	1999-2009 (trigger)	open	42.8	51.5	70
			winter	53.9	58	50
		2020-2021*	open	42	57.6	5
			winter	64	73.4	5
Bow River below Carseland Dam	Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	201	232	70
			winter	246	260	50
		2020-2021*	open	200	242	5
			winter	280	296	5
Bow River at Cluny	Nitrate (mg/L)	1999-2009 (trigger)	open	0.52	0.837	59
			winter	1.195	1.455	40
		2020-2021*	open	0.54	0.676	5
			winter	1.5	1.74	5
Bow River near Ronalane Bridge	Chloride (mg/L)	1999-2009 (trigger)	open	8.4	12	70
			winter	13	19.7	49
		2020-2021*	open	11	15.8	5
			winter	22	41.4	5
South Saskatchewan River above Medicine Hat	Escherichia coli (cfu/100ml)	1999-2009 (trigger)	open	13	99	68
			winter	1	7	48
		2020-2021	open	42	556	5
			winter	10	13	5
Milk River at SH 880	Chloride (mg/L)	1999-2009 (trigger)	open	1.3	6.2	81
			winter	8	14.3	31
		2020-2021*	open	5.9	10.5	6
			winter	6.4	10.9	5

Station	Indicator	Period	Season	Median	90 th Percentile	n
Milk River at SH 880	pH	1999-2009 (trigger)	open	8.23	8.43	81
			winter	8.3	8.41	31
		2020-2021*	open	8.46	8.57	6
			winter	8.2	8.33	5
Milk River at SH 880	Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.43	2.26	81
			winter	2.54	3.8	31
		2020-2021*	open	2.26	4.08	6
			winter	2.03	2.94	5
Milk River at SH 880	Specific Conductance (µS/cm)	1999-2009 (trigger)	open	248	733	81
			winter	916	1380	31
		2020-2021*	open	765	1050	6
			winter	820	1304	5
Milk River at SH 880	Sulphate (mg/L)	1999-2009 (trigger)	open	22.3	170	81
			winter	197	316	31
		2020-2021*	open	160	240	6
			winter	150	268	5
Milk River at SH 880	Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	140	488	81
			winter	606	900	31
		2020-2021*	open	475	640	6
			winter	510	824	5

Table 4. Central tendency (mean/median) UPL and peak UPL results for primary indicators exhibiting a statistically significant trigger exceedance in the SSR. Failures (shaded in blue) indicate where a significant trigger exceedance occurred.

Indicator	Units	Season (O=open; W=winter)	Central Tendency Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
BOW RIVER AT COCHRANE								
Sulphate	mg/L	O/W	45.2	48.88	PASS	42.45	7	FAIL
TDS	mg/L	O/W	206.13	202.23	FAIL	192.01	5	FAIL
TN	mg/L	W	0.31	0.3	FAIL	0.4	1	PASS
BOW RIVER AT CARSELAND								
Chloride	mg/L	O/W	18.89	28.85	PASS	17.42	5	FAIL
Sulphate	mg/L	O/W	65.49	62.36	FAIL	56.9	4	FAIL
TDS	mg/L	O/W	257.11	270.01	PASS	252.03	4	FAIL
BOW RIVER AT CLUNY								
Nitrate	mg/L	O/W	0.93	0.91	FAIL	1.37	1	PASS
BOW RIVER AT RONALANE								
Chloride	mg/L	O/W	22.47	24.27	PASS	16.97	6	FAIL
SOUTH SASKATCHEWAN RIVER AT MEDICINE HAT								
E Coli	cfu/100ml	W	39.98	41.51	PASS	39.76	3	FAIL
MILK RIVER AT SH 880								
Chloride	mg/L	O/W	1.49	16.19	PASS	8.13	4	FAIL
pH	pH units	O/W	8.2	8.53	PASS	8.44	4	FAIL
SAR	ratio	O/W	1.25	3.16	PASS	2.4	5	FAIL
Sp. Cond.	µS/cm	O/W	499.29	1228.71	PASS	779.25	6	FAIL
Sulphate	mg/L	O/W	87.19	333.47	PASS	165.3	6	FAIL
TDS	mg/L	O/W	302.24	829.95	PASS	496.42	6	FAIL

Exceedances of Water Quality Limits

Median total dissolved solids concentrations (winter only; 510 mg/L) and median *Escherichia coli* (open water season only; 136 cfu per 100 mL) at Milk River at SH 880 exceeded water quality limits (as defined in the SSR SWQMF). There were no other exceedances of surface water quality limits for primary indicators.

Table 5. List of surface water quality limits for primary indicators. Limit values were taken from the SSR SWQMF (GOA 2014b).

Primary Indicator	Units	Surface Water Quality Limit
Total Ammonia	mg/L	Varies with pH and temperature ^A
Chloride	mg/L	100
Nitrate	mg/L	3.0
Sulphate	mg/L	Varies with hardness ^A
Sodium Adsorption Ratio (SAR)	rel units	5
Specific Conductance	µS/cm	1000
Total Dissolved Solids	mg/L	500
pH	pH units	<6.5 or >9.0
<i>Escherichia coli</i>	cfu per 100 mL	100

^A Calculations are given in Environmental Quality Guidelines for Alberta Surface Waters (GOA 2014c).

Exceedances of Secondary Indicators

Although there were individual chronic guideline exceedances of mercury concentrations at Milk River at SH 880 and at the Bow River at Cluny in the open water season, median mercury concentrations did not exceed the applicable guideline value (GOA 2018). There were no median guideline exceedances for the remaining secondary indicators (GOA 2018). Summary statistics for all secondary indicators are provided in Appendix B. Note that summary statistics shown for secondary indicators are for information purposes only as there are no triggers or limits assigned to these indicators.

Table 6. List of guideline values for secondary indicators. Guideline values were taken from the Environmental Quality Guidelines for Alberta Surface Waters (GOA 2018).

Secondary Indicator	Unit	Protection of Aquatic Life	Protection of Agricultural Water Use (Irrigation)	Protection of Agricultural Water Use (Livestock Water)
Total Mercury	ug/L	(chronic) 0.005 (acute) 0.013	---	3
Total Selenium	ug/L	(guideline) 2 (alert) 1	---	50
2,4-Dichlorophenoxyacetic acid (2,4-D)	ug/L	(chronic) 4	---	See "Phenoxy herbicides"
Dicamba	ug/L	(chronic) 10	0.008	122
Methylchlorophenoxyacetic acid (MCPA)	ug/L	(chronic) 2.6	(continuous use) 20 (intermittent use) 50	See "Phenoxy herbicides"
Mecoprop (MCP)	ug/L	(chronic) 13 (acute) 10,000	---	See "Phenoxy herbicides"
Phenoxy herbicides (sum of all phenoxy herbicides including 2,4-D, MCP, MCPA)	ug/L	See individual indicators above	See individual indicators above	100

References

- Alberta Environment (AENV). 2006. Aquatic Ecosystems Field Sampling Protocols. Edmonton, Alberta. ISBN: 0-7785-5079-6 (Print); 0-7785-5080-X (PDF). Available at: <https://open.alberta.ca/publications/077855080x>.
- Gastwirth, J. L., Y. R. Gel, W. L. W. Hui, V. Lyubchich, W. Miao and K. Noguchi. 2020. Lawstat: Tools for Biostatistics, Public Policy, and Law. R package version 3.4. Available at: <https://CRAN.R-project.org/package=lawstat>.
- Government of Alberta (GOA). 2008. Land-use Framework. Edmonton. 54 pp. ISBN: 978-7785-7713-3 (Print); 978-0-7785-7714-0 (PDF). Available at: <https://open.alberta.ca/publications/9780778577140>.
- Government of Alberta (GOA). 2009. Alberta Land Stewardship Act, Statutes of Alberta, 2009, Chapter A-26.8. 53 pp. Available at: <https://open.alberta.ca/publications/a26p8>.
- Government of Alberta (GOA). 2014a. South Saskatchewan Regional Plan, 2014-2024. Edmonton. 200 pp. ISBN: 978-1-4601-1862-7 (Print); 978-1-4601-1863-4 (PDF). Available at: <https://open.alberta.ca/publications/9781460139417>.
- Government of Alberta (GOA). 2014b. South Saskatchewan Region, Surface Water Quality Management Framework, For the Mainstem Bow, Milk, Oldman and South Saskatchewan Rivers (Alberta). Edmonton. 68 pp. ISBN: 978-1-4601-1860-3 (Print); 978-11-4601-1861-0 (PDF). Available at: <https://open.alberta.ca/publications/9781460118603>.
- Government of Alberta (GOA). 2014c. Environmental Quality Guidelines for Alberta Surface Waters. Water Policy Branch, Alberta Environment and Sustainable Resource Development. Edmonton, Alberta. Available at: <https://open.alberta.ca/publications/9781460115244>.
- Government of Alberta (GOA). 2018. Environmental Quality Guidelines for Alberta Surface Waters. Water Policy Branch, Alberta Environment and Parks. Edmonton, Alberta. Available at: <https://open.alberta.ca/publications/9781460138731>.
- HDR Corporation. 2011. South Saskatchewan Regional Plan Surface Water Quality Management Framework: Statistical Methods Final Report. Prepared for Alberta Environment. 121 pp. ISBN: 978-1-4601-2539-7 (PDF). Available at: <https://open.alberta.ca/publications/9781460125397>.
- Komsta, L. 2011. Outliers: Tests for Outliers. R package version 0.14. Available at: <https://CRAN.R-project.org/package=outliers>.
- Millard, S. P. 2013. EnvStats: An R Package for Environmental Statistics. Springer, New York. ISBN 978-1-4614-8455-4. Available at: <http://www.springer.com>.
- R Development Core Team. 2020. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. Available at: <https://www.R-project.org/>.
- Smith, E. P., K. Ye, C. Hughes and L. Shabman. 2001. Statistical Assessment of Violations of Water Quality Standards under Section 303(d) of the Clean Water Act. Environ. Sci. Technol. 35: 606-612.
- Venables, W. N., and B. D. Ripley. 2002. Modern Applied Statistics with S. Fourth Edition. Springer, New York. ISBN 0-387-95457-0.
- United States Environmental Protection Agency (USEPA). 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities – Unified Guidance. Office of resource conservation and recovery program implementation and information division. U.S. Environmental Protection Agency. Available at: <https://www.epa.gov/nscep>.
- Zeileis, A. and T. Hothorn. 2002. Diagnostic Checking in Regression Relationships. R News 2(3): 7-10. Available at: <https://CRAN.R-project.org/doc/Rnews>.

Appendix A

Analytical and Statistical Methods Used to Assess Trigger and Limit Exceedances

The South Saskatchewan Region Surface Water Quality Management Framework (SSR SWQMF) established median and 90th percentile triggers for 15 primary indicators and identifies six secondary indicators, for which there were not enough data of sufficient length and/or level of analytical detection to facilitate the quantification of robust trigger values (GOA 2014b). Water samples for general parameters were analyzed by Bureau Veritas. *Escherichia coli* was analysed by ProvLab Alberta. Mercury was analysed by University of Alberta Biogeochemical Analytical Service Laboratory. Selenium and pesticides were analysed by InnoTech Alberta. All statistical analyses and plots were conducted using packages *EnvStats* (v2.3.1; Millard 2013), *lawstat* (v3.4; Gastwirth et al. 2020), *lmtest* (v0.9.37; Zeileis and Hothorn 2002), *MASS* (v7.3.51.5; Venables and Ripley 2002), and *outliers* (v0.14; Komsta 2011) in R version 4.0.0. (R Development Core Team 2020). Analyses used were based on recommendations made in the *South Saskatchewan Regional Plan Surface Water Quality Management Framework: Statistical Methods Final Report* (HDR 2011).




Figure A-1. Overview flowchart of the statistical steps taken in SSR SWQMF.

Preliminary Data Screening

All water quality data used in the assessment were from the Long-Term River Network (LTRN) stations in the South Saskatchewan River Basin. The historical dataset (used for trigger development and comparisons against annual compliance data) included data from April 1999 to March 2009 (actual time range dependent on parameter; see GOA 2014b). The annual compliance data for a given year (e.g., 2020-2021) includes data from the beginning of April to the end of next March (e.g., April 1, 2020 to March 31, 2021). Any data points below the method detection limit (MDL) were substituted with a value of $\frac{1}{2}$ MDL.

Each year is divided into two seasons: open water (April to October) and winter (November to March). Seasonal median and 90th percentile (peak) triggers were calculated for each water quality indicator using the historical dataset, to reproduce values listed in the SSR SWQMF (GOA 2014b). Seasonal median and 90th percentile concentrations are then calculated for each indicator in the annual compliance dataset. For each indicator and season at each station, the compliance median and peak value were compared to its respective historical trigger. If the compliance value exceeded the trigger value, the indicator was flagged for further statistical analyses to determine if there was a significant deviation from historical triggers in an undesired direction. Note that for pH, when compliance data were either above or below the trigger values at a given site, further statistical analyses were undertaken. This was to account for the fact that both lower than historic or higher than historic pH values could be considered undesirable. Seasonal median compliance values were also compared to surface water quality limits (based on provincial and federal guidelines and defined in SSR SWQMF; GOA 2014b), and any exceedances of the limits by the calculated medians were reported (Figure A-1 and A-2).




Figure A-2. Flowchart of preliminary data screening steps.

Outlier and Distribution Testing

Regardless of whether the open water season or the winter season trigger was exceeded in a particular parameter, a seasonal aggregate (open water and winter combined) dataset was first statistically analysed for significance. Outliers were detected using Rosner's outlier test. Distribution of the temporal aggregate data (historical and annual compliance data combined) was preliminarily assessed using Q-Q plots and goodness-of-fit (GoF) tests based on a ProUCL algorithm, which uses the Lilliefors test for datasets with $n > 50$ (function *EnvStats::distChoose()*) Figure A-3. A value of 0.001 was added to individual concentrations to account for cases of 0 CFU/100 mL for *Escherichia coli* concentrations, which may generate issues with the GoF procedure. This addition was done for all runs for consistency. For these tests, significance level was set at $\alpha = 0.01$.




Figure A-3. Flowchart of outlier and distribution testing steps.

Seasonality

HDR (2011) recommended testing the seasonal aggregate data (historical and annual compliance data) for seasonality, and if detected, the data was deseasonalized with a simple correction method. With this approach, for each month, the monthly mean was subtracted from all values in that month and then the overall mean across all months was added back to each individual value. Residuals were calculated using the function *stats::lm()* to fit a regression line. Distribution of residuals between months was evaluated using the Shapiro-Wilk test ($\alpha = 0.01$), and variances analysed with Levene's test ($\alpha = 0.01$). Differences between months were evaluated using a one-way ANOVA ($\alpha = 0.05$) if residuals were normal or log-normal, and the monthly data showed equal variance. Otherwise, it was evaluated using the non-parametric Kruskal-Wallis test ($\alpha = 0.05$). If seasonality was significant, the dataset was deseasonalized.

In addition to temporal correlation between monthly data, some values may exhibit a dependence on the water state (open water vs. winter). As such, HDR (2011) recommends a final preprocessing check to determine if the difference between the two groups is statistically significant. If the results indicate that there is no significant seasonality in the data, the analysis proceeds with the combined dataset (open water and winter data). In the event that the seasonality is significant, the data are split into their respective groups (i.e. open water and winter data) and exceedance tests are conducted on the separate groups. The distribution of residuals between subgroups was evaluated using the Shapiro-Wilk test ($\alpha = 0.01$). Then differences between subgroups were evaluated using a one-way ANOVA ($\alpha = 0.05$; if residuals were normal or log-normal and variance was equal) or a Kruskal-Wallis rank sum test ($\alpha = 0.05$). If a significant difference between subgroups is indicated, then data grouping is required, the dataset is separated into open water and winter data, and each group re-assessed for outliers, distribution and seasonality (Figure A-4).




Figure A-4. Flowchart of seasonality testing steps.

Trigger Exceedances

HDR (2011) recommends the use of upper prediction limits (UPLs) over the use of median, 90th/95th percentiles or upper confidence limits for establishing baseline limits against which future observations would be tested. UPLs are not directly comparable to empirical percentile values; the 90th percentile UPL represents “the value above which there is only a [10]% likelihood that new or future observations will occur” (HDR 2011, p. 31).

To test whether the historical data and compliance data are from the same distribution, a Kolmogorov-Smirnov test was used. If both datasets were from a normal or log-normal distribution, the parametric UPL calculations were used; if both datasets were from a non-normal distribution, the non-parametric UPL calculations were used. If the two datasets did not come from the same distribution, the non-parametric UPL calculations were used. Only historical data was used in the calculation of UPLs (Figure A-5).

Median Trigger Exceedances

To evaluate exceedances of the median trigger, an UPL was calculated from the historic dataset using *EnvStats::predIntNorm()*, *EnvStats::predIntLNorm()* or *EnvStats::predIntNpar()*, for normal, log-normal and non-parametric distributions respectively. The UPL was compared to the compliance mean (mean of compliance data) if the normal or log-normal UPL was used. If the non-parametric UPL was used, however, the median of the three most recent compliance observations was used instead (HDR 2011, USEPA 2009). If the compliance mean/median (dependent on distribution) was greater than the UPL limit, a compliance median trigger exceedance occurred.

Peak Trigger Exceedances

For evaluating peak trigger exceedances in normally or log-normally distributed data, a UPL was calculated as the prediction interval for the next 12 observations using the historic dataset. This UPL was compared to each individual compliance data point. For normal data, *EnvStats::predIntNorm()* and *EnvStats::predIntLNorm()* was used for this calculation. For non-normal data, the *EnvStats::predIntNpar()* calculation, which corresponds to a percentile limit, was used to calculate an UPL for comparison against individual compliance data points in non-parametric data.

The percentage of compliance data points that exceed the UPL was recorded, and a binomial test was applied to the number of exceedances. If the number of individual exceedances was greater than the acceptable number of violations (10% natural violations), a compliance peak trigger exceedance has occurred.

Limit Exceedances

Limit exceedances were determined by comparing the seasonal compliance median concentrations to the limit values defined in SSR SWQMF (GOA 2014b). If the seasonal median concentration calculated from the current year exceeded the limit value for a specific parameter at a specific site, this was identified as a limit exceedance. For water quality indicators that are affected by toxicity modifying factors (i.e., total ammonia and sulphate), individual limits were calculated for each sample in the compliance year using guideline equations (GOA 2018). Individual concentrations from the compliance data were then compared against corresponding calculated limits. If greater than 50% of all months exceeded their calculated limits for a specific parameter at a specific site within a season, this was identified as a limit exceedance.




Figure A-5. Flowchart of exceedance testing steps.

Appendix B

Descriptive Statistics for the Nine Long Term River Network Stations

Table B-1. Median and 90th percentile values for primary indicators in the Oldman River at Brocket.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.01	0.06	91
		winter	0.01	0.039	52
	2020-2021	open	0.015	0.016	5
		winter	0.015	0.028	5
Chloride (mg/L)	1999-2009 (trigger)	open	0.9	1.8	70
		winter	1.2	1.9	50
	2020-2021	open	1.2	1.6	5
		winter	1.5	1.8	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.078	0.128	91
		winter	0.092	0.132	52
	2020-2021	open	0.034	0.041	5
		winter	0.042	0.043	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.23	0.35	70
		winter	0.19	0.32	50
	2020-2021	open	0.12	0.23	5
		winter	0.15	0.16	5
Total Dissolved Phosphorus (mg/L)	1999-2009 (trigger)	open	0.003	0.006	91
		winter	0.003	0.005	52
	2020-2021	open	0.003	0.003	5
		winter	0.003	0.003	5
Total Phosphorus (mg/L)	1999-2009 (trigger)	open	0.007	0.018	91
		winter	0.005	0.01	52
	2020-2021	open	0.009	0.022	5
		winter	0.003	0.006	5
Sulphate (mg/L)	1999-2009 (trigger)	open	22.1	29.4	70
		winter	29.6	36	50
	2020-2021	open	16	20.2	5
		winter	25	32.4	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.16	0.22	70
		winter	0.18	0.2	50
	2020-2021	open	0.14	0.17	5
		winter	0.17	0.18	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	276	313	91
		winter	308	342	52
	2020-2021	open	260	286	5

		winter	320	342	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	156	181	70
		winter	179	202	50
	2020-2021	open	140	166	5
		winter	180	206	5
Total Organic Carbon (mg/L)	1999-2009 (trigger)	open	2	3.7	70
		winter	1.6	2.2	50
	2020-2021	open	2	2.4	5
		winter	1.7	1.8	5
Total Suspended Solids (mg/L)	1999-2009 (trigger)	open	3	10	84
		winter	1	6	47
	2020-2021	open	4	7	5
		winter	2	4	5
Turbidity (NTU)	1999-2009 (trigger)	open	4.5	18.8	91
		winter	2.3	8.5	52
	2020-2021	open	2.6	9.4	5
		winter	1.8	4.7	5
pH	1999-2009 (trigger)	open	8.26	8.35	91
		winter	8.25	8.34	52
	2020-2021	open	7.66	8.05	5
		winter	8.14	8.32	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009 (trigger)	open	3	14	70
		winter	2	27	49
	2020-2021	open	4	14	5
		winter	1	41	5

Table B-2. Median and 90th percentile values for secondary indicators in the Oldman River at Brocket.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.0025	0.0032	39
		winter	0.0025	0.0025	4
	2020-2021	open	0.007	0.007	3
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0025	0.0068	39
		winter	0.0025	0.0025	4
	2020-2021	open	0.002	0.002	3
		winter			0
MCPA (µg/L)	1999-2009	open	0.0025	0.0025	39
		winter	0.0025	0.0025	4
	2020-2021	open	0.01	0.01	3
		winter			0
Mecoprop (µg/L)	1999-2009	open	0.0025	0.0025	39
		winter	0.0025	0.0025	4
	2020-2021	open	0.009	0.009	3
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.3	1.395	18
		winter	0.325	0.615	8
	2020-2021	open	1.04	2.856	5
		winter	0.47	0.84	5
Total Recoverable Selenium (µg/L)	1999-2009	open	0.5245	0.7633	14
		winter	0.734	0.8508	7
	2020-2021	open	0.5	0.56	5
		winter	0.6	0.6	5

Table B-3. Median and 90th percentile values for primary indicators in the Oldman River at Hwy 3 in Lethbridge.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.02	0.07	94
		winter	0.02	0.059	52
	2020-2021	open	0.015	0.015	5
		winter	0.018	0.053	5
Chloride (mg/L)	1999-2009 (trigger)	open	1.5	3.2	70
		winter	2.1	3	50
	2020-2021	open	2	3.7	5
		winter	3.2	5.6	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.022	0.138	94
		winter	0.219	0.348	52
	2020-2021	open	0.019	0.051	5
		winter	0.16	0.166	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.25	0.64	72
		winter	0.4	0.59	50
	2020-2021	open	0.21	0.25	5
		winter	0.31	0.38	5
Total Dissolved Phosphorus (mg/L)	1999-2009 (trigger)	open	0.003	0.009	93
		winter	0.003	0.006	52
	2020-2021	open	0.003	0.003	5
		winter	0.003	0.003	5
Total Phosphorus (mg/L)	1999-2009 (trigger)	open	0.012	0.151	94
		winter	0.008	0.022	52
	2020-2021	open	0.005	0.047	5
		winter	0.003	0.023	5
Sulphate (mg/L)	1999-2009 (trigger)	open	35.8	52.1	70
		winter	45	58	50
	2020-2021	open	31	48	5
		winter	46	53.6	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.42	0.59	70
		winter	0.46	0.6	50
	2020-2021	open	0.37	0.51	5
		winter	0.47	0.56	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	323	397	91
		winter	358	437	52
	2020-2021	open	320	370	5
		winter	360	400	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	182	224	69
		winter	217	256	50
	2020-2021	open	170	230	5
		winter	210	226	5
Total Organic Carbon (mg/L)	1999-2009 (trigger)	open	2.4	3.9	70
		winter	1.7	2.5	50
	2020-2021	open	1.9	2	5

		winter	1.5	1.8	5
Total Suspended Solids (mg/L)	1999-2009 (trigger)	open	9	189	93
		winter	7	34	52
	2020-2021	open	7	76	5
		winter	5	35	5
Turbidity (NTU)	1999-2009 (trigger)	open	10	153	91
		winter	6.3	27.5	52
	2020-2021	open	1.5	24.9	5
		Winter	3.6	15.9	5
pH	1999-2009 (trigger)	open	8.34	8.57	91
		winter	8.2	8.28	52
	2020-2021	open	8.28	8.32	5
		Winter	8.12	8.23	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009 (trigger)	open	13	71	72
		winter	2	13	48
	2020-2021	open	37	43	5
		Winter	14	128	5

Table B-4. Median and 90th percentile values for secondary indicators in the Oldman River at Hwy 3 in Lethbridge.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.006	0.031	46
		winter	0.0025	0.0025	4
	2020-2021	open	0.007	0.007	3
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0025	0.01	46
		winter	0.0025	0.0025	4
	2020-2021	open	0.002	0.002	5
		winter			5
MCPA (µg/L)	1999-2009	open	0.0025	0.01	46
		winter	0.0025	0.0025	4
	2020-2021	open	0.01	0.01	3
		winter			0
Mecoprop (µg/L)	1999-2009	open	0.0025	0.0027	46
		winter	0.0025	0.0025	4
	2020-2021	open	0.009	0.009	3
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.3	2.056	18
		winter	0.3	1.352	8
	2020-2021	open	0.78	2.622	5
		winter	1.01	2.374	5
Total Recoverable Selenium (µg/L)	1999-2009	open	0.605	0.8464	14
		winter	0.895	1.2	7
	2020-2021	open	0.5	0.6	5
		winter	0.7	0.76	5

Table B-5. Median and 90th percentile values for primary indicators in the Oldman River at Hwy 36.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.02	0.11	91
		winter	0.03	0.134	57
	2020-2021	open	0.018	0.026	5
		winter	0.015	0.189	5
Chloride (mg/L)	1999-2009 (trigger)	open	4	6.1	70
		winter	6	8.1	50
	2020-2021	open	3.9	8	5
		winter	6.4	16	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.006	0.14	91
		winter	0.317	0.495	57
	2020-2021	open	0.042	0.184	5
		winter	0.2	0.37	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.31	0.75	70
		winter	0.59	0.96	55
	2020-2021	open	0.26	0.45	5
		winter	0.52	1.26	5
Total Dissolved Phosphorus (mg/L)	1999-2009 (trigger)	open	0.003	0.01	91
		winter	0.003	0.007	57
	2020-2021	open	0.003	0.005	5
		winter	0.003	0.004	5
Total Phosphorus (mg/L)	1999-2009 (trigger)	open	0.015	0.173	91
		winter	0.009	0.019	57
	2020-2021	open	0.028	0.051	5
		winter	0.009	0.049	5
Sulphate (mg/L)	1999-2009 (trigger)	open	44.8	61.4	70
		winter	58.1	77.4	50
	2020-2021	open	45	66.8	5
		winter	63	69.6	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.56	0.78	70
		winter	0.65	0.8	50
	2020-2021	open	0.55	0.78	5
		winter	0.63	0.76	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	357	425	91
		winter	414	502	52
	2020-2021	open	340	442	5
		winter	420	496	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	200	243	70
		winter	246	296	50
	2020-2021	open	200	288	5
		winter	260	290	5
Total Organic Carbon (mg/L)	1999-2009 (trigger)	open	2.9	4.4	70
		winter	2.2	3	55

	2020-2021	open	2	2.1	5
		winter	2.2	2.8	5
Total Suspended Solids (mg/L)	1999-2009	open	11	200	90
	(trigger)	winter	3	17	57
	2020-2021	open	5	59	5
		winter	5	26	5
Turbidity (NTU)	1999-2009	open	9.9	180	91
	(trigger)	winter	4.9	19.9	52
	2020-2021	open	2.4	23.2	5
		winter	3.9	5.1	5
pH	1999-2009	open	8.37	8.52	91
	(trigger)	winter	8.21	8.33	57
	2020-2021	open	7.91	8.38	5
		winter	7.92	8.24	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009	open	14	151	70
	(trigger)	winter	3	17	53
	2020-2021	open	14	35	5
		winter	5	7	5

Table B-6. Median and 90th percentile values for secondary indicators in the Oldman River at Hwy 36.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.0135	0.0802	44
		winter	0.0025	0.0025	4
	2020-2021	open	0.007	0.0086	3
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0025	0.0117	44
		winter	0.0025	0.0025	4
	2020-2021	open	0.002	0.002	5
		winter			5
MCPA (µg/L)	1999-2009	open	0.0025	0.0184	44
		winter	0.0025	0.0025	4
	2020-2021	open	0.01	0.01	3
		winter			0
Mecoprop (µg/L)	1999-2009	open	0.0025	0.007	44
		winter	0.0025	0.0025	4
	2020-2021	open	0.009	0.009	3
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.425	2.367	18
		winter	0.795	1.731	8
	2020-2021	open	0.8	2.162	5
		winter	0.65	2.972	5
Total Recoverable Selenium (µg/L)	1999-2009	open	0.591	0.9972	14
		winter	1.12	1.254	7
	2020-2021	open	0.6	0.78	5
		winter	0.8	0.96	5

Table B-7. Median and 90th percentile values for primary indicators in the Bow River at Cochrane.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.005	0.041	70
		winter	0.007	0.025	50
	2020-2021	open	0.015	0.027	5
		winter	0.015	0.017	5
Chloride (mg/L)	1999-2009 (trigger)	open	1.9	2.9	70
		winter	2	2.6	50
	2020-2021	open	2.7	3.2	5
		winter	2.7	2.9	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.074	0.108	69
		winter	0.109	0.13	50
	2020-2021	open	0.075	0.106	5
		winter	0.11	0.122	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.18	0.4	70
		winter	0.17	0.23	50
	2020-2021	open	0.16	0.23	5
		winter	0.17	0.35	5
Total Dissolved Phosphorus (mg/L)	2004-2009 (trigger)	open	0.002	0.004	35
		winter	0.002	0.004	25
	2020-2021	open	0.003	0.004	5
		winter	0.003	0.003	5
Total Phosphorus (mg/L)	2004-2009 (trigger)	open	0.005	0.009	35
		winter	0.003	0.006	25
	2020-2021	open	0.004	0.015	5
		winter	0.003	0.003	5
Sulphate (mg/L)	1999-2009 (trigger)	open	33.6	40.4	70
		winter	42.2	45.8	50
	2020-2021	open	33	73.4	5
		winter	50	52.6	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.07	0.12	70
		winter	0.07	0.1	50
	2020-2021	open	0.08	0.09	5
		winter	0.08	0.08	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	289	317	70
		winter	330	349	50
	2020-2021	open	290	316	5
		winter	360	360	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	165	190	70
		winter	190	200	50
	2020-2021	open	180	216	5
		winter	200	226	5
Total Organic Carbon (mg/L)	1999-2009 (trigger)	open	1	1.6	34
		winter	0.8	0.9	14

	2020-2021	open	0.8	1.4	5
		winter	0.5	0.7	5
Total Suspended Solids (mg/L)	1999-2009 (trigger)	open	2	8	70
		winter	1	2	50
	2020-2021	open	4	25	5
		winter	2	2	5
Turbidity (NTU)	1999-2009 (trigger)	open	1.8	10.1	70
		winter	0.8	1.7	50
	2020-2021	open	0.6	13.3	5
		winter	0.6	0.6	5
pH	1999-2009 (trigger)	open	8.23	8.38	70
		winter	8.17	8.3	50
	2020-2021	open	8.14	8.35	5
		winter	7.35	8.08	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009 (trigger)	open	2	13	70
		winter	1	2	49
	2020-2021	open	2	17	5
		winter	1	2	5

Table B-8. Median and 90th percentile values for secondary indicators in the Bow River at Cochrane.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.0025	0.0025	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.007	0.007	3
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0025	0.01	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.002	0.002	3
		winter			0
MCPA (µg/L)	1999-2009	open	0.0025	0.0025	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.01	0.01	3
		Winter			0
Mecoprop (µg/L)	1999-2009	open	0.0025	0.0025	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.009	0.009	3
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.3	0.918	22
		winter	0.335	0.497	10
	2020-2021	open	0.33	1.368	5
		winter	0.23	0.68	5
Total Recoverable Selenium (µg/L)	1999-2009	open	0.5005	0.5933	18
		winter	0.612	0.801	9
	2020-2021	open	0.5	0.6	5
		winter	0.7	0.7	5

Table B-9. Median and 90th percentile values for primary indicators in the Bow River at Carseland.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.045	0.16	70
		winter	0.25	0.472	50
	2020-2021	open	0.017	0.05	5
		winter	0.13	0.216	5
Chloride (mg/L)	1999-2009 (trigger)	open	7.6	13.1	70
		winter	12.7	20.4	50
	2020-2021	open	11	16.8	5
		winter	22	36.8	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.601	0.99	69
		winter	1.13	1.403	50
	2020-2021	open	0.59	0.808	5
		winter	1.1	1.5	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	1.02	1.72	70
		winter	1.67	2.17	50
	2020-2021	open	0.94	1.12	5
		winter	1.6	1.96	5
Total Dissolved Phosphorus (mg/L)	2004-2009 (trigger)	open	0.007	0.016	35
		winter	0.017	0.028	25
	2020-2021	open	0.003	0.006	5
		winter	0.02	0.027	5
Total Phosphorus (mg/L)	2004-2009 (trigger)	open	0.021	0.083	35
		winter	0.03	0.062	25
	2020-2021	open	0.015	0.086	5
		winter	0.03	0.036	5
Sulphate (mg/L)	1999-2009 (trigger)	open	42.8	51.5	70
		winter	53.9	58	50
	2020-2021	open	42	57.6	5
		winter	64	73.4	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.3	0.45	70
		winter	0.39	0.58	50
	2020-2021	open	0.34	0.46	5
		winter	0.48	0.69	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	346	398	69
		winter	422	443	50
	2020-2021	open	360	406	5
		winter	470	502	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	201	232	70
		winter	246	260	50
	2020-2021	open	200	242	5
		winter	280	296	5
Total Organic Carbon (mg/L)	1999-2009	open	2	3.6	34
	(trigger)	winter	1.5	1.9	14

	2020-2021	open	1.7	2.4	5
		winter	1.4	1.8	5
Total Suspended Solids (mg/L)	1999-2009 (trigger)	open	6	64	70
		winter	5	14	50
	2020-2021	open	14	90	5
		winter	5	7	5
Turbidity (NTU)	1999-2009 (trigger)	open	4	48.4	70
		winter	2.6	9.3	50
	2020-2021	open	2.6	35.6	5
		winter	1.6	2.5	5
pH	1999-2009 (trigger)	open	8.2	8.39	70
		winter	8.06	8.2	50
	2020-2021	open	8.12	8.29	5
		winter	7.95	8.09	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009 (trigger)	open	28	144	67
		winter	10	25	47
	2020-2021	open	54	85	5
		winter	7	8	5

Table B-10. Median and 90th percentile values for secondary indicators in the Bow River at Carseland.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.0075	0.026	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.014	0.0292	3
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0025	0.01	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.002	0.0044	3
		winter			0
MCPA (µg/L)	1999-2009	open	0.0025	0.0071	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.01	0.01	3
		winter			0
Mecoprop (µg/L)	1999-2009	open	0.005	0.0167	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.009	0.0178	3
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.3	4.807	22
		winter	0.345	0.685	10
	2020-2021	open	0.96	3.296	3
		winter	0.47	0.732	0
Total Recoverable Selenium (µg/L)	1999-2009	open	0.585	0.8819	18
		winter	0.825	0.9796	9
	2020-2021	open	0.6	0.66	3
		winter	0.8	0.86	0

Table B-11. Median and 90th percentile values for primary indicators in the Bow River at Cluny.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.025	0.12	71
		winter	0.195	0.372	48
	2020-2021	open	0.018	0.041	5
		winter	0.11	0.2	5
Chloride (mg/L)	1999-2009 (trigger)	open	8	13	71
		winter	13	20.9	43
	2020-2021	open	13	16	5
		winter	25	48.4	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.52	0.837	59
		winter	1.195	1.455	40
	2020-2021	open	0.54	0.676	5
		winter	1.5	1.74	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.94	1.52	71
		winter	1.68	2.07	48
	2020-2021	open	0.78	0.9	5
		winter	1.7	2.52	5
Total Dissolved Phosphorus (mg/L)	2004-2009 (trigger)	open	0.005	0.014	35
		winter	0.012	0.02	22
	2020-2021	open	0.003	0.004	5
		winter	0.015	0.019	5
Total Phosphorus (mg/L)	2004-2009 (trigger)	open	0.017	0.128	35
		winter	0.016	0.025	22
	2020-2021	open	0.011	0.129	5
		winter	0.031	0.138	5
Sulphate (mg/L)	1999-2009 (trigger)	open	47.8	58.1	48
		winter	57.2	63.1	32
	2020-2021	open	45	56.4	5
		winter	68	80	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.35	0.58	48
		winter	0.42	0.72	32
	2020-2021	open	0.38	0.42	5
		winter	0.55	0.98	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	360	425	47
		winter	441	490	32
	2020-2021	open	360	410	5
		winter	490	588	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	211	245	48
		winter	257	290	32
	2020-2021	open	200	238	5
		winter	310	352	5
Total Organic Carbon (mg/L)	1999-2009 (trigger)	open	2.2	4.3	23
		winter	1.3	1.8	16
	2020-2021	open	1.4	2.1	5

		winter	1.6	1.9	5
Total Suspended Solids (mg/L)	1999-2009 (trigger)	open	11	80	71
		winter	4	9	48
	2020-2021	open	10	166	5
		winter	15	76	5
Turbidity (NTU)	1999-2009 (trigger)	open	8.5	62.7	48
		winter	2.8	7.1	32
	2020-2021	open	3.5	32.6	5
		winter	2.8	17.8	5
pH	1999-2009 (trigger)	open	8.3	8.46	48
		winter	8	8.23	37
	2020-2021	open	8.31	8.36	5
		winter	7.62	8.06	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009 (trigger)	open	8	56	67
		winter	1	6	48
	2020-2021	open	38	244	5
		winter	1	3	5

Table B-12. Median and 90th percentile values for secondary indicators in the Bow River at Cluny.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.0065	0.0384	32
		winter	0.0025	0.0025	3
	2020-2021	open	0.0185	0.0245	2
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0025	0.01	32
		winter	0.0025	0.0025	3
	2020-2021	open	0.002	0.002	2
		winter			0
MCPA (µg/L)	1999-2009	open	0.0025	0.0097	32
		winter	0.0025	0.0025	3
	2020-2021	open	0.01	0.01	2
		winter			0
Mecoprop (µg/L)	1999-2009	open	0.0055	0.0209	32
		winter	0.0025	0.0025	3
	2020-2021	open	0.0105	0.0117	2
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.3	2.526	17
		winter	0.3	0.372	5
	2020-2021	open	1.14	4.604	5
		winter	0.96	2.216	5
Total Recoverable Selenium (µg/L)	1999-2009	open	0.698	0.9347	10
		winter	0.789	0.824	4
	2020-2021	open	0.6	0.72	5
		winter	0.8	0.9	5

Table B-13. Median and 90th percentile values for primary indicators in the Bow River at Ronalane.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.02	0.081	70
		winter	0.13	0.292	49
	2020-2021	open	0.028	0.044	5
		winter	0.071	0.132	5
Chloride (mg/L)	1999-2009 (trigger)	open	8.4	12	70
		winter	13	19.7	49
	2020-2021	open	11	15.8	5
		winter	22	41.4	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.302	0.747	69
		winter	1.19	1.44	49
	2020-2021	open	0.33	0.638	5
		winter	1.4	1.74	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.68	1.26	70
		winter	1.58	1.91	49
	2020-2021	open	0.57	0.98	5
		winter	1.8	2.08	5
Total Dissolved Phosphorus (mg/L)	2004-2009 (trigger)	open	0.005	0.01	35
		winter	0.005	0.017	24
	2020-2021	open	0.003	0.006	5
		winter	0.003	0.003	5
Total Phosphorus (mg/L)	2004-2009 (trigger)	open	0.025	0.138	35
		winter	0.012	0.027	24
	2020-2021	open	0.013	0.079	5
		winter	0.007	0.008	5
Sulphate (mg/L)	1999-2009 (trigger)	open	62.2	78.1	70
		winter	60.9	70.5	49
	2020-2021	open	51	63.8	5
		winter	72	80.8	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.55	0.8	70
		winter	0.48	0.67	49
	2020-2021	open	0.47	0.57	5
		winter	0.62	0.93	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	386	431	70
		winter	448	499	49
	2020-2021	open	390	420	5
		winter	510	570	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	228	260	70
		winter	263	291	49
	2020-2021	open	210	252	5
		winter	310	330	5
Total Organic Carbon (mg/L)	1999-2009 (trigger)	open	3	4.8	34
		winter	1.5	2.5	14

	2020-2021	open	1.9	2.5	5
		winter	1.6	2	5
Total Suspended Solids (mg/L)	1999-2009 (trigger)	open	12	72	70
		winter	6	18	49
	2020-2021	open	18	104	5
		winter	5	6	5
Turbidity (NTU)	1999-2009 (trigger)	open	10.4	73.3	70
		winter	3.8	17.4	49
	2020-2021	open	7.3	42.8	5
		winter	2.5	2.7	5
pH	1999-2009 (trigger)	open	8.32	8.58	70
		winter	8.06	8.3	49
	2020-2021	open	8.29	8.42	5
		winter	8.02	8.22	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009 (trigger)	open	14	77	69
		winter	1	6	49
	2020-2021	open	28	63	5
		winter	7	10	5

Table B-14. Median and 90th percentile values for secondary indicators in the Bow River at Ronalane.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.0325	0.1443	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.01	0.0156	3
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0095	0.0354	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.002	0.0092	3
		winter			0
MCPA (µg/L)	1999-2009	open	0.0025	0.0629	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.01	0.01	3
		winter			0
Mecoprop (µg/L)	1999-2009	open	0.0055	0.016	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.009	0.009	3
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.9	4.236	18
		winter	0.3	0.51	6
	2020-2021	open	1.57	3.512	5
		winter	0.57	0.804	5
Total Recoverable Selenium (µg/L)	1999-2009	open	0.69	0.9378	14
		winter	0.831	1.0012	5
	2020-2021	open	0.7	0.76	5
		winter	0.8	0.87	5

Table B-15. Median and 90th percentile values for primary indicators in the South Saskatchewan River at Medicine Hat at Hwy 1.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	1999-2009 (trigger)	open	0.02	0.06	70
		winter	0.09	0.253	48
	2020-2021	open	0.015	0.017	5
		winter	0.04	0.082	5
Chloride (mg/L)	1999-2009 (trigger)	open	6.4	9.8	70
		winter	12.6	19.9	48
	2020-2021	open	8.1	12.2	5
		winter	18	27.6	5
Nitrate (mg/L)	1999-2009 (trigger)	open	0.103	0.497	69
		winter	1.015	1.258	48
	2020-2021	open	0.13	0.294	5
		winter	0.96	1.3	5
Total Nitrogen (mg/L)	1999-2009 (trigger)	open	0.55	1.01	70
		winter	1.33	1.72	48
	2020-2021	open	0.37	0.62	5
		winter	1.3	1.6	5
Total Dissolved Phosphorus (mg/L)	1999-2009 (trigger)	open	0.004	0.009	70
		winter	0.004	0.01	48
	2020-2021	open	0.003	0.003	5
		winter	0.003	0.004	5
Total Phosphorus (mg/L)	1999-2009 (trigger)	open	0.022	0.098	70
		winter	0.01	0.042	48
	2020-2021	open	0.008	0.065	5
		winter	0.006	0.021	5
Sulphate (mg/L)	1999-2009 (trigger)	open	56.5	76.9	70
		winter	62.4	77.6	48
	2020-2021	open	51	61.2	5
		winter	70	95.6	5
Sodium Adsorption Ratio	1999-2009 (trigger)	open	0.6	0.79	70
		winter	0.59	0.88	48
	2020-2021	open	0.49	0.59	5
		winter	0.63	0.74	5
Specific Conductance (µS/cm)	1999-2009 (trigger)	open	369	436	68
		winter	462	519	48
	2020-2021	open	370	408	5
		winter	460	542	5
Total Dissolved Solids (mg/L)	1999-2009 (trigger)	open	221	252	70
		winter	268	316	48
	2020-2021	open	210	248	5
		winter	300	338	5
Total Organic Carbon (mg/L)	1999-2009	open	2.7	4	34
	(trigger)	winter	1.7	3	13

	2020-2021	open	2.3	8.8	5
		winter	1.7	1.9	5
Total Suspended Solids (mg/L)	1999-2009 (trigger)	open	19	105	70
		winter	5	32	48
	2020-2021	open	6	86	5
		winter	4	27	5
Turbidity (NTU)	1999-2009 (trigger)	open	16.4	80.5	70
		winter	4	28.3	48
	2020-2021	open	3.9	26	5
		winter	1.6	15.4	5
pH	1999-2009 (trigger)	open	8.32	8.47	70
		winter	8.14	8.27	48
	2020-2021	open	8.01	8.28	5
		winter	8.05	8.17	5
<i>Escherichia coli</i> (cfu/100ml)	1999-2009 (trigger)	open	13	99	68
		winter	1	7	48
	2020-2021	open	42	556	5
		winter	10	13	5

Table B-16. Median and 90th percentile values for secondary indicators in the South Saskatchewan River at Medicine Hat at Hwy 1.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	1999-2009	open	0.0245	0.1049	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.014	0.0196	2
		winter			0
Dicamba (µg/L)	1999-2009	open	0.0025	0.017	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.006	0.0076	2
		winter			0
MCPA (µg/L)	1999-2009	open	0.0025	0.0168	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.01	0.01	2
		winter			0
Mecoprop (µg/L)	1999-2009	open	0.0025	0.0132	44
		winter	0.0025	0.0025	3
	2020-2021	open	0.009	0.009	2
		winter			0
Total Mercury (ng/L)	1999-2009	open	0.55	2.609	18
		winter	0.3	0.408	5
	2020-2021	open	1.29	2.572	5
		winter	0.65	1.818	5
Total Recoverable Selenium (µg/L)	1999-2009	open	0.573	0.847	14
		winter	0.9995	1.071	4
	2020-2021	open	0.5	0.5	5
		winter	0.8	0.86	5

Table B-17. Median and 90th percentile values for primary indicators in the Milk River at SH 880.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
Total Ammonia (mg/L)	2003-2009 (trigger)	open	0.025	0.07	81
		winter	0.04	0.13	31
	2020-2021	open	0.018	0.048	6
		winter	0.025	0.054	5
Chloride (mg/L)	2003-2009 (trigger)	open	1.3	6.2	81
		winter	8	14.3	31
	2020-2021	open	5.9	10.5	6
		winter	6.4	10.9	5
Nitrate (mg/L)	2003-2009 (trigger)	open	0.031	0.123	81
		winter	0.382	0.807	31
	2020-2021	open	0.003	0.051	6
		winter	0.14	0.372	5
Total Nitrogen (mg/L)	2003-2009 (trigger)	open	0.32	0.59	78
		winter	0.82	1.22	31
	2020-2021	open	0.41	0.96	6
		winter	0.53	0.79	5
Total Dissolved Phosphorus (mg/L)	2003-2009 (trigger)	open	0.003	0.006	81
		winter	0.003	0.01	31
	2020-2021	open	0.004	0.014	6
		winter	0.003	0.006	5
Total Phosphorus (mg/L)	2003-2009 (trigger)	open	0.079	0.193	81
		winter	0.007	0.039	31
	2020-2021	open	0.016	0.135	6
		winter	0.005	0.038	5
Sulphate (mg/L)	2003-2009 (trigger)	open	22.3	170	81
		winter	197	316	31
	2020-2021	open	160	240	6
		winter	150	268	5
Sodium Adsorption Ratio	2003-2009 (trigger)	open	0.43	2.26	81
		winter	2.54	3.8	31
	2020-2021	open	2.26	4.08	6
		winter	2.03	2.94	5
Specific Conductance (µS/cm)	2003-2009 (trigger)	open	248	733	81
		winter	916	1380	31
	2020-2021	open	765	1050	6
		winter	820	1304	5
Total Dissolved Solids (mg/L)	2003-2009 (trigger)	open	140	488	81
		winter	606	900	31
	2020-2021	open	475	640	6
		winter	510	824	5
Total Organic Carbon (mg/L)	2003-2009 (trigger)	open	2.1	4.2	39
		winter	3.7	4.8	26
	2020-2021	open	3.8	5.7	6

		winter	3.1	4.9	5
Total Suspended Solids (mg/L)	2003-2009 (trigger)	open	107	304	81
		winter	3	12	31
	2020-2021	open	14	230	6
		winter	4	39	5
Turbidity (NTU)	2003-2009 (trigger)	open	60	170	81
		winter	3.7	17.5	31
	2020-2021	open	3.9	79.5	6
		winter	3.8	18.3	5
pH	2003-2009 (trigger)	open	8.23	8.43	81
		winter	8.3	8.41	31
	2020-2021	open	8.46	8.57	6
		winter	8.2	8.33	5
<i>Escherichia coli</i> (cfu/100ml)	2003-2009 (trigger)	open	57	230	79
		winter	1	9	30
	2020-2021	open	136	735	6
		winter	5	5	5

Table B-18. Median and 90th percentile values for secondary indicators in the Milk River at SH 880.

INDICATOR	TIME PERIOD	SEASON	MEDIAN	90 TH PERCENTILE	<i>n</i>
2,4-D (µg/L)	2003-2009	open	0.0025	0.0114	24
		winter			0
	2020-2021	open	0.007	0.0158	3
		winter			0
Dicamba (µg/L)	2003-2009	open	0.0025	0.0025	24
		winter			0
	2020-2021	open	0.002	0.002	3
		winter			0
MCPA (µg/L)	2003-2009	open	0.0025	0.003	24
		winter			0
	2020-2021	open	0.01	0.01	3
		winter			0
Mecoprop (µg/L)	2003-2009	open	0.0025	0.0025	24
		winter			0
	2020-2021	open	0.009	0.009	6
		winter			5
Total Mercury (ng/L)	2003-2009	open	2.15	9.5	18
		winter	0.3	0.695	6
	2020-2021	open	1.215	7.655	6
		winter	0.63	2.346	5
Total Recoverable Selenium (µg/L)	2003-2009	open	0.354	0.887	14
		winter	1.2	1.506	5
	2020-2021	open	0.6	0.8	6
		winter	0.8	0.98	5

Appendix C

Statistical Summary, LTRN Station Information and Boxplots

Table C-1. Results of the statistical assessment of the 2020-2021 compliance values against the Framework triggers for sites on the Oldman River. The surface water quality parameters with concentrations that had statistically significant test results are highlighted. Normal and log-normal distributions used parametric UPL calculations, while non-normal distributions used non-parametric UPL calculations. Central tendency UPL trigger exceedances were reported (e.g. FAIL) when the compliance mean/median values exceeded the central tendency UPL. Peak UPL trigger exceedances (e.g. FAIL) were reported when there was a significant number of individual values exceeding the peak UPL determined with the binomial test.

Indicator	Units	Distribution	Deseasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Compliance Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
OLDMAN RIVER AT BROCKET											
Ammonia	mg/L	Non-Normal	No	No	O/W	0.01	0.15	PASS	0.08	0	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	1.2	4.21	PASS	2.23	0	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	No	O/W	41.8	784.28	PASS	59.64	0	PASS
Nitrate	mg/L	Non-Normal	Yes	No	O/W	0	0.2	PASS	0.15	0	PASS
pH	pH units	Non-Normal	No	No	O/W	8.27	8.49	PASS	8.38	0	PASS
SAR	rel units	Non-Normal	Yes	No	O/W	0.15	0.34	PASS	0.24	0	PASS
Sp. Cond.	µS/cm	Normal	Yes	No	O/W	291.75	300.56	PASS	345.81	0	PASS
Sulphate	mg/L	Non-Normal	Yes	No	O/W	22.11	33.98	PASS	30.51	0	PASS
TDP	mg/L	Non-Normal	No	No	O/W	0	0.03	PASS	0.01	0	PASS
TDS	mg/L	Normal	Yes	No	O/W	171.02	173.68	PASS	199.59	1	PASS
TN	mg/L	Non-Normal	Yes	No	O/W	0.15	1.81	PASS	0.39	0	PASS
TOC	mg/L	Non-Normal	Yes	No	O/W	2.08	4.72	PASS	3.56	0	PASS
TP	mg/L	Normal	Yes	Yes	W	0.01	0.01	PASS	0.02	0	PASS
TP	mg/L	Non-Normal	Yes	Yes	O	0.01	0.06	PASS	0.03	0	PASS

Indicator	Units	Distribution	Deseasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Compliance Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
TSS	mg/L	Lognormal	Yes	Yes	W	2.4	2.48	PASS	15.7	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	O	3.69	54.81	PASS	22	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	W	6.06	24	PASS	16.1	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	O	3.5	59.92	PASS	33.44	0	PASS
OLDMAN RIVER AT HWY 3											
Ammonia	mg/L	Non-Normal	No	No	O/W	0.02	0.27	PASS	0.1	0	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	2.58	26.55	PASS	4.65	2	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	W	108.36	151.75	PASS	137.03	1	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	O	123.05	5475.75	PASS	389.05	0	PASS
Nitrate	mg/L	Non-Normal	Yes	No	O/W	0	0.93	PASS	0.25	0	PASS
pH	pH units	Non-Normal	Yes	No	O/W	8.25	8.57	PASS	8.47	0	PASS
SAR	rel units	Lognormal	Yes	No	O/W	-0.87	-0.71	PASS	0.86	0	PASS
Sp. Cond.	µS/cm	Lognormal	Yes	No	O/W	5.84	5.9	PASS	479.78	0	PASS
Sulphate	mg/L	Lognormal	Yes	No	O/W	3.69	3.82	PASS	76.81	0	PASS
TDP	mg/L	Non-Normal	No	No	O/W	0	0.08	PASS	0.01	0	PASS
TDS	mg/L	Non-Normal	Yes	No	O/W	185.47	288.38	PASS	245.47	1	PASS
TN	mg/L	Non-Normal	Yes	No	O/W	0.34	5.61	PASS	0.86	0	PASS
TOC	mg/L	Non-Normal	Yes	No	O/W	2.17	16.74	PASS	4.74	0	PASS
TP	mg/L	Non-Normal	Yes	Yes	W	0.05	0.18	PASS	0.08	0	PASS
TP	mg/L	Non-Normal	Yes	Yes	O	0.05	2.08	PASS	0.42	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	W	66.54	205.02	PASS	110.79	1	PASS
TSS	mg/L	Non-Normal	Yes	Yes	O	65.32	3254.02	PASS	518.56	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	W	40.71	174.95	PASS	85.94	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	O	39.35	1992.71	PASS	346.55	0	PASS
OLDMAN RIVER AT HWY 36											
Ammonia	mg/L	Non-Normal	Yes	No	O/W	0.07	0.23	PASS	0.17	1	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	8.24	14.66	PASS	8.02	3	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	W	135.57	189.09	PASS	164.27	0	PASS

Indicator	Units	Distribution	Deseasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Compliance Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	O	111.66	9208.29	PASS	726.55	0	PASS
Nitrate	mg/L	Non-Normal	Yes	No	O/W	0.06	1.09	PASS	0.4	0	PASS
pH	pH units	Non-Normal	Yes	No	O/W	8.26	8.56	PASS	8.49	0	PASS
SAR	rel units	Normal	Yes	No	O/W	0.59	0.68	PASS	1	0	PASS
Sp. Cond.	µS/cm	Normal	Yes	No	O/W	382.92	408.6	PASS	518.22	0	PASS
Sulphate	mg/L	Normal	Yes	No	O/W	52.66	59.48	PASS	88.35	0	PASS
TDP	mg/L	Non-Normal	No	No	O/W	0	0.13	PASS	0.02	0	PASS
TDS	mg/L	Normal	Yes	No	O/W	237.05	241.24	PASS	308.78	1	PASS
TOC	mg/L	Non-Normal	Yes	No	O/W	2.82	16.83	PASS	4.51	0	PASS
TP	mg/L	Non-Normal	Yes	Yes	W	0.06	0.1	PASS	0.09	1	PASS
TP	mg/L	Non-Normal	Yes	Yes	O	0.05	2.09	PASS	0.46	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	W	71.11	121.69	PASS	96.84	1	PASS
TSS	mg/L	Non-Normal	Yes	Yes	O	63.03	3250.9	PASS	557.93	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	W	42.93	91.05	PASS	79.59	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	O	37.08	1352.39	PASS	398.81	0	PASS

Table C-2. Results of the statistical assessment of the 2020-2021 compliance values against the Framework triggers for sites on the Bow River. The surface water quality parameters with concentrations that had statistically significant test results are highlighted. Normal and log-normal distributions used parametric UPL calculations, while non-normal distributions used non-parametric UPL calculations. Central tendency UPL trigger exceedances were reported (e.g. FAIL) when the the compliance mean/median values exceeded the central tendency UPL. Peak UPL trigger exceedances (e.g. FAIL) were reported when there was a significant number of individual values exceeding the peak UPL determined with the binomial test.

Indicator	Units	Distribution	Deseasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Central Tendency Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
BOW RIVER AT COCHRANE											
Ammonia	mg/L	Non-Normal	No	No	O/W	0.01	0.38	PASS	0.06	0	PASS
Chloride	mg/L	Non-Normal	No	No	O/W	2	9.3	PASS	3.78	0	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	W	19.78	34.23	PASS	27.73	0	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	O	17.37	1188.88	PASS	61.97	0	PASS
Nitrate	mg/L	Non-Normal	Yes	Yes	W	0.13	0.15	PASS	0.14	0	PASS
Nitrate	mg/L	Non-Normal	Yes	Yes	O	0.12	3.26	PASS	0.17	0	PASS
pH	pH units	Non-Normal	No	Yes	W	7.35	8.46	PASS	8.33	0	PASS
pH	pH units	Non-Normal	No	Yes	O	8.26	8.45	PASS	8.42	0	PASS
SAR	rel units	Non-Normal	Yes	No	O/W	0.08	0.17	PASS	0.12	0	PASS
Sp. Cond.	µS/cm	Non-Normal	Yes	No	O/W	328.85	391.12	PASS	330.47	2	PASS
Sulphate	mg/L	Non-Normal	Yes	No	O/W	45.2	48.88	PASS	42.45	7	FAIL
TDP	mg/L	Non-Normal	No	No	O/W	0	0	PASS	0	0	PASS
TDS	mg/L	Non-Normal	Yes	No	O/W	206.13	202.23	FAIL	192.01	5	FAIL
TN	mg/L	Normal	Yes	Yes	W	0.31	0.3	FAIL	0.4	1	PASS
TN	mg/L	Non-Normal	Yes	Yes	O	0.26	5.58	PASS	0.54	0	PASS
TOC	mg/L	Normal	Yes	No	O/W	0.78	1.21	PASS	2.09	0	PASS
TP	mg/L	Non-Normal	Yes	No	O/W	0	0.07	PASS	0.01	0	PASS
TSS	mg/L	Non-Normal	Yes	No	O/W	4.46	134.65	PASS	10.11	1	PASS
Turbidity	NTU	Non-Normal	Yes	No	O/W	3.99	110.71	PASS	7.82	0	PASS
BOW RIVER AT CARSELAND											
Ammonia	mg/L	Non-Normal	Yes	No	O/W	0.03	0.51	PASS	0.36	0	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	18.89	28.85	PASS	17.42	5	FAIL
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	No	O/W	57.29	2603.29	PASS	195.12	0	PASS

Indicator	Units	Distribution	De-seasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Central Tendency Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
Nitrate	mg/L	Normal	Yes	No	O/W	0.89	0.97	PASS	1.43	0	PASS
pH	pH units	Normal	Yes	No	O/W	7.86	8.21	PASS	8.53	0	PASS
SAR	rel units	Non-Normal	Yes	No	O/W	0.43	0.98	PASS	0.55	1	PASS
Sp. Cond.	µS/cm	Non-Normal	Yes	No	O/W	461.84	463.14	PASS	434.03	2	PASS
Sulphate	mg/L	Non-Normal	Yes	No	O/W	65.49	62.36	FAIL	56.9	4	FAIL
TDP	mg/L	Non-Normal	Yes	No	O/W	0.02	0.07	PASS	0.03	0	PASS
TDS	mg/L	Non-Normal	Yes	No	O/W	257.11	270.01	PASS	252.03	4	FAIL
TN	mg/L	Lognormal	Yes	No	O/W	0.25	0.41	PASS	2.62	0	PASS
TOC	mg/L	Lognormal	Yes	No	O/W	0.58	0.82	PASS	4.44	0	PASS
TP	mg/L	Non-Normal	Yes	No	O/W	0.05	1.12	PASS	0.1	0	PASS
TSS	mg/L	Normal	Yes	Yes	W	27.58	34.8	PASS	45.34	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	O	30.63	1480.75	PASS	90.06	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	W	18.01	44.33	PASS	33.58	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	O	19.99	970.69	PASS	113.59	0	PASS
BOW RIVER AT CLUNY											
Ammonia	mg/L	Non-Normal	Yes	No	O/W	0.02	0.56	PASS	0.25	0	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	19.15	47.21	PASS	20.88	3	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	No	O/W	20.63	479.51	PASS	80.1	1	PASS
Nitrate	mg/L	Normal	Yes	No	O/W	0.93	0.91	FAIL	1.37	1	PASS
pH	pH units	Non-Normal	Yes	No	O/W	7.48	8.44	PASS	8.43	0	PASS
SAR	rel units	Non-Normal	Yes	No	O/W	0.49	1.15	PASS	0.71	1	PASS
Sp. Cond.	µS/cm	Non-Normal	Yes	No	O/W	492.86	544.29	PASS	459.57	2	PASS
Sulphate	mg/L	Non-Normal	Yes	No	O/W	63.15	100.02	PASS	65.97	1	PASS
TDP	mg/L	Non-Normal	Yes	No	O/W	0.01	0.08	PASS	0.02	0	PASS
TDS	mg/L	Non-Normal	Yes	No	O/W	285.37	331.8	PASS	268.46	3	PASS
TN	mg/L	Non-Normal	Yes	No	O/W	1.88	4.1	PASS	1.76	2	PASS
TOC	mg/L	Normal	Yes	No	O/W	1.75	2.35	PASS	3.49	0	PASS
TP	mg/L	Non-Normal	Yes	No	O/W	0.09	1.17	PASS	0.1	1	PASS
TSS	mg/L	Non-Normal	Yes	No	O/W	53.95	1617.05	PASS	66.34	1	PASS

Indicator	Units	Distribution	De-seasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Central Tendency Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
Turbidity	NTU	Non-Normal	Yes	No	O/W	14.19	92.42	PASS	47.26	0	PASS
BOW RIVER AT RONALANE											
Ammonia	mg/L	Non-Normal	Yes	No	O/W	-0.02	0.37	PASS	0.24	0	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	22.47	24.27	PASS	16.97	6	FAIL
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	W	32.09	37.04	PASS	32.36	2	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	O	26.24	734.59	PASS	177.29	0	PASS
Nitrate	mg/L	Non-Normal	Yes	No	O/W	0.9	1.14	PASS	1.06	1	PASS
pH	pH units	Normal	Yes	No	O/W	8.06	8.32	PASS	8.68	0	PASS
SAR	rel units	Lognormal	Yes	No	O/W	-0.53	-0.5	PASS	1.05	0	PASS
Sp. Cond.	µS/cm	Non-Normal	Yes	No	O/W	535.13	543.44	PASS	472.95	2	PASS
Sulphate	mg/L	Lognormal	Yes	No	O/W	4.19	4.21	PASS	98.17	0	PASS
TDP	mg/L	Non-Normal	No	No	O/W	0	0.13	PASS	0.03	0	PASS
TDS	mg/L	Non-Normal	Yes	No	O/W	311.41	334.24	PASS	281.78	3	PASS
TN	mg/L	Normal	Yes	No	O/W	1.2	1.23	PASS	1.81	0	PASS
TOC	mg/L	Non-Normal	Yes	No	O/W	2.44	6.57	PASS	4.55	0	PASS
TP	mg/L	Non-Normal	Yes	No	O/W	0.01	0.25	PASS	0.15	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	W	20.4	55.61	PASS	46.5	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	O	19.76	287.04	PASS	119.17	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	W	15.31	58.06	PASS	37.36	0	PASS
Turbidity	NTU	Non-Normal	Yes	Yes	O	12.01	195.24	PASS	126.01	0	PASS

Table C-3. Results of the statistical assessment of the 2020-2021 compliance values against the Framework triggers for sites on the South Saskatchewan and the Milk Rivers. The surface water quality parameters with concentrations that had statistically significant test results are highlighted. Normal and log-normal distributions used parametric UPL calculations, while non-normal distributions used non-parametric UPL calculations. Central tendency UPL trigger exceedances were reported (e.g. FAIL) when the compliance mean/median values exceeded the central tendency UPL. Peak UPL trigger exceedances (e.g. FAIL) were reported when there was a significant number of individual values exceeding the peak UPL determined with the binomial test.

Indicator	Units	Distribution	De-seasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Central Tendency Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
SOUTH SASKATCHEWAN RIVER AT MEDICINE HAT											
Ammonia	mg/L	Non-Normal	Yes	No	O/W	-0.01	0.27	PASS	0.17	0	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	19.07	20.12	PASS	16.08	3	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	W	39.98	41.51	PASS	39.76	3	FAIL
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	O	263.3	642.39	PASS	207.22	2	PASS
Nitrate	mg/L	Non-Normal	Yes	No	O/W	0.53	3.99	PASS	0.89	0	PASS
pH	pH units	Non-Normal	Yes	No	O/W	8.27	8.72	PASS	8.44	0	PASS
SAR	rel units	Lognormal	Yes	No	O/W	-0.54	-0.39	PASS	1.17	0	PASS
Sp. Cond.	µS/cm	Normal	Yes	No	O/W	425.88	440.48	PASS	558.85	0	PASS
Sulphate	mg/L	Lognormal	Yes	No	O/W	4.16	4.22	PASS	111.33	0	PASS
TDP	mg/L	Non-Normal	No	No	O/W	0	0.06	PASS	0.01	0	PASS
TDS	mg/L	Normal	Yes	No	O/W	259.45	261.23	PASS	335	0	PASS
TN	mg/L	Non-Normal	Yes	No	O/W	0.76	4.3	PASS	1.43	0	PASS
TOC	mg/L	Non-Normal	Yes	No	O/W	2.4	5.06	PASS	4.43	1	PASS
TP	mg/L	Non-Normal	Yes	No	O/W	0.03	0.37	PASS	0.12	0	PASS
TSS	mg/L	Non-Normal	Yes	No	O/W	31.88	554.53	PASS	121.56	0	PASS
Turbidity	NTU	Non-Normal	Yes	No	O/W	22.67	440.68	PASS	85.66	0	PASS
MILK RIVER AT SH 880											
Ammonia	mg/L	Lognormal	No	Yes	W	-3.87	-2.5	PASS	0.26	0	PASS
Ammonia	mg/L	Non-Normal	No	Yes	O	0.02	0.42	PASS	0.14	0	PASS
Chloride	mg/L	Non-Normal	Yes	No	O/W	1.49	16.19	PASS	8.13	4	FAIL
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	W	115.93	140.22	PASS	132.79	0	PASS
<i>E. coli</i>	cfu/100ml	Non-Normal	Yes	Yes	O	705.73	4342.4	PASS	273.6	2	PASS
Nitrate	mg/L	Non-Normal	Yes	No	O/W	-0.1	0.75	PASS	0.38	0	PASS
pH	pH units	Non-Normal	Yes	No	O/W	8.2	8.53	PASS	8.44	4	FAIL

Indicator	Units	Distribution	De-seasonalized? (i.e., difference between months)	Separated by Seasons	Season (O=open; W=winter)	Central Tendency Mean/ Median	Central Tendency UPL	Central Tendency UPL Pass/Fail	Peak UPL	No. of Individual Exceedance	Peak UPL Pass/Fail
SAR	rel units	Non-Normal	Yes	No	O/W	1.25	3.16	PASS	2.4	5	FAIL
Sp. Cond.	µS/cm	Non-Normal	Yes	No	O/W	499.29	1228.71	PASS	779.25	6	FAIL
Sulphate	mg/L	Non-Normal	Yes	No	O/W	87.19	333.47	PASS	165.3	6	FAIL
TDP	mg/L	Non-Normal	Yes	No	O/W	0.01	0.23	PASS	0.01	1	PASS
TDS	mg/L	Non-Normal	Yes	No	O/W	302.24	829.95	PASS	496.42	6	FAIL
TN	mg/L	Non-Normal	Yes	No	O/W	0.19	3.52	PASS	1.09	1	PASS
TOC	mg/L	Non-Normal	Yes	No	O/W	2.29	14.48	PASS	9.4	0	PASS
TP	mg/L	Non-Normal	Yes	No	O/W	0.08	1.69	PASS	0.2	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	W	124.64	649.81	PASS	349	0	PASS
TSS	mg/L	Non-Normal	Yes	Yes	O	67.61	2448.01	PASS	361.6	0	PASS
Turbidity	NTU	Non-Normal	Yes	No	O/W	73.44	1844.97	PASS	175.96	0	PASS

Table C-4. Monitoring station numbers and corresponding station names.

STATION NUMBER	STATION NAME	ABBREVIATED STATION NAME (For Figure C-1)
AB05AB0070	Oldman River at Bocket	OMR BROCKET
AB05AD0010	Oldman River at Hwy 3	OMR HWY 3
AB05AG0010	Oldman River at Hwy 36	OMR HWY 36
AB05BH0010	Bow River at Cochrane	BR COCHRANE
AB05BM0590	Bow River at Cluny	BR CARSELAND
AB05BM0010	Bow River at Carseland	BR CLUNY
AB05BN0010	Bow River at Ronalane	BR RONALANE
AB05AK0020	South Saskatchewan River at Medicine Hat	SSR MH
AB11AA0070	Milk River at SH 880	MLK SH 880




Figure C-1. Graphical presentations of the historical data (1999 – 2009), and the compliance data (2020-2021) for water quality parameters (all primary indicators) measured at the sites in the SSRB. Note the log scale. Full station names are listed in Table C-4 above.