

Alberta Health

Primary Health Care - Community Profiles

Community Profile: Fort McMurray Health Data and Summary

Version 2, March 2015

Table of Contents

Introduction	i
Community Profile Summary	iii
Zone Level Information	1
Map of Alberta Health Services North Zone	2
Population Health Indicators	3
Table 1.1 Zone versus Alberta Population Covered as at March 31, 2014	3
Table 1.2 Health Status Indicators for Zone versus Alberta Residents, 2012 and 2013 (BMI, Physical Activity, Smoking, Self-Perceived Mental Health)	3
Table 1.3 Zone versus Alberta Infant Mortality Rates (per 1,000 live births), Years 2011 – 2013	4
Local Geographic Area Level Information	5
Map of Selected Health Services in Local Geographic Area	6
Demographics	7
Table 2.1 Distribution of Population Covered by Age and Gender as at March 31, 2014	7
Figure 2.1 Percentage Distribution of Local Geographic Area versus Alberta Population by Age Groups as at March 31, 2014	7
Figure 2.2 Local Geographic Area Population Covered as at end of Fiscal Years 1994 – 2014	8
Socio-Economic Indicators	9
Table 3.1 Population Percentage of First Nations with Treaty Status and Inuit as at March 31, 2011 ..	9
Table 3.2 Socio-Economic Indicators for Local Geographic Area versus Alberta Residents, 2011 (Family Composition, Family Income, Housing, Mobility, Language, Immigration, Educational Attainment, Household and Dwelling Characteristics)	9
Chronic Disease Prevalence	12
Figure 4.1 Local Geographic Area Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2005 – 2012 (Chronic Obstructive Pulmonary Disease, Diabetes, Hypertension, Ischemic Heart Disease)	12
Figure 4.2 Local Geographic Area versus Alberta Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2012 (Chronic Obstructive Pulmonary Disease, Diabetes, Hypertension, Ischemic Heart Disease)	13
Maternal and Child Health	14
Table 5.1 Local Geographic Area Maternal and Child Health Indicators for Three-Year Period (Number of Births, Percent of Low/High Birth Weight, Birth Rate, Fertility Rate, Teen Birth Rate, Percent Maternal Prenatal Smoking)	14

Table 5.2	Childhood Immunization Coverage Rates, 2013	15
Communicable Diseases		16
Table 6.1	Top 5 Sexually Transmitted Infection (STI) Rates (per 100,000 population) by Three-Year Period	16
Mortality		17
Figure 7.1	Local Geographic Area Age-Standardized Mortality Rates (per 100,000 population) by Three-Year Period.....	17
Figure 7.2	Local Geographic Area versus Alberta Age-Standardized Mortality Rates (per 100,000 population) for Three-Year Period 2011 – 2013	18
Figure 7.3	Local Geographic Area Distribution of Deaths by Cause of Death Across 10 Years, 2004 – 2013.....	19
Emergency Service Utilization		20
Table 8.1	Emergency Visits for Patients Residing in the Local Geographic Area by Triage Level, Fiscal Years 2011/2012 – 2013/2014	20
Figure 8.1	Emergency Visit Rates (per 1,000 population) for Triage Levels Semi-Urgent (4) and Non-Urgent (5), Fiscal Year 2013/2014	20
Figure 8.2	All Emergency Visits for Patients Residing in the Local Geographic Area for Triage Levels Semi-Urgent (4) and Non-Urgent (5) Combined by Weekday and Time, Fiscal Year 2013/2014.....	21
Figure 8.3	Local Geographic Area Age-Standardized Emergency Visit Rates (per 100,000 population) for Selected Conditions, 2006 – 2013 (Acute Upper Respiratory Infections, Arthritis, Asthma, Diabetes, Diseases of Middle Ear and Mastoid, Emphysema and Chronic Bronchitis, Influenza, Mental & Behavioural Disorders due to Psychoactive Substance Use, Other Acute Lower Respiratory Infections, Renal Failure, Stroke)	23
Figure 8.4	Local Geographic Area versus Alberta Age-Standardized Emergency Visit Rates (per 100,000 population) for Selected Conditions, 2013 (Acute Upper Respiratory Infections, Arthritis, Asthma, Diabetes, Diseases of Middle Ear and Mastoid, Emphysema and Chronic Bronchitis, Influenza, Mental & Behavioural Disorders due to Psychoactive Substance Use, Other Acute Lower Respiratory Infections, Renal Failure, Stroke)	24
Inpatient Service Utilization		25
Table 9.1	Inpatient Separation Rates (per 1,000 population) for Patients Residing in the Local Geographic Area versus Alberta, Fiscal Years 2011/2012 – 2013/2014.....	25
Figure 9.1	Local Geographic Area Age-Standardized Inpatient Separation (IP Sep) Rates (per 100,000 population) for Selected Conditions, 2006/2007 – 2013/2014 (Asthma, Diabetes, Influenza, Ischemic Heart Diseases, Mental and Behavioural Disorders due to Psychoactive Substance Use, Pneumonia, Pulmonary Heart and Pulmonary Circulation Diseases)	25
Figure 9.2	Local Geographic Area versus Alberta Age-Standardized IP Sep Rates (per 100,000 population), for Selected Conditions, 2013/2014 (Asthma, Diabetes, Influenza, Ischemic Heart Diseases, Mental and Behavioural Disorders due to Psychoactive Substance Use, Pneumonia, Pulmonary Heart and Pulmonary Circulation Diseases)	26

Primary Health Care Indicators of Community Primary Care Need	27
Table 10.1 Proposed Primary Health Care Indicators of Community Primary Care Need.....	27
1. Travel: Percentage of Total Family Physician Claims Outside the Recipient’s Home Local Geographic Area, 2010/2011	
2. Ambulatory Care Sensitive Conditions - Age-Standardized Hospitalization Rate (per 100,000 population), 2003 to 2011	
3. Continuity of Care, 2010	
4. ED Visits Related to Mood Disorders (Age-Standardized, per 100,000 population), 2003 to 2011	
5. ED Visits Related to Anxiety Disorders (Age-Standardized, per 100,000 population), 2003 to 2011	
6. ED Visits Related to Injuries (Age-Standardized, per 100,000 population), 2003 to 2011	
7. Diabetes Prevalence (per 100 population), 2010	
8. Chronic Obstructive Pulmonary Disease Prevalence Rate (per 100 population), 2010	
9. Age-Standardized Rate of People with Three or more Chronic Diseases (per 100 population), 2010	
10. Influenza Vaccines for Those 65 and Over, 2011/2012	
11. Predicted Primary Health Care Utilization, 2006/2007 to 2008/2009	
12. Primary Health Care Service Gap, 2006/2007 to 2008/2009	
13. Life Expectancy at Birth, 2000 to 2011	
Access to Health Services.....	33
Table 11.1 Ambulatory Care Visits and Inpatient Separations for the Local Geographic Area Residents to Facilities Located In versus Out of the Local Geographic Area, Fiscal Year 2013/2014	33
Table 11.2 Top 3 Non-Local Ambulatory Care Facilities/ Acute Care Hospitals Accessed by Local Residents, Fiscal Year 2013/2014.....	33
Appendix A – Definitions	35
Appendix B – Community Services Online Resources.....	43
Appendix C – Health Link Alberta Calls by Zone.....	47
Appendix D – Select Health Services in Local Geographic Area.....	50

Note:

Qualifiers such as ‘higher than’, ‘much lower than’, ‘similar to’ etc. are used throughout the community profile to compare local geographic area (LGA) indicator values to the provincial average. Note that the qualifiers ‘similar’ and ‘comparable’ are chosen to describe situations in which the LGA indicator value is either identical or very close to the provincial average. For further details on these qualifiers please refer to Appendix A.

Suggested Citation:

Alberta Health Primary Health Care – Community Profiles, Community Profile: [insert LGA name], Health Data and Summary, Version 2, March 2015

INTRODUCTION

Primary Health Care provides an entry point into the health care system and links individuals to medical services and social and community supports. The Government of Alberta is currently working to improve primary health care delivery within the province. The Primary Health Care Strategy has three strategic directions: enhancing the delivery of care, cultural change, and building blocks for change. Primary health care services in Alberta are delivered in a variety of settings and by a range of providers. Current primary health care models in Alberta include: primary care networks, stand-alone physician clinics, community health centres, urgent-care centres, community ambulatory care centres, medi-centres, and university health centres.

To assist with primary health care planning, Alberta Health has developed a series of reports to provide a broad range of demographic, socio-economic and population health statistics considered relevant to primary health care for communities across the province. Alberta Health Services divides the province into five large health service Zones, and these Zones are subdivided into smaller geographic areas called local geographic areas (LGAs). The Alberta Health “Community Profile” reports provide information at the Zone and LGA level for each of the 132 LGAs in Alberta.

The Community Profiles (Profiles) are intended to highlight areas of need and provide relevant information to support the consistent and sustainable planning of primary health services. Each Profile offers an overview of the current health status of residents in the LGA, indicators of the area’s current and future health needs, and evidence as to which quality services are needed on a timely basis to address the area’s needs.

Each report includes sections that present Zone and LGA level information. In addition, the Profile includes Appendices containing sources of additional information about the community (e.g. Health Link Alberta and community services).

The Zone level section opens with a Zone map that puts the specific LGA into context and includes health-related statistics at the Zone level (the highest geographic breakdown next to the full provincial view). Some of the Zone level health indicators are unique to this section and are not currently available at the LGA level.

The LGA section of the Profile is divided into a number of sub-sections and is the core component of each report. The population size of LGAs varies substantially from very small in rural areas to large in metropolitan centers. A compendium of health related information on demographics, prevalence rates, emergency visits, maternal and child health and more, is included in this section. In addition, information on indicators of need (relating to utilization, health population needs and social determinants of health) is also provided.

Furthermore, each Community Profile contains information on access statistics, offering some additional insight into existing needs that are not being met, as well as the utilization of non-local facilities by LGA residents. A map of selected health services available in each LGA, together with a listing of these locations, is also included in each report.

While the current Profile contains data at both the Zone and LGA level, information could be updated or added to the profile if it is provided by the community. For more information contact primaryhealthcare@gov.ab.ca.

Note:

Various data sources are used to compile the Community Profiles. The Profiles are developed through the collaboration of the Primary Health Care Branch, Health Analytics Branch, Surveillance and Assessment Branch in Alberta Health, along with Statistics Canada and Alberta Health Services.

Contributors:

Ade A Davies, Primary Health Care, Alberta Health
Candy Gregory, Primary Health Care, Alberta Health
Fred Ackah, Health Analytics, Alberta Health
Jennifer Bian, Health Analytics, Alberta Health
Gary Gilham, Health Analytics, Alberta Health
Fareeza Khurshed, Health Analytics, Alberta Health
Katherine Lyman, Health Analytics, Alberta Health
Kimberley McCarthy, Health Analytics, Alberta Health
Dan Metes, Health Analytics, Alberta Health
Darlene Skiba, Health Analytics, Alberta Health
Mengzhe Wang, Health Analytics, Alberta Health
Yiming Weng, Health Analytics, Alberta Health
Xianpei Zhou, Health Analytics, Alberta Health
Sue Cumming, Alberta Health Services
Caroline McAuley, Alberta Health Services

COMMUNITY PROFILE SUMMARY

Local Geographic Area: Fort McMurray

The community profile contains a large number of demographic, socio-economic and health related indicators intended to provide a better understanding of the community's current and future health needs. The summary that follows provides a brief overview of some of the key indicators for the local geographic area (LGA), Fort McMurray. For a more in depth look at the data, please refer to the various sections of the report.

POPULATION HEALTH INDICATORS

- Health status indicators are available solely at the zone level. The percentage of obese people in the North Zone (which includes Fort McMurray) was much higher than the provincial percentage in 2013 (27.4% North Zone vs. 19.3% AB). (Table 1.2)
- The North Zone reported a higher proportion of inactive people compared to the provincial proportion during the same year (43.8% North Zone vs. 42.6% AB). (Table 1.2)

DEMOGRAPHICS

- Fort McMurray's population increased by 142.6% between 1994 and 2014 (compared to a 56% increase for Alberta) and currently stands at 85,770 people. (Figure 2.2)
- The largest age group in the LGA, in 2014, was 35-64 year olds who accounted for 42.6% of the population compared to 40.4% for Alberta. (Figure 2.1)
- Children 17 and under made up 21.5% of the LGA's population compared to 22.2% for Alberta, while individuals 65 and older accounted for 2.5% of the population in the LGA and 11.3% in Alberta. (Figure 2.1)

SOCIO - ECONOMIC INDICATORS

- Fort McMurray had a similar proportion of First Nations and Inuit people compared to Alberta (3.3% vs. 3.4% AB). (Table 3.1)
- The percentage of female lone-parent families was lower than the provincial percentage (6.9% vs. 11.1% AB). (Table 3.2)
- A much lower proportion of families with an after-tax low-income level were reported in the LGA compared to Alberta (4.4% vs. 10.7% AB). (Table 3.2)
- The most common non-official languages spoken at home in the LGA were: Gujarati, Tagalog (Pilipino, Filipino), Spanish, Urdu, and Arabic. (Table 3.2)

CHRONIC DISEASE PREVALENCE

- In 2012, the disease with the highest prevalence rate (per 100 population) in Fort McMurray was hypertension. The rate associated with this disease was 1.1 times higher than the provincial rate (13.2 vs. 12.3 AB). (Figure 4.2)

MATERNAL HEALTH

- From 2009/2010 to 2011/2012, Fort McMurray's birth rate per 1,000 women was higher than the provincial rate (34.8 vs. 26.8 AB) and the teen birth rate per 1,000 women was similar to Alberta's teen rate (18.5 vs. 17.4 AB). (Table 5.1)

SEXUALLY TRANSMITTED INFECTIONS

- The highest sexually transmitted infections (STI) rate per 100,000 population in the LGA, in 2011/2012 - 2013/2014, was reported for chlamydia. 3 of the top 5 STI rates in the LGA were higher than the provincial rates, where comparisons could be made. (Table 6.1)

MORTALITY

- The mortality rate (per 100,000 population) due to all causes was lower in the LGA, in 2011-2013, compared to the province (385.5 vs. 452.2 AB) and the most frequent cause of death reported between 2004 and 2013 was neoplasms. (Figures 7.2 and 7.3)

EMERGENCY AND INPATIENT SERVICE UTILIZATION

- Semi and non-urgent emergency visits accounted for 48.7% of all emergency visits in 2013/2014. (Table 8.1)
- Acute Upper Respiratory Infections were the most common reason for emergency visits (among select conditions) in 2013, and had a higher rate (per 100,000 population) compared to the provincial rate (5,370.7 vs. 3,748.0 AB). (Figure 8.4)
- Ischemic heart diseases, pneumonia, and diabetes were the top three main reasons for inpatient separations (among selected conditions) in 2014, and inpatient separation rates were higher than the provincial rates for 5 of 7 diagnoses. (Figure 9.2)

MENTAL AND BEHAVIOURAL DISORDERS

- Mental and behavioural disorders are particularly important from a population health perspective. In 2013, Fort McMurray's emergency department (ED) visit rate for mental and behavioural disorders was similar to the provincial ED visit rate per 100,000 population (561.5 vs. 633.3 AB). (Figure 8.4)
- The inpatient discharge rate associated with mental and behavioural disorders was comparable to Alberta's discharge rate per 100,000 population (97.4 vs. 120.0 AB). (Figure 9.2)
- During 2004 to 2013 mental and behavioural disorders accounted for 2.6% of all deaths in the LGA. (Figure 7.3) Note that deaths due to the top 8 disease categories are displayed in Figure 7.3, while the remaining disease categories are grouped into the generic 'Other'.

PRIMARY HEALTH CARE INDICATORS OF COMMUNITY PRIMARY CARE NEED

During a mapping project conducted by Alberta Health Services in 2012, 13 indicators relating to primary health care needs were developed for each local geographic area. Some of these indicators relate to primary care utilization and availability of primary care services, while others refer to health conditions or health status such as incidence and prevalence of diseases. One additional indicator included, life expectancy at birth, was seen as a strong determinant of health status. Stratification by geographic peer groups (metro, metro moderate, urban, rural, rural remote) was applied to some of these indicators to account for substantially different rates across groups. The following indicators have been highlighted for this LGA:


- Fort McMurray's separation rate for ambulatory care sensitive conditions (per 100,000 population) was 1.1 times higher than the corresponding urban provincial rate (682.1 vs. 610.2 AB urban). (Table 10.1)
- The age-standardized rate for people with three or more chronic diseases per 100 population was higher in Fort McMurray compared to the province (2.7 vs. 2.2 AB). (Table 10.1)
- The dollar gap between actual and predicted community and primary care per capita billings during 2006/2007 and 2008/2009 was \$-13.30 in Fort McMurray compared to the \$-0.50 urban provincial average. (Table 10.1)
- Residents of Fort McMurray had a life expectancy at birth of 80.1 years compared to 80.5 years for Alberta. (Table 10.1)

ACCESS TO HEALTH CARE SERVICES

- Fort McMurray residents received ambulatory care services at facilities located outside the LGA. In 2013/2014, these visits made up 27.0% (or 35,606 visits) of all ambulatory care visits and most such visits (i.e. 42.3% of all external visits) were to the University of Alberta Hospital in Edmonton (LGA of Edmonton - Bonnie Doon). (Tables 11.1 and 11.2)
- In 2013/2014, inpatient separations outside the LGA made up 23.8% (or 1,683) of all inpatient separations for Fort McMurray residents and most of them (i.e. 31.6% of all external inpatient separations) occurred at the Royal Alexandra Hospital in Edmonton (LGA of Edmonton - Eastwood). (Tables 11.1 and 11.2)

Zone Level Information

This section contains information presented at the highest geographic breakdown level before rolling up to a full provincial view. The map of Alberta has been partitioned into five geographic zones (Calgary Zone, Central Zone, Edmonton Zone, North Zone, and South Zone), representing the health zones within Alberta Health Services. A variety of health indicators are unique to this section and are only captured at this level of geography due to either sampling and variability errors, or unavailability of data at the level of local geographical areas.



Alberta North Zone

POPULATION HEALTH INDICATORS

Table 1.1 shows the zone-level population distribution compared to the province, by age group and gender, for the most recent fiscal year available. Children under the age of one were defined as infants, while the pediatric age group consists of all minors excluding infants. People with no age information available were categorized as unknown.

TABLE 1.1 Zone versus Alberta Population Covered¹, as at March 31, 2014

	North Zone			Alberta ²		
	Population					
	Female	Male	Total	Female	Male	Total
	241,302	260,065	501,367	2,090,074	2,137,807	4,227,881
Percentage Distribution of Population by Age Groups						
Age Group	Female	Male	Total	Female	Male	Total
Infants: Under 1	0.7%	0.8%	1.5%	0.6%	0.7%	1.3%
Pediatric: 1-17	11.3%	11.9%	23.3%	10.2%	10.7%	20.9%
18-34	13.3%	14.2%	27.6%	12.9%	13.3%	26.1%
35-64	18.3%	20.5%	38.7%	19.7%	20.7%	40.4%
65-79	3.3%	3.6%	6.9%	4.3%	4.1%	8.4%
80 & Older	1.2%	0.9%	2.0%	1.8%	1.2%	2.9%
Unknown	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

In 2014, the largest age group was 35-64 year olds, accounting for 38.7% of the overall population in the North Zone and 40.4% of the population in Alberta. Children 17 and under comprised 24.8% of North Zone's overall population, compared to 22.2% for Alberta. In addition, residents 65 and older accounted for 8.9% of North Zone's overall population, 2.4 percentage points lower than the corresponding provincial proportion.

Table 1.2 shows zone-level health status indicators compared to the province for the two most recent fiscal years available.

TABLE 1.2 Health Status Indicators for Zone versus Alberta Residents, 2012 and 2013

		North Zone			Alberta		
		Body Mass Index (BMI) ³					
Category	Year	Female	Male	Total	Female	Male	Total
Under Weight	2012	2.8%	0.0%	1.3%	3.0%	0.7%	1.8%
	2013	2.4%	0.5%	1.4%	3.6%	0.6%	2.0%
Normal Weight	2012	39.9%	28.8%	34.0%	50.6%	39.2%	44.6%
	2013	41.8%	30.0%	35.3%	53.1%	35.5%	43.8%
Over Weight	2012	28.9%	41.1%	35.5%	28.1%	40.8%	34.8%
	2013	24.9%	44.9%	35.9%	25.5%	43.3%	34.9%
Obese	2012	28.3%	30.1%	29.2%	18.3%	19.3%	18.8%
	2013	30.9%	24.5%	27.4%	17.9%	20.6%	19.3%

TABLE 1.2 Health Status Indicators for Zone versus Alberta Residents, 2012 and 2013 (continued)

		North Zone			Alberta		
Physical Activity ³							
Category	Year	Female	Male	Total	Female	Male	Total
Active or moderately active	2012	52.7%	50.0%	51.2%	54.4%	55.4%	54.9%
	2013	62.2%	50.9%	56.2%	56.2%	58.6%	57.4%
Inactive	2012	47.3%	50.0%	48.8%	45.6%	44.6%	45.1%
	2013	37.8%	49.1%	43.8%	43.8%	41.4%	42.6%
Smoking ³							
Daily smokers	2012	23.6%	22.7%	23.1%	12.7%	20.8%	16.8%
	2013	17.1%	25.4%	21.5%	11.7%	18.6%	15.2%
Never/former/ occasional smokers	2012	76.4%	77.3%	76.9%	87.3%	79.2%	83.2%
	2013	82.9%	74.6%	78.5%	88.3%	81.4%	84.8%
Self-Perceived Mental Health ³							
Excellent or Very Good	2012	67.7%	69.3%	68.5%	69.3%	72.7%	71.0%
	2013	70.7%	70.9%	70.8%	73.1%	72.8%	72.9%
Poor Fair or Good	2012	32.3%	30.7%	31.5%	30.7%	27.3%	29.0%
	2013	29.3%	29.1%	29.2%	26.9%	27.2%	27.1%

The percentage of obese people in the North Zone in 2013 was much higher than the provincial percentage (27.4% vs. 19.3% AB) and there was a higher proportion of inactive people compared to Alberta (43.8% vs. 42.6% AB). In addition, a higher percentage of daily smokers was reported at the zone level compared to the province in 2013 (21.5% vs. 15.2% AB) and a lower proportion considered themselves as having excellent or very good mental health (70.8% vs. 72.9% AB).

Table 1.3 reports the infant mortality rates per 1,000 live births for the zone and the province, for the most recent calendar years available.

TABLE 1.3 Zone versus Alberta Infant Mortality Rates (per 1,000 live births)
Years 2011 - 2013

	North Zone	Alberta
Infant Mortality Rate (per 1,000 births)³		
2011	7.3	5.1
2012	3.8	4.1
2013	4.4	4.5

The infant mortality rates in the North Zone varied between 3.8 per 1,000 births in 2012 and 7.3 per 1,000 births in 2011. Compared to Alberta, infant mortality rates in the North Zone were higher for 1 of the 3 calendar years.

Sources: Canadian Community Health Survey Provincial Share Files

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health

Postal Code Translation File, Alberta Health

Alberta Vital Statistics Births and Deaths Files

Notes: ¹ Population covered represents number of people covered under the Alberta Health Care Insurance Plan (AHCIP)

² Alberta population figure was calculated based on valid Alberta postal codes.

³ See Appendix A for definition.

Methodology:


Surveillance and Assessment Branch, Alberta Health (As of Nov 2014) See link: http://www.ahw.gov.ab.ca/IHDA_Retrieval

Local Geographic Area Level Information

This section contains information presented at the level of the local geographic area and is more granular than the information at the zone level. Local geographic area refers to 132 geographic areas created by Alberta Health (AH) and Alberta Health Services (AHS) based on census boundaries. The Federal Census (2011) and National Household Survey (2011) information is custom extracted by Statistics Canada at the local geographic area level. The population of these areas varies from very small in rural areas to large in metropolitan centers.

Map of Selected Health Services in Local Geographic Area of Fort McMurray

Population (2014): 85,770



Prepared by Health Analytics Branch, Alberta Health

Note: For additional details regarding the selected health service facilities in the above map please refer to Appendix D.

Local Geographic Area: Fort McMurray

DEMOGRAPHICS


Table 2.1 shows the population distribution of the local geographic area broken down by age group and gender, for the most recent fiscal year available. Specific age groups have been identified. Children under the age of one were defined as infants, while the pediatric age group includes all minors excluding infants. People with no age information available were categorized as unknown.

TABLE 2.1 Distribution of Population Covered¹ by Age and Gender
As at March 31, 2014

Local Geographic Area Population			
Age Group	Female	Male	Total
Infants: Under 1	678	742	1,420
Pediatric: 1-17	8,274	8,740	17,014
18-34	13,615	15,097	28,712
35-64	15,619	20,880	36,499
65-79	803	1,093	1,896
80 & Older	145	84	229
Unknown	0	0	0
Total	39,134	46,636	85,770

Figure 2.1 profiles the population distribution by age group for both the local geographic area and Alberta, for the most recent fiscal year available.


FIGURE 2.1 Percentage Distribution of Local Geographic Area (LGA) versus Alberta Population
By Age Group as at March 31, 2014



In 2014, the largest age group was 35-64 year olds, accounting for 42.6% of the overall population. Children 17 and under comprised 21.5% of Fort McMurray's overall population, compared to 22.2% for Alberta. In addition, residents 65 and older accounted for 2.5% of Fort McMurray's overall population, 8.8 percentage points lower than the corresponding provincial proportion.

The population counts for each year between 1994 and the most recent fiscal year are provided in Figure 2.2.

FIGURE 2.2 Local Geographic Area Population Covered as at End (i.e. Mar 31) of Fiscal Years 1994 - 2014



The population of Fort McMurray increased by 142.6% between 1994 and 2014. A low of 33,863 individuals was reported in 1996 and a peak of 85,770 people was reported in 2014.

Sources:

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health
Postal Code Translation File, Alberta Health

Notes:

¹ Population covered represents number of people covered under the Alberta Health Care Insurance Plan (AHCIP)

Local Geographic Area: Fort McMurray

SOCIO-ECONOMIC INDICATORS

Tables 3.1 and 3.2 highlight a number of indicators relating to social determinants of health such as family income, housing and educational attainment. Values for the local geographic area and Alberta are listed as proportions, raw numbers, or dollar amounts, depending on the indicator.

TABLE 3.1 Population Percentage of First Nations with Treaty Status¹ and Inuit as at March 31, 2011

First Nations with Treaty Status and Inuit Population		
	Fort McMurray	Alberta
Percent of Population that is First Nations or Inuit	3.3%	3.4%

TABLE 3.2 Socio-Economic Indicators² for Local Geographic Area versus Alberta Residents, 2011

Family Composition		
	Fort McMurray	Alberta
Percent (Number of) Male Lone-Parent Families	3.8% (635)	3.4% (33,705)
Percent (Number of) Female Lone-Parent Families	6.9% (1,165)	11.1% (110,800)
Percent (Number of) 65 Years of Age and Older Who Live Alone	16.1% (155)	25.0% (91,355)
Percent (Number of) Persons not in Census Family ¹	20.4% (12,565)	17.3% (616,065)
Percent (Number of) Census Family Persons	79.6% (49,140)	82.7% (2,951,865)
Average Number of Persons per Census Family	2.9	3.0
Family Income		
	Fort McMurray	Alberta
Percent (Number of) of Families with After-Tax Low-Income ¹	4.4% (735)	10.7% (105,875)
Percent (Number) of Private Households with an After-Tax Income ≥ \$100,000 in 2010	71.7% (15,815)	27.8% (386,990)
Average Census Family Income	\$196,643	\$116,232
Housing		
	Fort McMurray	Alberta
Percent Living in Owned Dwellings	69.8%	73.6%
Percent Where Greater Than 30% of Income Is Spent on Housing for Homeowners	13.5%	18.4%
Average Value of Dwelling	\$609,150	\$398,839
Percent of Homeowners Who Have Homes in Need of Major Repairs	4.7%	7.0%
Percent Living in Rented Dwellings	30.2%	25.7%
Percent Where Greater Than 30% of Income Is Spent on Housing for Renters	30.4%	38.6%
Percent Living in Band Housing ¹	0.0%	0.7%

Compared to Alberta, Fort McMurray had a similar proportion of First Nations people (3.3% vs. 3.4% AB). The proportion of female lone-parent families was lower than the provincial proportion (6.9% vs. 11.1% AB). In addition, the proportion of male lone-parent families in Fort McMurray was higher than the provincial proportion (3.8% vs. 3.4% AB).

Furthermore, a much lower percentage of families had an after-tax low-income level compared to the province (4.4% vs. 10.7% AB). Compared to Alberta, the percentage of people who spent 30% or more of their income on housing related expenses was 4.9 percentage points lower in Fort McMurray. In addition, a lower proportion of people in Fort McMurray lived in dwellings they owned (69.8% vs. 73.6% AB).

TABLE 3.2 Socio-Economic Indicators² for LGA versus Alberta Residents, 2011 (continued)

Mobility		
	Fort McMurray	Alberta
Percent who lived at the Same Address One Year Ago	73.1%	84.8%
Percent who lived at the Same Address Five Years Ago	31.0%	55.1%
Language		
	Fort McMurray	Alberta
Percent Who Do Not Speak English or French	0.6%	1.4%
Percent of Households Where a Non-Official Language Is Spoken at Home	9.1%	10.5%
Top Five Non-Official Languages Spoken at Home ³	Gujarati, Tagalog (Pilipino, Filipino), Spanish, Urdu, and Arabic	Panjabi (Punjabi), German, Tagalog (Pilipino, Filipino), Chinese (n.o.s.), and Spanish
Immigration		
	Fort McMurray	Alberta
Total Number of Immigrants	10,150	644,115
Percent of Immigrants Who Arrived in the Last Five Years	5.8%	4.0%
Top Five Places of Birth for Recent Immigrants ⁴	India, Philippines, Pakistan, Venezuela, and Other places of birth in Africa	Philippines, India, China, United Kingdom, and United States
Educational Attainment		
	Fort McMurray	Alberta
Percent with No High School Graduation Certificate	10.1%	12.3%
Percent with High School Graduation Certificate	23.0%	23.8%
Percent with Apprenticeship, Trades Certificate or Diploma	18.8%	12.2%
Percent with College, Other Non-University Certificate, or Diploma	22.8%	21.4%
Percent with University Certificate, Diploma or Degree	25.3%	30.3%

TABLE 3.2 Socio-Economic Indicators² for LGA versus Alberta Residents, 2011 (continued)

Household and Dwelling Characteristics		
	Fort McMurray	Alberta
Percent Persons in Private Households ¹	99.9%	97.9%
Total Number of Households by Household Type	21,885	1,390,275
Census Family Households	73.1%	69.8%
One-Family-Only Households	59.1%	62.6%
Two-or-More-Family Households	14.0%	7.1%
Non-Family Households	26.9%	30.2%
Total Number of Dwellings by Structural Type	21,885	1,390,275
Single-Detached House	47.3%	63.5%
Moveable Dwelling	11.7%	3.4%
Other Dwelling Including ≥5 Storey Apartment Buildings	40.9%	33.1%

Fort McMurray had a lower proportion of non-English and non-French speaking people compared to Alberta (0.6% vs. 1.4% AB). Also, a higher proportion of immigrants arrived in the last five years in Fort McMurray compared to the province (5.8% vs. 4.0% AB). Furthermore, Fort McMurray reported a higher proportion of people with apprenticeships, trade certificates or diplomas (18.8% vs. 12.2% AB).

Sources:

Federal Census (2011) by LGA - Custom Extract, Statistics Canada
National Household Survey (2011) by LGA - Custom Extract, Statistics Canada
Postal Code Translation File, Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health (2011)

Notes:


- ¹ See Appendix A for definition.
- ² N/A indicates that data were not available for a specific metric for this LGA
- ³ Less than five languages may be listed if no others were reported. Six or more languages may be listed in the case of ties.
- ⁴ Less than five places of birth may be listed if no others were reported. Six or more places of birth may be listed in the case of ties. Since only a select number of countries was included for each continent, categories like "Other places of birth in Continent X" may appear among the top 5 places of birth listed in Table 3.2; to better understand which countries are included in the "Other..." categories please refer to the list of select counties that appeared distinctly in the data; countries not included in "Other..." but that could appear on their own are listed below:
- > Africa: Algeria, Cameroon, Congo, Egypt, Ethiopia, Mauritius, Morocco, Nigeria, Somalia, Tunisia, South Africa
 - > Americas (N, S and Central) : Brazil, Colombia, Cuba, Guyana, Haiti, Jamaica, Mexico, Peru, United States, Venezuela
 - > Asia (incl. Middle East): Afghanistan, Bangladesh, China, Hong Kong Special Administrative Region, India, Iran, Iraq, Israel, Japan, Lebanon, Nepal, Pakistan, Philippines, Saudi Arabia, South Korea, Sri Lanka, Syria, Taiwan, Turkey, United Arab Emirates, Vietnam
 - > Europe: France, Germany, Moldova, Poland, Romania, Russian Federation, Ukraine, United Kingdom

Local Geographic Area: Fort McMurray

CHRONIC DISEASE PREVALENCE

Figure 4.1 displays the rates per 100 population of the selected chronic diseases in the local geographic area. The prevalence rates refer to the number of diagnosed individuals at a given time and have been standardized by age.


FIGURE 4.1 LGA Age-Standardized Chronic Disease Prevalence Rates¹ (per 100 population) 2005 - 2012



On average, the condition with the highest chronic disease prevalence rate reported for Fort McMurray during 2005 to 2012 was hypertension. The largest rate of change during this time period was reported for hypertension (on average 0.44 people per 100 population average increase per year). In 2012, Fort McMurray ranked number 54 in hypertension, number 28 in diabetes, number 50 in ischemic heart disease and number 77 in COPD among prevalence rates reported for the 132 local geographical areas.

Figure 4.2 depicts the age-standardized prevalence rate for 2012 of major chronic diseases, per 100 population, for the local geographic area compared to Alberta.

FIGURE 4.2 LGA versus Alberta Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2012



Age-Standardized Prevalence Rates (per 100 population)

In 2012, the Fort McMurray prevalence rate for hypertension per 100 population was 1.1 times higher than the corresponding rate reported for the province (13.2 vs. 12.3 AB). In addition, Fort McMurray showed prevalence rates higher than the provincial rates for 3 of the 4 chronic diseases included above.

Sources:

Alberta Health Care Insurance Plan (AHCIP) Physician Claims Data, Alberta Health
 Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
 Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
 Postal Code Translation File, Alberta Health
 Census 1991 Population Data, Statistics Canada

Notes:

¹ Age-standardized prevalence rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

Methodology:

Surveillance and Assessment Branch, Alberta Health (As of Nov 2014) See link: http://www.ahw.gov.ab.ca/IHDA_Retrieval

Local Geographic Area: Fort McMurray

MATERNAL AND CHILD HEALTH

Table 5.1 highlights maternal and child health indicators such as birth weight, fertility rate, teen birth rate and prenatal smoking for the local geographic area and Alberta. The indicator information is presented as rates, percentages, or raw numbers, depending on the indicator.

TABLE 5.1 Local Geographic Area Maternal and Child Health Indicators for Three-Year Period

Maternal and Child Health Indicators	Period	Fort McMurray	Alberta
Number of Births	2009/2010 - 2011/2012	3,375	151,845
Percent Low Birth Weights (of Live Births) ¹ , less than 2500 gm		5.7%	6.7%
Percent High Birth Weights (of Live Births) ¹ , greater than 4000 gm		11.3%	10.1%
Birth Rate (per 1,000 population) ¹		34.8	26.8
Fertility Rate (per 1,000 Women 15 to 49 Years) ¹		55.2	52.1
Teen Birth Rate (per 1,000 Women 15 to 19 Years)		18.5	17.4
Percent of Deliveries with Maternal Prenatal Smoking		14.0%	16.2%

During 2009/2010 to 2011/2012, Fort McMurray's birth rate of 34.8 per 1,000 women was higher than the provincial rate, and the teen birth rate of 18.5 per 1,000 was similar to Alberta's teen birth rate. In addition, a similar proportion of prenatal smoking cases were reported in Fort McMurray compared to the province (14.0% vs. 16.2% AB).

Table 5.2 presents the rates for childhood immunization coverage by the age of two for the local geographic area and Alberta. The data is provided for the most recent calendar year available.

TABLE 5.2 Childhood Immunization Coverage Rates, 2013

DTaP-IPV-Hib (Diphtheria, Tetanus, Pertussis, Polio and Haemophilus Influenza B) Dose 4 of 4			
Age Group	Period	Fort McMurray	Alberta
By Age Two	2013	80.2%	74.3%
MMR (Measles, Mumps, and Rubella)			
By Age Two	2013	90.5%	85.7%

By the age of two, 80.2% of children in Fort McMurray (in 2013) had been vaccinated against DTaP-IPV-Hib (compared to 74.3% for AB), while 90.5% had received MMR vaccines (compared to 85.7% for AB).

Sources:

Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health
Alberta Vital Statistics Births File
Regional Immunization Applications
Immunization and Adverse Reaction to Immunization (Imm/ARI)
Postal Code Translation File, Alberta Health

Notes:

¹ See Appendix A for definition.

Methodology (Childhood Immunizations):

Surveillance and Assessment Branch, Alberta Health (As of Nov 2014) See link: http://www.ahw.gov.ab.ca/IHDA_Retrieval

Local Geographic Area: Fort McMurray

COMMUNICABLE DISEASES

Table 6.1 lists the rates of Sexually Transmitted Infections (STI) for the most recent three-year periods available, for the local geographic area and Alberta.

TABLE 6.1 Top 5 Sexually Transmitted Infection (STI)¹ Rates (per 100,000 population)
By Three-Year Period

STI (per 100,000 population)			
Period	Disease	Fort McMurray	Alberta
2010/2011 - 2012/2013	Chlamydia	482.3	365.6
	Gonorrhea	41.2	41.9
	Syphilis	22.6	8.8
	Non-Gonococcal Urethritis	16.4	35.9
	Mucopurulent Cervicitis	7.5	7.7
2011/2012 - 2013/2014	Chlamydia	514.4	377.0
	Gonorrhea	38.1	46.8
	Non-Gonococcal Urethritis	22.3	36.3
	Syphilis	17.8	8.3
	Mucopurulent Cervicitis	9.5	7.4

Fort McMurray's highest STI rate per 100,000 population in 2011/2012 - 2013/2014 was reported for chlamydia and this rate was higher than the provincial rate (514.4 vs. 377.0 AB).

3 of the top 5 STI rates in Fort McMurray were higher than the provincial rates for STIs in 2011/2012 - 2013/2014 (where comparisons could be made).

Sources:

*Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health
Communicable Disease Reporting System (CDRS)
Postal Code Translation File, Alberta Health*

Notes:


¹ See Appendix A for definition.

Local Geographic Area: Fort McMurray

MORTALITY

Figure 7.1 displays the age-standardized mortality rates¹, per 100,000 population, for the three selected causes of death and all causes combined. Data is provided for each three-year period between 2004 and 2013. The age-standardized mortality rate by cause of death is a measure of the frequency (rate) at which deaths occur in a given population due to a certain cause.


FIGURE 7.1 Local Geographic Area Age-Standardized Mortality Rates¹ (per 100,000 population) By Three-Year Period



The three-year mortality rates for Fort McMurray ranged between 385.5 and 629.1 per 100,000 population during the study period. The three selected causes of death, namely, diseases of the circulatory system, neoplasms, and external causes accounted for 70.0% to 73.2% of all deaths from 2004 - 2006 to 2011 - 2013.

The mortality rates per 100,000 population for the three selected causes of death² and all causes combined are displayed in Figure 7.2 for both the local geographic area and Alberta, for the most recent three-year period available. The mortality rates have been standardized by age.


FIGURE 7.2 Local Geographic Area versus Alberta Age-Standardized Mortality Rates (per 100,000 population) for Three-Year Period 2011-2013



For all causes, Fort McMurray reported a lower mortality rate compared to the provincial rate (385.5 vs. 452.2 AB). In 2011 - 2013, diseases of the circulatory system was the main cause of death for Fort McMurray, with an associated mortality rate lower than the provincial rate per 100,000 population (119.9 vs. 133.6 AB). In addition, mortality rates were higher than the provincial rates for none of the 3 selected causes of death reported in Fort McMurray.

Figure 7.3 illustrates the distribution of deaths by cause of death for the local geographic area, over the most recent 10-year period available. The legend presents causes of death in descending order of magnitude.

FIGURE 7.3 LGA Distribution of Deaths by Cause of Death Across 10 Years 2004-2013



Between 2004 and 2013 neoplasms accounted for 26.7% of all deaths reported in Fort McMurray. More than three-quarters of all reported deaths were due to four major causes: neoplasms, diseases of the circulatory system, external causes (injury), and diseases of the respiratory system.

Sources:

Alberta Vital Statistics Death File
 Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
 Postal Code Translation File, Alberta Health
 Census 1991 Population Data, Statistics Canada

Notes:

¹ Age-standardized mortality rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

² Cause of death is derived from International Classification of Diseases 10 (ICD10) coding system.

Local Geographic Area: Fort McMurray

EMERGENCY SERVICE UTILIZATION

Table 8.1 describes emergency visits by triage level¹ for patients residing in the local geographic area, for the three most recent fiscal years.


TABLE 8.1 Emergency Visits for Patients Residing in the Local Geographic Area by Triage Level
Fiscal Years 2011/2012 - 2013/2014

Triage Level	Emergency Visits		
	2011/2012	2012/2013	2013/2014
Resuscitation (1) and Emergency (2) Combined	2,922	4,926	5,066
Urgent (3)	18,261	24,635	23,653
Semi Urgent (4)	28,677	26,650	25,206
Non-Urgent (5)	2,709	2,638	2,307
Unknown	358	317	213
Total	52,927	59,166	56,445

The volume of emergency visits for patients residing in Fort McMurray increased by 6.6% between 2011/2012 and 2013/2014. In addition, semi-urgent and non-urgent visits combined accounted for 48.7% of all emergency visits in 2013/2014.

Figure 8.1 shows emergency visit rates by semi-urgent and non-urgent triage levels for patients residing in the local geographic area and Alberta, for the most recent fiscal year available.


FIGURE 8.1 Emergency Visit Rates¹ (per 1,000 population) for Triage Levels Semi-Urgent (4) and Non-Urgent (5)², Fiscal Year 2013/2014



Fort McMurray's combined semi-urgent and non-urgent emergency visit rate per 1,000 population was comparable to the provincial rate in 2013/2014 (320.8 vs. 285.5 AB). Semi-urgent emergency visits occurred at a 1.4 times higher rate in Fort McMurray compared to Alberta (293.9 vs. 204.8 AB).

A time profile of the number of emergency visits by day of the week is shown in Figure 8.2. Data covers both semi-urgent and non-urgent emergency visit triage levels during the most recent fiscal year available, for patients residing in the local geographic area.

FIGURE 8.2 All Emergency Visits for Patients Residing in the Local Geographic Area
For Triage Levels Semi-Urgent(4) and Non-Urgent(5) Combined by Weekday and Time
For Fiscal Year 2013/2014



The peak total number of emergency visits for Fort McMurray in 2013/2014 was reported for Mondays between 10 - 11 AM (363 emergency visits). The volume of emergency visits was low during the early morning hours and declined gradually throughout the day after peaking somewhere between late morning and early afternoon.

Sources:

Ambulatory Care Data, Alberta Health

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health

Postal Code Translation File, Alberta Health

Notes:

¹ See Appendix A for definition.


² In order to be consistent with the type of services expected to be provided by primary health care, the analysis above focused only on semi-urgent and non-urgent emergency triage levels.

Local Geographic Area: Fort McMurray

EMERGENCY SERVICE UTILIZATION

Figure 8.3 provides age-standardized emergency visit rates¹ for selected health conditions per 100,000 population for each year beginning in 2006. Emergency department visit rates are defined as the number of visits to emergency departments due to a certain condition, divided by the total population of the local geographic area.


FIGURE 8.3 LGA Age-Standardized² Emergency Visit Rates (per 100,000 population)
For Selected Conditions, 2006 - 2013



On average, the highest emergency visit rates, for selected health conditions, reported for Fort McMurray during 2006 to 2013 were due to acute upper respiratory infections. In addition, among selected health conditions, the largest rate of change among emergency visits during this time period was reported for acute upper respiratory infections (on average, 191 emergency visits per 100,000 population decrease per year).

Age-standardized emergency visit rates per 100,000 population, by selected health conditions, for the most current year available, are shown in Figure 8.4 for both the local geographic area and Alberta.

FIGURE 8.4 LGA versus Alberta Age-Standardized Emergency Visit Rates (per 100,000 population) For Selected Conditions, 2013



Age-Standardized Emergency Rates (per 100,000 population)

In 2013, the three most common reasons for emergency visits, among selected health conditions, were: acute upper respiratory infections, diseases of middle ear and mastoid, and emphysema and chronic bronchitis. Among selected health conditions, the most common reason for emergency visits in 2013, acute upper respiratory infections, had a higher rate in Fort McMurray compared to the provincial rate per 100,000 population (5,370.7 vs. 3,748.0 AB). Furthermore, Fort McMurray showed emergency rates higher than the provincial rates for 8 of the 11 selected conditions.

Sources: Ambulatory Care Data, Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
Postal Code Translation File, Alberta Health
Census 1991 Population Data, Statistics Canada

Notes: ¹ See Appendix A for definition.
² Age-standardized rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

Methodology:
Surveillance and Assessment Branch, Alberta Health (As of Dec 2014)
See link: http://www.ahw.gov.ab.ca/IHDA_Retrieval

Local Geographic Area: Fort McMurray

INPATIENT SERVICE UTILIZATION

Table 9.1 describes inpatient separation¹ rates per 1,000 population for patients residing in the LGA and Alberta accessing health facilities across all of Alberta. The rate of inpatient separations is the ratio between the total number of separations and the total local population, for each year.


TABLE 9.1 Inpatient Separation Rates (per 1,000 population) for Patients Residing in the LGA versus Alberta, Fiscal Years 2011/2012 - 2013/2014

Inpatient Separation Rates (per 1,000 population)		
Fiscal Years	Fort McMurray	Alberta
2011/2012	87.2	88.7
2012/2013	88.0	87.5
2013/2014	80.3	86.1

Fort McMurray's inpatient separation rate for patients residing in the local geographic area varied between 80.3 in 2013/2014 and 88.0 in 2012/2013. In addition, in 2013/2014, the inpatient separation rate for patients residing in Fort McMurray was 0.9 times lower than the provincial rate (80.3 vs. 86.1 AB).

Figure 9.1 presents inpatient separation rates for selected health conditions (per 100,000 population), for patients residing in the local geographic area, for the fiscal years 2006/2007 through 2013/2014. The rates have been standardized by age.


FIGURE 9.1 LGA Age-Standardized² Inpatient Separation (IP Sep) Rates (per 100,000 population) For Selected Conditions, 2006/2007 - 2013/2014



On average, the highest inpatient separation rates, among selected health conditions, reported in Fort McMurray during 2006/2007 to 2013/2014 were due to ischemic heart diseases. These rates reached a high of 398.5 per 100,000 population in 2009/2010 and a low of 219.5 per 100,000 population in 2007/2008. In addition, among selected conditions, the largest inpatient separation rate of change during this time period was reported for diabetes mellitus (on average 20 inpatient separations per 100,000 population decrease per year).

Figure 9.2 presents inpatient separation rates per 100,000 population for patients residing in the local geographic area, compared to provincial rates, for the most recent fiscal year and selected health conditions.

FIGURE 9.2 LGA versus Alberta Age-Standardized IP Sep Rates (per 100,000 population)
For Selected Conditions, 2013/2014



In 2013/2014, the three highest inpatient separation rates were reported for ischemic heart diseases, pneumonia, and diabetes. The most common reason for inpatient separations in Fort McMurray was ischemic heart diseases, which had a higher rate compared to the provincial rate per 100,000 population (240.3 vs. 196.9 AB). Additionally, Fort McMurray's inpatient separation rates were higher than the provincial rates for 5 of the 7 diagnoses.

Sources:

- Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
- Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
- Postal Code Translation File, Alberta Health
- Census 1991 Population Data, Statistics Canada

Notes: ¹ See Appendix A for definition.

² Age-standardized rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

Methodology:

Surveillance and Assessment Branch, Alberta Health (As of Dec 2014) See link: http://www.ahw.gov.ab.ca/IHDA_Retrieval

Local Geographic Area: Fort McMurray

PRIMARY HEALTH CARE INDICATORS OF COMMUNITY PRIMARY CARE NEED

As a result of consultations and analysis during the summer of 2012, 13 indicators were identified to help determine the need for new or additional primary health care services across all local geographic areas throughout Alberta. Six of these indicators were related to utilization, another six were associated with health population needs and a final indicator, life expectancy at birth, is seen as a reflection of health status.¹ The indicators are standardized by age, where appropriate, to allow comparison of information across local geographic areas and the province. The bullets below present the underlying issues that these indicators will address.

- Health status indicators help show the burden of disease in the population that could be monitored and/or improved by primary health care services (e.g. the proportion of the population with diabetes);
- Utilization indicators determine if there is a gap between population health needs and available health care services and suggests where this gap exists (e.g. use of emergency departments for non-urgent health care).

Table 10.1 profiles recent data for these indicators for both the local geographic area (LGA) and Alberta. Due to considerable differences in population densities and travel times to a variety of health services, the various LGAs have been categorized into five geographic peer groups: rural, rural remote, urban, metro, and metro moderate. This grouping (stratification) was applied to 7 of the 13 indicators below. For these indicators, the LGA indicator value is compared to the corresponding geographic peer group average (rather than the Alberta average) to allow for a more reasonable comparison between LGAs with similar characteristics.

TABLE 10.1. Proposed Primary Health Care Indicators of Community Primary Care Need

Utilization Indicators		Fort McMurray	Alberta / Geographic Peer Group Average
1*	Travel: Percentage of Total Family Physician Claims Outside the Recipient's Home Local Geographic Area, 2010/2011	13.4%	35.4%
2*	Ambulatory Care Sensitive Conditions - Age-Standardized Separation Rate (per 100,000 population), 2003 to 2011	682.1	610.2
3	Continuity of Care, 2010	10.1%	14.0%
4*	ED Visits Related to Mood Disorders (Age-Standardized, per 100,000 population), 2003 to 2011	261.1	424.8
5*	ED Visits Related to Anxiety Disorders (Age-Standardized, per 100,000 population), 2003 to 2011	646.9	640.6
6*	ED Visits Related to Injuries (Age-Standardized, per 100,000 population), 2003 to 2011	15,025.4	14,632.0

TABLE 10.1. Proposed Primary Health Care Indicators of Community Primary Care Need (continued)

Health Status Indicators		Fort McMurray	Alberta / Geographic Peer Group Average
7	Diabetes Prevalence (per 100 population), 2010	6.3	5.1
8	Chronic Obstructive Pulmonary Disease Prevalence Rate (per 100 population), 2010	2.2	1.8
9	Age-Standardized Rate of People with Three or more Chronic Diseases (per 100 population), 2010	2.7	2.2
10	Influenza Vaccines for Those 65 and Over, 2011/2012	23.1%	40.6%
11*	Predicted Primary Health Care Utilization, 2006/2007 to 2008/2009	\$120.05	\$129.01
12*	Primary Health Care Service Gap, 2006/2007 to 2008/2009	-\$13.30	-\$0.50
Social Determinant of Health		Fort McMurray	Alberta / Geographic Peer Group Average
13	Life Expectancy at Birth, 2000 to 2011	80.1	80.5

* Note: For these indicators, the Fort McMurray indicator value is compared to the Alberta urban average to allow for a more reasonable comparison between LGAs with similar characteristics.

Each of the 13 indicators displayed for Fort McMurray is described below.

Indicator 1:

The percentage of total Family Physician claims outside the recipient's home local geographic area is a proxy for access to primary care facilities. This indicator is stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups. While the indicator provides values for all LGAs, the values are more informative for rural and rural remote areas (as travel inside urban areas has different meaning and impact).

For patients residing in Fort McMurray a lower percentage of Family Physician services was provided outside the recipient's home local geographic area compared to the urban provincial average (13.4% vs. 35.4% AB urban).

Indicator 2:

The Canadian Institute of Health Information (CIHI) has recognized ambulatory care sensitive conditions (ACSC) separation rates as a valid proxy indicator for the robustness of a primary care system. The ACSC indicator measures the aggregate acute care separation rate, per 100,000 population, over one year for the following seven conditions: Angina, Asthma, Congestive Heart Failure, Chronic Obstructive Pulmonary Disorder, Diabetes, Epileptic Convulsion or Seizure, and Hypertension. A disproportionately high rate is presumed to reflect problems in obtaining access to appropriate primary care.

This indicator is stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups.

Fort McMurray's separation rate for ambulatory care sensitive conditions (per 100,000 population) was 1.1 times higher than the corresponding urban provincial rate (682.1 vs. 610.2 AB urban).

Indicator 3:

Continuity of care describes the percentage of patients with minor or severe chronic illnesses that have access to their family physician less than 50% of the time. Higher values indicate areas with higher proportions of "unhealthy" or "sick" patients who are weakly attached to their Family Physician. Lower values are preferable.

Fort McMurray's percentage of patients with minor or severe chronic illnesses with a low degree of continuity of care was lower than the percentage reported in Alberta (10.1% vs. 14.0% AB).

Indicator 4:

The age-standardized emergency visit rates for mood disorder (per 100,000 population) are stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups.

Fort McMurray's rate of emergency department visits related to mood disorders (per 100,000 population) was 0.6 times lower than the provincial urban average rate (261.1 vs. 424.8 AB urban).

Indicator 5:

The age-standardized emergency visit rates for anxiety disorder (per 100,000 population) are stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups.

Fort McMurray's rate of emergency department visits related to anxiety disorders (per 100,000 population) was similar to the provincial urban average rate (646.9 vs. 640.6 AB urban).

Indicator 6:

The age-standardized emergency visit rates due to injuries, per 100,000 population, (excluding adverse effects due to drugs/medical procedures) are stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantial differences across groups.

Emergency visits related to injuries occurred at a similar rate in Fort McMurray, compared to the provincial urban average rate per 100,000 population (15,025.4 vs. 14,632.0 AB urban).

Indicator 7:

Chronic diseases such as diabetes are a heavy burden for the health care system in terms of both associated costs and the impact they have on an individual's quality of life. This indicator presents the age-standardized diabetes prevalence rate per 100 population.

The prevalence rate for diabetes in Fort McMurray was higher than the provincial rate (6.3 vs. 5.1 AB).

Indicator 8:

Chronic diseases such as Chronic Obstructive Pulmonary Disease (COPD) are a heavy burden for the health care system in terms of both associated costs and the impact they have on an individual's quality of life. This indicator presents the age-standardized COPD prevalence rate per 100 population (due to small numbers).

For COPD, the prevalence rate in Fort McMurray was 1.2 times higher than the provincial rate (2.2 vs. 1.8 AB).

Indicator 9:

Interdisciplinary care and coordination of services is required for patients with multiple chronic conditions. The age-standardized rate, per 100 population, of people with three or more chronic diseases tracks the proportion of patients with three or more conditions which may include: COPD, diabetes, ischemic heart disease, asthma, and/or kidney disease.

The age-standardized rate for people with three or more chronic diseases per 100 population was higher in Fort McMurray compared to the province (2.7 vs. 2.2 AB).

Indicator 10:

The percentage of influenza vaccines administered annually to 65 year olds and over is an important primary health care indicator of preventive services delivered through primary health care. The data for this indicator includes immunizations delivered by community pharmacists and physicians between September 1, 2011 and March 31, 2012.

Fort McMurray's percentage of the population 65 and over who had been administered influenza vaccines was much lower than the provincial percentage (23.1% vs. 40.6% AB).

Indicator 11:

The Health Human Resource Forecasting and Simulation Model (HHRFSM) predicts future need/use of primary health care services by residents, based on the characteristics of the individuals and their community.

HHRFSM predicts future primary health care utilization in terms of costs, specifically the expected per capita billings for general practitioner visits. The indicator constitutes a composite measure of relative health need based on personal characteristics (e.g. age, gender), health status (e.g. chronic diseases, inpatient status) and various socio-economic factors (e.g. educational level, income level).

The dollar value for community and primary care billings per capita during 2006/2007 to 2008/2009 was \$120.05 in Fort McMurray, 6.9% lower than the \$129.01 urban provincial average.

Indicator 12:

The primary health care service gap is measured as the difference between actual and predicted per capita billings for community and primary care services from HHRFSM (see indicator 11). A positive value indicates the average resident is receiving more primary health care services than expected; negative values indicate fewer services received than expected. Stratification by the geographic peer group (metro, metro moderate, urban, rural, rural remote) was applied to this indicator due to substantially different rates across groups.

The dollar gap between actual and predicted community and primary care per capita billings during 2006/2007 and 2008/2009 was \$-13.30 in Fort McMurray compared to the \$-0.50 urban provincial average.

Indicator 13:

The life expectancy at birth correlates highly with determinants of health and is a good predictor of future health related costs. This measure is considered a significant indicator of overall population health.

Fort McMurray had a similar life expectancy at birth in comparison to the provincial life expectancy (80.1 years vs. 80.5 years AB).

Sources:

Health Human Resource Forecasting and Simulation Model, Alberta Health
Interactive Health Data Application (IHDA), Surveillance and Assessment Branch, Alberta Health
Clinical Risk Grouper (CRG) Application, Alberta Health
Alberta Provider Directory, Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Physician Claims Data, Alberta Health
Stakeholder Registry File, Alberta Health
Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
Ambulatory Care Data, Alberta Health
Wait List Registry, Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
Case Costing Files, Alberta Health

Postal Code Translation File, Alberta Health
Alberta Blue Cross Claims Data, Alberta Health
Census 2006 Population Data, Statistics Canada
Canadian Community Health Survey (CCHS), Statistics Canada
Long Term Care Funding File, Alberta Health
Continuing Care Bed Survey, Alberta Health

Notes: ¹ For more details see Local Area Family Care Clinic Prioritization Framework Report:
<http://www.health.alberta.ca/documents/PHC-FCC-Framework-TELUS-2012.pdf>

Local Geographic Area: Fort McMurray

ACCESS TO HEALTH CARE SERVICES

Table 11.1 provides the number of ambulatory care visits or inpatient separations made by local area residents to facilities within the local geographic area as well as facilities outside of it. The data is provided for the most recent fiscal year available.

TABLE 11.1 Ambulatory Care Visits and Inpatient Separations for the Local Geographic Area Residents To Facilities Located In versus Out of the Local Geographic Area, Fiscal Year 2013/2014

Ambulatory Care Visits				
Visits Within Local Area of Residence (IN)	Visits Outside Local Area of Residence (OUT)	Total Visits	Percent IN	Percent OUT
96,434	35,606	132,040	73.0%	27.0%
Inpatient Separations (Seps)				
Seps Within Local Area of Residence	Seps Outside Local Area of Residence	Total Seps	Percent IN	Percent OUT
5,399	1,683	7,082	76.2%	23.8%

Table 11.2 focuses on ambulatory care visits or inpatient separations made by local area residents to the top three accessed non-local facilities. Of particular interest is the percentage of non-local visits to, or separations from, each of the three facilities out of all non-local visits or separations. These percentages appear in the last column of the table below. The data is provided for the most recent fiscal year available.

TABLE 11.2 Top 3 Non-Local Ambulatory Care Facilities Accessed by Local Residents Fiscal Year 2013/2014

Local Residents Accessing Non-Local Ambulatory Care Facilities				
Ambulatory Care Facility Name	Facility Municipality	Facility LGA	Number of OUT Visits	% of Total OUT Visits
University of Alberta Hospital	Edmonton	Edmonton - Bonnie Doon	15,065	42.3%
Royal Alexandra Hospital	Edmonton	Edmonton - Eastwood	4,711	13.2%
Misericordia Community Hospital	Edmonton	Edmonton - Jasper Place	1,406	3.9%

TABLE 11.2 Top 3 Non-Local Acute Care Hospitals Accessed by Local Residents
Fiscal Year 2013/2014 (continued)

Local Residents Accessing Non-Local Acute Care Hospitals				
Hospital Name	Hospital Municipality	Hospital LGA	Number of OUT Seps	% of Total OUT Seps
Royal Alexandra Hospital	Edmonton	Edmonton - Eastwood	531	31.6%
University of Alberta Hospital	Edmonton	Edmonton - Bonnie Doon	436	25.9%
Misericordia Community Hospital	Edmonton	Edmonton - Jasper Place	126	7.5%

Sources:

Ambulatory Care Data, Alberta Health

Alberta Hospital Discharge Abstract Database (DAD), Alberta Health

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health

Postal Code Translation File, Alberta Health

Definitions

Appendix A

After-Tax Low Income Measure

Income status can be measured in several different ways in household surveys. For the standard products of the National Household Survey, the line chosen is a relative measure: the after-tax low-income measure (LIM-AT). For this measure, the income used is after-tax income of households. There are no regional variations to account for prices or cost of living differences: all applicable households in Canada face the same line adjusted for household size. This line is set at half the median of adjusted household after-tax income. To account for potential economies of scale, the income of households with more than one member is divided by the square root of the size of the household. All household members are considered to share the household income and are attributed the same income status.

Note: Low-income estimates in the 2011 National Household Survey. For the 2011 National Household Survey (NHS), low-income statistics are presented based on the after-tax low-income measure (LIM-AT). This measure is not related to the low-income cut-offs (LICO) presented in the 2006 Census and prevalence rates are conceptually not comparable. Because of the sensitivity of certain income indicators to differences in methodology and response patterns, direct comparisons to establish trends with low-income estimates from other household surveys, administrative programs or the 2006 Census are discouraged. The prevalence rates observed in the NHS at the national level are generally 1 to 2 percentage points higher than seen for similar concepts in other programs. However, analysis of the NHS data suggests that it is valid to compare low-income data for different sub-populations within the NHS (i.e., for different geographic areas or demographic groups). For more information, refer to the Income Reference Guide, National Household Survey, Catalogue no. 99-014-X2011006. Age - Refers to the age at last birthday before the reference date, that is, before May 10, 2011. (Statistics Canada)

Age Standardization

Age standardization is a technique applied to make rates comparable across groups with different age distributions. A simple rate is defined as the number of people with a particular condition divided by the whole population. An age-standardized rate is defined as the number of people with a condition divided by the population within each age group. Standardizing (adjusting) the rate across age groups allows a more accurate comparison between populations that have different age structures. Age standardization is typically done when comparing rates across time periods, different geographic areas, and or population sub-groups (e.g. ethnic group).

Band Housing

For historical and statutory reasons, shelter occupancy on reserves does not lend itself to the usual classification by standard tenure categories. Therefore, a special category, band housing, has been created for 1991 Census products. Band housing also appears in the 1996, 2001, and 2006 Census products. In 2011, band housing appeared in the NHS Survey instead of the Census (Statistics Canada)

Birth Rate

The birth rate is the number of live births, of a given geographic area in a given year, per 1,000 population of the same geographic area in the same year. (Statistics Canada)

Body Mass Index (BMI)

The BMI is a method of classifying body weights by health risk level, which is adopted by the World Health Organization (WHO). Guidelines were put in place by Health Canada to clearly define this index.

The BMI is computed as an individual's weight (in kilograms) divided by the square of their height (in meters). The standard BMI categories used are: underweight, normal, overweight and obese (classes I-III). For the purposes of this report, the following categories were used:

BMI Categories	BMI
under weight	less than 18.50
normal weight	18.50 to 24.99
overweight	25.00 to 29.99
obese	30.00 or greater

Obesity has been linked with many chronic diseases, including hypertension, type 2 diabetes, cardiovascular disease, osteoarthritis and certain types of cancer. (Statistics Canada, Canadian Community Health Survey)

Canadian Triage and Acuity Scale (CTAS)

The CTAS is a scale to categorize patients according to the type and severity of their initial presenting signs and symptoms at the Emergency Department that helps to determine priorities for treatment. The CTAS is used to determine the triage level. There are 5 levels, with level 1 being the most urgent and level 5 the least urgent.

Triage Level 1 – Resuscitation

Patients are categorized as having conditions that are threats to life or limb (or imminent risk of deterioration) requiring immediate aggressive interventions.

Triage Level 2 – Emergent

Patients are categorized as having conditions that are a potential threat to life, limb or function, requiring rapid medical intervention or delegated acts.

Triage Level 3 – Urgent

Patients are categorized as having conditions that could potentially progress to a serious problem requiring emergency intervention. These conditions may be associated with significant discomfort or affecting ability to function at work or activities of daily living.

Triage Level 4 – Less Urgent (Semi urgent)

Patients are categorized as having conditions that are related to patient age, distress, or potential for deterioration or complications and would benefit from intervention or reassurance within 1-2 hours.

Triage Level 5 – Non Urgent

Patients are categorized as having conditions that may be acute but non-urgent as well as conditions which may be part of a chronic problem with or without evidence of deterioration. The investigation or interventions for some of these illnesses or injuries could be delayed or even referred to other areas of the hospital or health care system.

Triage Level 9 – Unknown

The information regarding this particular level is included in the National Ambulatory Care Reporting System Manual available through CIHI.

For further details please refer to the link below:

http://www.calgaryhealthregion.ca/policy/docs/1451/Admission_over-capacity_AppendixA.pdf

Census

The census is a survey that collects data from all the members of a population, whether it's people or businesses. The most common use of the term "Census" is the population Census of Canada which is taken at 5-year intervals which counts persons and households and a wide variety of characteristics. In fact, some of the Census questions are asked on a sample basis i.e. in the past every fifth household receives a long-form questionnaire asking additional questions.

For 2011, Statistics Canada did not use a mandatory long-form questionnaire as part of the census. Information previously collected by the mandatory long-form census questionnaire was collected as part of the new voluntary National Household Survey (NHS).

Collection of the NHS began within four weeks of the May 2011 Census. Approximately 4.5 million households received the NHS questionnaire.

The 2011 Census questionnaire consisted of the same eight questions that appeared on the 2006 Census short-form questionnaire, with the addition of two questions on language. (Statistics Canada)

Census Family

A family as defined by the Census includes one of the following: a married couple (with or without children of either and/or both spouses), a common-law couple (with or without children of either and/or both partners) or a lone parent of any marital status, with at least one child.

A couple may be of opposite sex or same sex. A couple family with children may be further classified as either an intact family in which all children are the biological and/or adopted children of both married spouses or of both common-law partners, or a stepfamily with at least one biological or adopted child of only one married spouse or common-law partner and whose birth or adoption preceded the current relationship.

Stepfamilies, in turn may be classified as simple or complex. A simple stepfamily is a couple family in which all children are biological or adopted children of one, and only one, married spouse or common-law partner whose birth or adoption preceded the current relationship. A complex stepfamily is a couple family which contains at least one biological or adopted child whose birth or adoption preceded the current relationship.

These families contain children from:

- each married spouse or common-law partner and no other children
- one married spouse or common-law partner and at least one other biological or adopted child of the couple
- each married spouse or common-law partner and at least one other biological or adopted child of the couple. (Statistics Canada)

Chinese, n.o.s. (not otherwise specified)

The 2011 census category 'Chinese, n.o.s.' includes responses of 'Chinese' as well as all Chinese languages other than Cantonese, Mandarin, Taiwanese, Chaochow (Teochow), Fukien, Hakka and Shanghainese. (Statistics Canada)

Chronic Obstructive Pulmonary Disease (COPD)

The population aged 35 and over who reported being diagnosed by a health professional with chronic bronchitis, emphysema or COPD. (Statistics Canada, Canadian Community Health Survey)

COPD is a progressive disease that makes it hard to breathe. It can cause coughing that produces large amounts of mucus, wheezing, shortness of breath, chest tightness, and other symptoms. Cigarette smoking is the leading cause of COPD. Most people who have COPD smoke or used to smoke. Long-term exposure to other lung irritants (such as air pollution, chemical fumes, or dust) also may contribute to COPD.

Emergency Department (ED) Visit Rate

The ED visit rate is the number of visits to the emergency department divided by the total population of the local geographic area.

Family Care Clinic (FCC)

Family Care Clinics provide primary health care services, such as diagnosis and treatment of illness, immunizations, screening and links to other health services and community agencies. The clinics emphasize health promotion, disease and injury prevention, and self-management and care of chronic disease. FCCs offer extended hours of service and same day access.

Fertility Rate

The fertility rate is the number of live births per 1,000 women of reproductive age (15 - 49 years) in a population per year. This is a more standardized way to measure fertility in a population than birth rate because it accounts for the percentage of women of reproductive age. (Statistics Canada)

First Nations with Treaty Status

First Nation is a term that came into common usage in the 1970s to replace the word "Indian". Although the term First Nation is widely used, no legal definition of it exists. Among its uses, the term "First Nations people" refers to the Indian people in Canada, both Status and non-Status.

Starting in 1701, the British Crown entered into solemn treaties to encourage peaceful relationships between First Nations and non-Aboriginal people. Over the next several centuries, treaties were signed to define, among other things, the respective rights of Aboriginal people and governments to

use and enjoy lands that Aboriginal people traditionally occupied. The Government of Canada and the courts understand treaties between the Crown and Aboriginal people to be solemn agreements that set out promises, obligations and benefits for both parties. (Aboriginal Affairs and Northern Development Canada)

Health Status

Health status is the level of health of the individual, group or population as subjectively assessed by the individual or by more objective measures. (Statistics Canada)

High Birth Weight

Birth weight is the body weight of a baby at its birth. High birth weight is defined as live births with a weight of 4,500 grams or more, expressed as a percentage of all live births with known weight (Statistics Canada, Vital Statistics, Birth Database)

Hospitalization Rate

The hospitalization rate is the age-standardized rate of acute care hospitalization, per 100,000 population. (Canadian Institute for Health Information)

Infant Mortality Rate

The infant mortality rate is infants who die in the first year of life, expressed as a count and a rate per 1,000 live births. (Statistics Canada, Vital Statistics, Birth and Death Databases)

Inpatient

An inpatient is an individual who has been officially admitted to a hospital for the purpose of receiving one or more health services. (Canadian Institute for Health Information: MIS Standards 2011)

Inpatient Separations (Seps)

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice, or transfer. The number of separations is the most commonly used measure of the utilization of hospital services. Separations, rather than admissions, are used because hospital abstracts for inpatient care are based on information gathered at the time of discharge.

Inuit

Inuit are the Aboriginal people of Arctic Canada. As of Sept 2010, it is estimated that about 45,000 Inuit live in 53 communities in: Nunatsiavut (Labrador); Nunavik (Quebec); Nunavut; and the Inuvialuit Settlement Region of the Northwest Territories. Each of these four Inuit groups have settled land claims. These Inuit regions cover one-third of Canada's land mass. Please note that small numbers of Inuit people can be found in various other regions of Canada other than the four regions listed above.

The word "Inuit" means "the people" in the Inuit language called, Inuktitut and is the term by which Inuit refer to themselves. (Aboriginal Affairs and Northern Development Canada)

Local Geographic Areas (LGAs)

To assist with primary health care planning, Alberta Health has developed a series of reports to provide a broad range of demographic, socio-economic, and population health statistics considered relevant to primary health care for communities across the province. Alberta Health Services divides the province into five large health service Zones, and these Zones are subdivided into smaller geographic areas called Local Geographic Areas (LGAs). These 132 LGAs reflect areas where given populations live, work and receive most day-to-day services including commercial services and health care.

LGA is defined based on the multiple characteristics listed below.

- population density
- distance from urban centres or major rural centres that provide a variety of services (health and non-health)
- local knowledge about the population, industry type, municipalities, resources, infrastructure, schools, etc.
- travel patterns of populations seeking services (health and non-health)
- place of work and commuting behaviours

Low Birth Weight

Birth weight is the body weight of a baby at its birth. Live births less than 5.5 pounds or 2500 grams at birth are considered as babies with low birth weight. Low birth weight is a key determinant of infant survival, health, and development. (Statistics Canada, Vital Statistics, Birth Database)

Mortality Rate by Cause of Death

The age-standardized mortality rate by cause of death is a measure of the frequency (rate) at which deaths occur in a given population due to a certain cause. The potential confounding effect of different age structures (i.e. across geographic boundaries or years) is reduced when comparing rates that have been age-adjusted. (Interactive Health Data Application, Alberta Health)

Neoplasms

A neoplasm is an unusual new growth of tissue resulted by uncontrolled production of cells. These cells do not coordinate with normal cells and may appear abnormal compared to the normal cells. The term "tumor" is used to name a neoplasm that has formed a lump. Some neoplasms do not form lumps. The neoplasms that spread to the other parts of the body are commonly known as 'Cancers'. (<http://www.cancer.gov/cancertopics>)

National Household Survey

Between May and August 2011, Statistics Canada conducted the National Household Survey (NHS) for the first time. This voluntary, self-administered survey was introduced as a replacement for the long census questionnaire, more widely known as Census Form 2B.

The NHS is designed to collect social and economic data about the Canadian population. The objective of the NHS is to provide data for small geographic areas and small population groups.

For further details around sampling design, topics covered etc. please visit the link below: http://www12.statcan.gc.ca/nhs-enm/2011/ref/nhs-enm_guide/guide_2-eng.cfm (Statistics Canada).

Physical Activity

Physical activity is measured as the population aged 12 and over who reported a level of physical activity, based on their responses to questions about the frequency, nature and duration of their participation in leisure time physical activity. Respondents are classified as active, moderately active or inactive based on an index of average daily physical activity over the past three months.

For each leisure time physical activity engaged in by the respondent, an average daily energy expenditure is calculated by multiplying the number of times the activity was performed by the average duration of the activity by the energy cost (kilocalories per kilogram of body weight per hour) of the activity. The index is calculated as the sum of the average daily energy expenditures of all activities. Respondents are classified as follows: 3.0 kcal/kg/day or more = physically active; 1.5 to 2.9 kcal/kg/day = moderately active; less than 1.5 kcal per day = inactive. (Statistics Canada, Canadian Community Health Survey)

Prevalence Rate

Prevalence is a measure of disease that allows us to determine a person's likelihood of having a disease. Therefore, the number of prevalent cases is the total number of cases of disease existing in a population. A prevalence rate is the total number of cases of a disease existing in a population divided by the total population. (<http://www.health.ny.gov/diseases/chronic/basicstat.htm>)

Primary Care

Primary care is the first point of contact that people have with the health care system for medical needs requiring treatment and referral to other services as needed and is usually provided by a family physician or other health care professional.

(<http://www.albertapci.ca/aboutpcns/primarycare/pages/default.aspx>)

Primary Care Networks

Primary Care Networks are groups of family doctors that work with Alberta Health Services and other health professionals to coordinate the delivery of primary health services for their patients.

(<http://www.pcnpmo.ca/AboutPCNs/PCNsInAlberta/Pages/default.aspx>)

Private Household

A private household is a person or a group of people occupying the same dwelling and who do not have a usual place of residence elsewhere in Canada or abroad. The household universe is divided into two sub-universes on the basis of whether the household is occupying a collective dwelling or a private dwelling. The latter is a private household. (Statistics Canada)

Qualifier (comparisons between indicator values)

In comparing indicators across local geographic areas (LGAs) and the Province, this report uses qualifiers such as 'higher than', 'lower than', 'similar to', etc. These statements are based on a simple statistical comparison that determines how far apart the indicator values are on the full scale of values for the indicator. For each indicator, the standard deviation (SD) was used as the measuring stick for whether the values are "close" or "far apart". For each indicator, the distance between the LGA value and the provincial (AB) value was measured as number of SDs, and the direction of the difference (plus or minus). For example, if the LGA value is two SDs above the AB value, then the LGA value is said to be 'much higher' than the provincial value. The complete set of comparison criteria is given below.

Qualifier	Distance between values
Much Lower	below -1.5 SD
Lower	-1.5 SD to -0.25 SD
Similar/Comparable	-0.25 SD to $+0.25$ SD
Higher	$+0.25$ SD to $+1.5$ SD
Much Higher	$+1.5$ SD and higher

Separation Rate

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice or transfer. The separation rate is the total number of inpatient separations divided by the total population.

Self-Perceived Mental Health

Perceived mental health is a general indication of the number of people in the population suffering from some form of mental disorder, mental or emotional problems or distress, not necessarily reflected in self-perceived health. This data is usually collected through surveys where respondents are asked to rate their mental health as poor, fair, good, very good or excellent. (Statistics Canada, Canadian Community Health Survey)

Smoker

As defined by Statistics Canada, 'smokers' are members of the population aged 12 and older who report being a current smoker. A "daily smoker" is someone who reports smoking cigarettes every day (although it does not take into account the number of cigarettes smoked). 'Occasional smokers' refers to those who reported smoking cigarettes occasionally; this includes former daily smokers who now smoke occasionally. (Statistics Canada, Canadian Community Health Survey)

Sexually Transmitted Infection (STI)

A sexually transmitted infection is an infection that can be transferred from one person to another through sexual contact. (Public Health Agency of Canada)

Teen Birth Rate

The teenage live birth rate is the number of live births per 1,000 women aged 15 to 19. (E-STAT, Statistics Canada)

Community Services

Appendix B

ONLINE RESOURCES

1. Aboriginal Affairs

- Alberta First Nation Community Profiles:
<http://pse5-esd5.ainc-inac.gc.ca/fnp/Main/Search/FNListGrid.aspx?lang=eng>
This link provides a collection of information that describes individual First Nation communities across Canada. It also allows you to quickly locate First Nation communities by consulting [the interactive map](#).
- Delegated First Nation Agencies:
<http://humanservices.alberta.ca/family-community/15540.html>
This link provides a list, a map and contact details of delegated First Nation agencies and societies in Alberta.
- Programs and Services for Aboriginal People:
<http://www.programs.alberta.ca/Living/648.aspx?N=770+173>
This link provides an online resource to programs and services, such as Online Services, Financial Resources, Licensing and Registration, and Publications relevant to Aboriginal people in Alberta.

2. Education

- Alberta Education and Training:
<http://alberta.ca/educationtraining.cfm>
This link provides resources for schooling in Alberta through primary years to post-secondary and life-long learning.
- Local Resources:
 - Find a directory of your local schools and school boards:
<http://www.education.alberta.ca/apps/schoolsdir/>
This link provides a list of school authorities and associated public, private, francophone and early childhood services – school authorities are listed in alphabetical order.

3. Employment

- Employment resources: <http://www.programs.alberta.ca/Living/5960.aspx?Ns=5246&N=770>
This link provides resources for finding a job, including career planning, training and development, job search and job postings. It also provides general career and employment resources for self-employed, youth, persons with disabilities, immigrants and aboriginal people.

- Local resources:
 - Find your local employment resources:
<http://humanservices.alberta.ca/services-near-you/11959.html>
This link provides employment, training and career services by region. Each region links to a comprehensive list of office locations, job fairs and service directories.

4. Family and Children

- Children and Family Services:
<http://humanservices.alberta.ca/family-community.html>
This link provides links to programs and services that support families and communities; it provides information on child care, parenting, women's issues, youth programs, safer communities, and family community support services.
- Programs and Services for Children:
<http://www.programs.alberta.ca/Living/650.aspx?N=770+759>
This link provides links to featured programs and services such as *Kids Help Phone Online* and *Traffic Safety Just for Kids*. It also contains activity resources for children such as colouring books and cook books.
- Programs and Services for Parents:
<http://www.programs.alberta.ca/Living/9281.aspx?N=770+9252>
This link provides resources for parents on childcare, finances and post adoption registration.
- Programs and Services for Youth:
<http://www.programs.alberta.ca/Living/678.aspx?N=770+177>
This link provides resources on youth programs and services (such as *4-H Clubs of Alberta*, *B-Free-Stand Up and Stop Bullying*, *Get Web Wise* and *Young Workers*), Online Services (high school transcripts), Financial Resources (scholarship, bursary and grant programs), Licensing and Registration (social insurance number, learner's permit, driver's licence).

5. Housing

- Housing and Property:
<http://www.programs.alberta.ca/Living/6345.aspx?N=770+599>
This link provides information on housing and property in Alberta, including information for tenants and landlords.
- Local Resources:
 - Find your local housing programs and services:
<http://www.programs.alberta.ca/Living/13810.aspx?Ns=13705+13711+13738&N=770>
This link provides information and links to different local and regional Housing Management Bodies in Alberta. It also provides a link to housing information specific to seniors, persons with disabilities and homeless persons. Also includes information and tips for landlords and tenants.

- Find your local homeless support resources:
<http://humanservices.alberta.ca/homelessness/14633.html>
This link provides information on support services provided in Edmonton, Fort McMurray, Grand Prairie, Lloydminster, Red Deer, Calgary, Medicine Hat and Lethbridge.
- <http://humanservices.alberta.ca/homelessness/16050.html>
This link provides information on funding provided to the Outreach Support Services Initiative and the Addiction and Mental Health Strategy in the communities of Calgary, Edmonton, Grande Prairie, Fort McMurray, Red Deer, Lethbridge and Medicine Hat.

6. Seniors

- Alberta Seniors:
<http://www.seniors.alberta.ca/>
This link provides information and links to the different programs and services to support seniors in Alberta.
- <http://www.programs.alberta.ca/Living/13772.aspx?Ns=13705+13715&N=770>
This link provides information on financial help, health benefits, housing and rent, fraud prevention and personal safety for senior Albertans. It also provides resources for professionals to help their senior clients.
- Local Resources:
 - Find your local seniors' resources:
<http://www.health.alberta.ca/seniors/contact-seniors.html>
This link provides contact information for Seniors' Programs and Services; and Seniors' Information Services Offices in various regions throughout Alberta.

7. Social Services

- Alberta Human Services:
<http://humanservices.alberta.ca/programs-and-services.html>
This link provides a portal to the variety of programs and services provided by Alberta Human Services.
- Services near you:
<http://humanservices.alberta.ca/services.html>
This link provides a link to help you locate, among others, your local Service delivery offices, Alberta Works Centres, Child and Family Services Authorities and Employment Services.
- Alberta Food Bank Network Association:
<http://www.albertafoodbanks.org/find-food-bank/>
This links to the Alberta Food Banks website and a list of associated community kitchens in different areas and regions of Alberta.
- Programs and Services for Low-Income Earners:
<http://www.programs.alberta.ca/Living/9498.aspx?N=770+11437>
This link contains information about Alberta Works and other social assistance programs for low-income earners.

- Local Services:
 - Find your local community non-profit and voluntary organizations:
<http://www.programs.alberta.ca/Living/9293.aspx?N=770+9301>
This link provides information on initiatives which support non-profit and voluntary organizations, grant programs and information on how to register a non-profit or charity organization.
- *** To find other local community and social services in your area:
1. Find Services in Your Area:
<http://www.programs.alberta.ca/Search/Results.aspx?q=lethbridge>
This link allows you to select your city or enter your postal code to find different types of services in and around your area. Click on the link above and select the “Results Near You” button next to the “Search” button.
 2. Find local services through this province-wide service directory of community, health, social and government services:
http://www.informalberta.ca/public/common/index_ClearSearch.do

Appendix C

Health Link Alberta Calls for North Zone

The following listing shows the town/city, number of calls and percentage where the zone was coded as North (including calls from the Mental Health Helpline). Records where the town/city is unknown or where the caller chose not to give demographic information are excluded. The listing is sorted alphabetically by Town/City in ascending order.

Calls by Town/City for the Fiscal Year 2013/2014

Town/City	# of Calls	%	Town/City	# of Calls	%
Abee	10	0.0%	Carrot Creek	23	0.0%
Alberta Beach	197	0.3%	Caslan	144	0.3%
Anzac	51	0.1%	Chard	103	0.2%
Ardmore	117	0.2%	Chateh	162	0.3%
Ashmont	72	0.1%	Cherhill	40	0.1%
Assumption	2	0.0%	Cherry Grove	64	0.1%
Athabasca	618	1.1%	Cherry Point	13	0.0%
Atikameg	132	0.2%	Chisholm Mills	2	0.0%
Atmore	33	0.1%	Clairmont	435	0.8%
Barrhead	756	1.3%	Cleardale	42	0.1%
Bay Tree	10	0.0%	Clyde	97	0.2%
Bear Canyon	2	0.0%	Cold Lake	2,386	4.2%
Beaverlodge	551	1.0%	Colinton	60	0.1%
Bellis	21	0.0%	Conklin	85	0.2%
Berwyn	58	0.1%	County of Grand	638	1.1%
Bezanson	87	0.2%	Crooked Creek	110	0.2%
Bloomsbury	5	0.0%	Dapp	51	0.1%
Blue Ridge	54	0.1%	Darwell	118	0.2%
Blueberry Mountain	6	0.0%	Deadwood	10	0.0%
Bluesky	35	0.1%	Debolt	87	0.2%
Bonanza	16	0.0%	Demmitt	12	0.0%
Bonnyville	1,150	2.0%	Desmarais	1	0.0%
Boyle	202	0.4%	Dixonville	49	0.1%
Boyne Lake	18	0.0%	Donnelly	31	0.1%
Breynat	2	0.0%	Draper	2	0.0%
Brownvale	60	0.1%	Driftpile	67	0.1%
Brule	17	0.0%	Eaglesham	23	0.0%
Buffalo Head Prairie	44	0.1%	Edson	1,180	2.1%
Busby	98	0.2%	Egremont	14	0.0%
Cadomin	2	0.0%	Elk Point	196	0.3%
Cadotte Lake	109	0.2%	Ellscott	7	0.0%
Calais	29	0.1%	Elmworth	10	0.0%
Calling Lake	134	0.2%	Enilda	60	0.1%
Camp Creek	16	0.0%	Eureka River	10	0.0%
Canyon Creek	30	0.1%	Fairview	396	0.7%

Health Link Alberta Calls for North Zone (Continued)

Town/City	# of Calls	%
Falher	195	0.3%
Faust	58	0.1%
Fawcett	25	0.0%
Fitzgerald	1	0.0%
Flatbush	21	0.0%
Foisy	12	0.0%
Fort Assiniboine	61	0.1%
Fort Chipewyan	1,063	1.9%
Fort Kent	60	0.1%
Fort Mackay	118	0.2%
Fort McMurray	11,641	20.6%
Fort Smith	14	0.0%
Fort Vermilion	417	0.7%
Fox Creek	126	0.2%
Fox Lake	27	0.0%
Frog Lake	133	0.2%
Garden River	19	0.0%
Gift Lake	145	0.3%
Girouxville	98	0.2%
Glendon	134	0.2%
Glenevis	240	0.4%
Goodfare	20	0.0%
Goodfish Lake	233	0.4%
Goodridge	5	0.0%
Gordondale	15	0.0%
Grande Cache	274	0.5%
Grande Prairie	10,287	18.2%
Grassland	29	0.1%
Grimshaw	305	0.5%
Grouard	97	0.2%
Grovedale	184	0.3%
Gundy	1	0.0%
Gunn	173	0.3%
Guy	14	0.0%
Heinsburg	38	0.1%
High Level	897	1.6%
High Prairie	751	1.3%
Hines Creek	77	0.1%
Hinton	899	1.6%
Hondo	15	0.0%
Hotchkiss	15	0.0%
Hylo	25	0.0%
Hythe	287	0.5%
Iron River	19	0.0%
Island Lake	5	0.0%

Town/City	# of Calls	%
Island Lake South	7	0.0%
Jarvie	35	0.1%
Jasper	273	0.5%
Jean Cote	7	0.0%
John d'Or Pr.	106	0.2%
Joussard	40	0.1%
Keg River	41	0.1%
Kehewin	121	0.2%
Kikino	33	0.1%
Kinuso	137	0.2%
La Corey	26	0.0%
La Crete	869	1.5%
La Glace	80	0.1%
Lac la Biche	1,025	1.8%
Lafond	18	0.0%
Lake Isle	14	0.0%
Lindbergh	9	0.0%
Little Smoky	12	0.0%
Lone Pine	11	0.0%
Loon Lake	3	0.0%
Mallaig	51	0.1%
Manning	156	0.3%
Marie-Reine	5	0.0%
Marlboro	2	0.0%
Mayerthorpe	261	0.5%
McLennan	99	0.2%
McRae	8	0.0%
Meander River	51	0.1%
Nampa	71	0.1%
Neerlandia	75	0.1%
Nestow	8	0.0%
Newbrook	34	0.1%
Niton Junction	75	0.1%
North Star	8	0.0%
Notikewin	4	0.0%
Onoway	593	1.0%
Opal	9	0.0%
Owseye Lake	1	0.0%
Paddle Prairie	61	0.1%
Peace River	1,202	2.1%
Peerless Lake	102	0.2%
Peers	31	0.1%
Peoria	1	0.0%
Perryvale	22	0.0%
Pickardville	86	0.2%

Health Link Alberta Calls for North Zone (Continued)

Town/City	# of Calls	%	Town/City	# of Calls	%
Plamondon	211	0.4%	Tangent	15	0.0%
Radway	40	0.1%	Tawatinaw	5	0.0%
Rainbow Lake	204	0.4%	Thorhild	137	0.2%
Red Earth Creek	208	0.4%	Tiger Lily	13	0.0%
Redwater	275	0.5%	Trout Lake	114	0.2%
Reno	1	0.0%	Valhalla Centre	35	0.1%
Riverview	3	0.0%	Valleyview	448	0.8%
Robb	17	0.0%	Vega	17	0.0%
Rochester	76	0.1%	Venice	2	0.0%
Rochfort Bridge	9	0.0%	Vilna	107	0.2%
Rycroft	86	0.2%	Vimy	72	0.1%
Saddle Lake	382	0.7%	Wabasca	496	0.9%
Sangudo	98	0.2%	Wandering River	42	0.1%
Sexsmith	622	1.1%	Wanham	50	0.1%
Silver Valley	15	0.0%	Warspite	7	0.0%
Slave Lake	999	1.8%	Waskatenau	75	0.1%
Smith	90	0.2%	Watino	5	0.0%
Smoky Lake	185	0.3%	Wembley	419	0.7%
South Baptiste	3	0.0%	West Baptiste	2	0.0%
Spedden	25	0.0%	Westlock	776	1.4%
Spirit River	152	0.3%	Whispering Hills	4	0.0%
Sputinow	43	0.1%	White Gull	1	0.0%
St Brides	56	0.1%	Whitecourt	1,559	2.8%
St Isidore	102	0.2%	Whitelaw	21	0.0%
St Lina	51	0.1%	Widewater	53	0.1%
St Paul	939	1.7%	Woking	46	0.1%
St Vincent	37	0.1%	Worsley	64	0.1%
Sunset Beach	2	0.0%	Yellowhead County	329	0.6%
Sunset House	32	0.1%	Zama City	6	0.0%
Swan Hills	126	0.2%	Total	56,637	100.0%

Source:

Health Link Alberta, Alberta Health Services

Select Health Services in Local Geographic Area

Appendix D

Fort McMurray

Active Treatment Hospitals

Designated Service Type	Name	Address
Cancer Treatment Hospital	Fort McMurray Community Cancer Centre	7 Hospital Street, Fort McMurray, T9H1P2
Regional & Urban Secondary Level Care Hospital	Northern Lights Regional Health Centre	7 Hospital Street, Fort McMurray, T9H1P2

Source:

Alberta Health, January 2015

Note:

Active Treatment Hospitals refer to Referral Tertiary Care Hospitals, Tertiary Pediatric Hospitals, Cancer Treatment Hospitals, Pediatric Hospitals, Psychiatric Facilities, Rehabilitation Hospitals, Regional & Urban Secondary Level Care Hospitals, Rural Community Hospitals, Small Rural Community Hospitals and Designated Ambulatory Care Hospitals

Community Ambulatory Care Centres

There are no Community Ambulatory Care Centres in this Local Geographic Area

Source:

Alberta Health, January 2015

Note:

Community Ambulatory Care Centres refer to Advanced Ambulatory Care Clinics, Urgent Care Centres, Basic Community Ambulatory Care Clinics and Family Care Clinics

Diagnostic Imaging Centres

Name	Address
Insight Medical Imaging - Fort McMurray	404, 8600 Franklin Avenue, Fort McMurray, T9H4G8
Northern Lights Regional Health Centre	Imaging Department, 7 Hospital St, Fort McMurray, T9H1P2
The Centre for Heart Attack & Stroke Prevention Inc. - Fort McMurray	Imaging Department, Northern Lights Hospital, 7 Hospital St, Fort McMurray, T9H1P2

Source:

Alberta Health, January 2015

Community Pharmacies

Name	Address
Dave Hill Pharmacy	1, 200 Thickwood Boulevard, Fort McMurray, T9K1X9
Drugstore Pharmacy #9090	C/O Extra Foods #9090, 251 Powder Dr, Fort McMurray, T9K2W6
Loblaw Pharmacy #1548	9 Haineault Street, Fort McMurray, T9H1R8
Safeway Pharmacy #888	9601 Franklin Avenue, Fort McMurray, T9H2J8
Save on Foods Pharmacy #6616	106, 100 Riverstone Ridge, Fort McMurray, T9K1S6
Save-On-Foods Pharmacy #6607	8406 Franklin Avenue, Fort McMurray, T9H2J3
Save-On-Foods Pharmacy #6617	131 Signal Road, Fort McMurray, T9H4N6
Shoppers Drug Mart #2303	103, 112 Riverstone Ridge, Fort McMurray, T9K1S6
Shoppers Drug Mart #2417	108 Wolverine Dr, Fort McMurray, T9H4Y7
Shoppers Drug Mart #327	500, 8600 Franklin Avenue, Fort McMurray, T9H4G8
Shoppers Drug Mart #337	190, 121 Signal Road, Fort McMurray, T9H4N6
The Medicine Shoppe #237	108, 9914 Morrison Street, Fort McMurray, T9H4A4
The Medicine Shoppe #349	141b-355 Louttit Rd, Fort McMurray, T9K0Z3
Wal-Mart Pharmacy #3157	2 Hospital Street, Fort McMurray, T9H5E4

Source:

Alberta Health, January 2015

Medical Laboratories

Name	Address
Northern Lights Health Centre-Ft. McMurray	Laboratory, 7 Hospital St, Fort McMurray, T9H1P2

Source:

Alberta Health, January 2015

Long Term Care Accommodation

Name	Address
Northern Lights Regional Health Centre	7 Hospital Street, Fort McMurray, T9H1P2

Source:

Alberta Health, December 2014

Supportive Living Accommodation

Accommodation Type	Name	Address
Lodge	Rotary House	10116 Fraser Avenue, Fort McMurray, T9H5E9

Source:

Alberta Health, December 2014

Note:

Supportive Living Accommodation refer to Assisted Living Accommodation, Group Home and Lodge

Family Physician Offices

Name	Address
Access Medical Clinic	8600 Franklin Avenue Unit 610b, Fort McMurray, T9H4G8
Al-Afia Medical Clinic	8600 Franklin Ave Unit 613a, Fort McMurray, T9H4G8
Aurora Medical Clinic	8600 Franklin Ave Unit 615a, Fort McMurray, T9H4G8
CBI Physio & Rehab-Ft McMurray	100 Signal Road, Fort McMurray, T9H5A3
Corbett E Sandra Dr P.C.	8600 Franklin Ave Suite 609, Fort McMurray, T9H4G8
Dayspring Medical Clinic	8600 Franklin Avenue Unit 616, Fort McMurray, T9H4G8
Elmsallati Medical Clinic	8600 Franklin Ave Unit 605a, Fort McMurray, T9H4G8
Helma Medical Clinic	355 Loutit Rd Unit 141, Fort McMurray, T9K0Z3
Holistic Medical Clinic	8600 Franklin Ave Unit 603, Fort McMurray, T9H4G8
Morrison Medical Clinic	9914 Morrison St Unit 103, Fort McMurray, T9H4A4
Northern Family Practice	9 Haineault St Suite 1548, Mezzanine Level Superstore, Fort McMurray, T9H1R8
Northside Medical Clinic	8600 Franklin Ave Unit 614, Fort McMurray, T9H4G8
O'Connor John Dr	8600 Franklin Ave Unit 610a, Fort McMurray, T9H4G8
Rhema Medical Clinic	8600 Franklin Ave Unit 602, Fort McMurray, T9H4G8
River City Family Clinic	8600 Franklin Ave Unit 606, Fort McMurray, T9H4G8
Signal Medical Clinic	200 Thickwood Blvd Unit 1b, Fort McMurray, T9K1X9
Tamarack Health Centre	9616 Franklin Ave Suite 105, Fort McMurray, T9H2J9
Thickwood Family Medical Ctr	108 Wolverine Dr Bay 200, Fort McMurray, T9H4Y7
WBPCN After Hours Clinic	8600 Franklin Ave Unit 500b, Fort McMurray, T9H4G8
Wood Buffalo Primary Care Ntwk	9908 Penhorwood St, Fort McMurray, T9H3N3

Sources:

*Alberta Health Care Insurance Plan (AHCIP) Data, Alberta Health, December 2014
College of Physicians and Surgeons of Alberta, January 2015*

Note:

The Family Physician Office information is based on available Alberta Health data and College of Physicians and Surgeons of Alberta (CPSA) information. The most current contact information for physicians can be found on the CPSA website at www.cpsa.ab.ca