

## **Appendix 4**

---

### References

- Alberta Energy Resources Conservation Board (ERCB), *Directive 038 on Noise Control, 2007*, Calgary, Alberta
- AENV (Alberta Environment). 1999. Surface Water Quality Guidelines for Use in Alberta. Science and Standards Branch, Environmental Assurance Division.
- Alberta Environment (AENV). 2008c. Alberta Acid Deposition Management Framework. Alberta Environment: Edmonton, AB.
- Alberta Environment and Water 2012. Best Management Practices for Conservation of Reclamation Materials in the Mineable Oil Sands Region of Alberta. Prepared by MacKenzie, D. for the Terrestrial Subgroup, Best Management Task Group of the Reclamation Working Group of the Cumulative Environmental Management Association, Fort McMurray, AB, March 9, 2011.
- AEW (Alberta Environment and Water). 2009. Air Quality Model Guide. Prepared by A. Idriss and F. Spurrell. Climate Change Air and Land Policy Branch, Alberta Environment and Water. Revised May 2009.
- AEW (2011a). Alberta Ambient Air Quality Objectives and Guidelines. Issued in June, 15 2011.
- Alberta Conservation Information Management System (ACIMS). 2011. List of all tracked and watched elements in Alberta. Alberta Environment. Edmonton, AB. URL: <http://www.tpr.alberta.ca/parks/heritageinfocentre/plants/vascularbryophytes/default.aspx>
- Alberta Finance. *Alberta Economic Multipliers, 2007*. June 2011.
- Alberta Fish and Wildlife Division (AFWD) 2010. General status of Alberta wildlife species - 2010.
- AHW (Alberta Health and Wellness). 2011. Guidance on Human Health Risk Assessment for Environmental Impact Assessment in Alberta. Alberta Health and Wellness. Government of Alberta. August 2011.
- Alberta Queen's Printer (AQP). 2010. Weed Control Act – Weed Control Regulation. Statutes of Alberta, 2008 Chapter W-5.1. Regulations. Amendments. Weed Control 19/2010.
- Alberta Native Plant Council (ANPC). 2010. Alberta Native Plant Council. Edmonton, AB. <http://www.anpc.ab.ca>
- Allen W.H. 1994. Reintroduction of endangered plants: biologists worry that mitigation may be considered an easy potion in the political and legal frameworks of conservation. *Bioscience* Vol. 44(2). Pp 65-68.
- Alberta Research Council 2008. Comprehensive Report on Operational Reclamation Techniques in the Mineable Oil Sands Region. Prepared by Macyk, T.M. and Drozdowski, B.L. for the Cumulative Environmental Management Association. September 15, 2008.
- Andison, D.W. 1998. Temporal patterns of age-class distributions on foothills landscapes in Alberta. *Ecography* 21: 543-550.

- Alberta Sustainable Resource Development and Alberta Conservation Association (ASRD and ACA). 2010. Status of the grizzly bear (*Ursus arctos*) in Alberta: Update 2010. Alberta Sustainable Resource Development Wildlife Status Report No. 37 (Update 2010). Edmonton, AB. 44pp.
- ASRD (Alberta Sustainable Resource Development). 2012. The General Status of Alberta Wild Species 2010. Alberta Sustainable Resource Development, Fish and Wildlife Service. Edmonton, AB.
- Alberta Sustainable Resource Development (ASRD) 2003. Status of the Brown Creeper (*Certhia americana*) in Alberta. Alberta Sustainable Resource Development, Fish and Wildlife Division and the Alberta Conservation Association. Wildlife Status Report No. 49. Edmonton, Alberta. 30pp.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1999. Toxicological Profile for Mercury. Atlanta, GA: US Department of Health and Human Services, Public Health Service. March 1999.
- Alberta Vegetation Inventory (AVI). 2005. Alberta Vegetation Inventory Data: West Fraser/Hinton Wood Products.
- Barrow, E. and G. Yu. 2005. Climate scenarios for Alberta. Prepared for the Prairie Adaptation Research Collaborative (PARC) in co-operation with Alberta Environment. 73 pp.
- Beckingham J.D., Corns I.G.W., Archibald J.H. 1996. Field guide to ecosites of west-central Alberta. Special Report 9. Natural Resources Canada. Canadian Forest Service Northwest Region. Northern Forestry Center: UBC Press. Vancouver, BC.
- Bighorn Environmental Design Ltd. 1995. Wildlife inventory of the Coal Valley Mine 1991-1992. Prepared for Luscar Sterco (1977) Ltd., Edson, AB. 114 pp.
- Bighorn Environmental Design Ltd. 1999. Environmental Assessment and cumulative effects of the proposed Coal Valley Mine Extension project: Ungulates, small mammals, avifauna, amphibians. Prepared for Luscar Ltd. – Coal Valley Mine, Edson, Alberta.
- Bighorn Wildlife Technologies Ltd. 2008. Mercoal West-Yellowhead Tower Mine Extension Project: Ungulate, Small Mammal, Avifauna, Amphibian Assessment. prep. for Coal Valley Resources Inc. 152 pp.
- Bighorn Wildlife Technologies Ltd. 2012. The long-toed salamander and Columbia spotted frog - Vista Coal Mine Project. Prep. for Coalspur Mines Ltd., Hinton, Alberta. 32pp.
- BIOS 1996. Cheviot Mine Project. Specific and cumulative environmental effects analysis for mammalian carnivores. Prep. by BIOS Env. Res. and Planning Assoc. Ltd. Prep. for Cardinal River Coals Ltd. 122 pp.
- Boulanger, J. and G. Stenhouse. 2010. Demography of Alberta grizzly bears 1999-2009. Unpublished report. 23pp.  
<http://www.srd.alberta.ca/ManagementPrograms/FishWildlifeManagement/BearManagement/GrizzlyBears/GrizzlyBears.aspx>
- British Columbia Environment (2009). Air Quality Objectives and Standards. Updated April 2009.  
<http://www.bcairquality.ca/reports/pdfs/aqotable.pdf>

- Bromley, M. 1985. Wildlife management implications of petroleum exploration and development in wildland environments. USDA For. Serv. Gen. Tech. Rep. INT-191. Intermountain Research Station, Ogden, Utah. 42 pp.
- Bush, P.G. 2006. A multi-scale analysis of northern goshawk habitat in Ontario. PhD Thesis. University of Western Ontario, London, ON. 186pp.
- Burton P., Kneeshaw D., and Coates D. 1999. Managing forest harvesting to maintain old growth in boreal and sub-boreal forests. *Forestry Chronicle* 75: 623-631.
- Broders, H.G., G.J. Forbes, S. Woodley, and I.D. Thompson. 2006. Range extent and stand selection for roosting and foraging in forest dwelling northern long-eared bats and little brown bats in the Greater Fundy Ecosystem. *Journal of Wildlife Management* 70:1174-1184.
- Buskirk, S.W., L.R Ruggiero, K.B. Aubry, D. E. Pearson, J. R. Squires, and K.S. McKelvey. 2000. Comparative ecology of lynx in North America. Pages 397-418 in L.R Ruggiero, K.B. Aubry, S.W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey, and J.R. Squires (eds.). *Ecology and Conservation of Lynx in the United States*. United States Department of Agriculture, Forest Service, Rocky Mountain Research Station, General Technical Report, RMRS-GTR-30WWW. 480 pp.
- Buskirk, S.W. and S.O. Powell. 1994. Habitat ecology of fisher and American marten. Pages 282-296 in S.W. Buskirk, A. Harestad, M. Raphael and R. Powell, editors. *Marten, sables and fishers: Biology and conservation*. Cornell University press, Ithaca, New York.
- Buskirk, S.W. and L.F. Ruggiero. 1994. American marten. IN: *American marten, fisher, lynx, and wolverine in the western United States*. Ruggiero et al. eds., USDA Forest Service, General Technical Report RM-254, pp. 7 –37.
- Carr, L.W. and L. Fahrig. 2001. Impact of road traffic on two amphibian species of differing vagility. *Conservation Biology* 15: 1071-1078.
- CCME (Canadian Council of Ministers of the Environment). 1996. *A Framework for Ecological Risk Assessment: General Guidance*. Winnipeg, MB: The National Contaminated Sites Remediation Program, Canadian Council of Ministers of the Environment.
- CCME (Canadian Council of Ministers of the Environment). 2006. *A protocol for the Derivation of Environmental and Human Health Soil Quality Guidelines*. ISBN-10 1-896997-45-7 PDF.
- CCME. 2006. *Canadian Environmental Quality Guidelines*. Canadian Council of Ministers of the Environment. Winnipeg, Manitoba.
- Clevenger, A.P., B. Chruszcz, K. Gunson, and J. Wierzchowski. 2002. *Roads and wildlife in the Canadian Rocky Mountain Parks-Movements, mortality and mitigation*. Final Report. Report prep. for Parks Canada, Banff, AB.
- Corns, I.G., Downing, D.J., and Little T.I. 2005. *Field guide to ecosites of West-central Alberta: Supplement for managed forest stands up to 40 years of age (first approximation)*. Canadian Forest Service, Northern Forestry Centre: Edmonton, AB.

- Coal Valley Resources Inc. (CVRI) 2008. Application under the Coal Conservation Act and Environmental Protection and Enhancement Act for the Coal Valley Mine Mercoal West and Yellowhead Tower Extension Project. Consultant's Report #3, Hydrogeology EIA Mercoal West and Yellowhead Tower.
- Cooper, J.M., and V. Stevens. 2000. A review of the ecology, management and conservation of the Northern Goshawk in British Columbia. B.C. Minist. Environ., Lands and Parks, Wildl. Branch, Victoria, BC. Wildl. Bull. No. B-101. 31pp.
- Cooper, J.M., and V. Stevens. 2000. A review of the ecology, management and conservation of the Northern Goshawk in British Columbia. B.C. Minist. Environ., Lands and Parks, Wildl. Branch, Victoria, BC. Wildl. Bull. No. B-101. 31pp.
- COSEWIC. 2012. Canadian Species at Risk. Committee on the Status of Endangered Wildlife in Canada.
- Crocker-Bedford, D.C. 1998. The value of demographic and habitat studies in determining the status of Northern Goshawks (*Accipiter gentilis atricapillus*) with special reference to Crocker-Bedford (1990) and Kennedy (1997). *J. Raptor Res.* 32:329-336.
- Cushman, S.A., M.G. Raphael, L.F. Ruggiero, A.S. Shirk, T.N. Wasserman, and E.C. O'Doherty. 2011. Limiting factors and landscape connectivity: the American marten in the Rocky Mountains. *Landscape Ecology* 26:1137-1149.
- Department of Fisheries and Oceans. 2007 Alberta Operational Statement for clear-span bridges. Version 3.0.
- Doyon, F., P.E. Higgelke, and H.L. MacLeod, 2000a. Brown Creeper (*Certhia americana*). Prep. for Millar Western Forest Products by KBM Forestry Consultants Inc. Thunder Bay, ON. 12 pp.
- EC (2011b). National Inventory Report: Greenhouse Gas Sources and Sinks in Canada 1990-2009. <http://www.ec.gc.ca/Publications/A07097EF-8EE1-4FF0-9AFB-6C392078D1A9/NationalInventoryReportGreenhouseGasSourcesAndSinksInCanada19902009ExecutiveSummary.pdf> Accessed: December 2011.
- Environmental Noise Survey for Vista Coal Project*, Prepared for Coalspur Mines Ltd., by aci Acoustical Consultant Inc., April 2, 2012.
- Ehrlich, P. R., and E. O. Wilson. 1991. Biodiversity studies: Science and policy. *Science* 253:758-762.
- End-Pit Lake Working Group. 2004. Guidelines for Lake Development at Coal Mine Operations in Mountain Foothills of the Northern East Slopes, Report # ESD/LM/00-1, Alberta Environment, Environmental Service.
- End-Pit Lake Working Group. 2004. Guidelines for Lake Development at Coal Mine Operations in Mountain Foothills of the Northern East Slopes, Report # ESD/LM/00-1, Alberta Environment, Environmental Science.
- Fahrig, L. 2003. Effects of habitat fragmentation on biodiversity. *Annual Review Ecological Systematics* 34:487-515.
- Farr, D.R. 1995. Forest birds and ecosystem conservation in the Rocky Mountain foothills of Alberta. Ph.D. diss., University of Alberta. Edmonton, Alberta. 81pp.

- Foothills Research Institute (FRI). 2009. Ecological landscape cover classes for the Foothills Natural Sub-regions. URL: <http://foothillsresearchinstitute.ca/pages/home/default.aspx>. Accessed: November 02, 2011.
- Forman R.T.T. 1995. Land Mosaics: The ecology of landscapes and regions. Cambridge University Press: Cambridge, UK.
- Fox, D. and M. Kellerhaus. 2008. Causes of summertime high ozone in Alberta Canada. Paper 10.3155/2008ACE08.241.
- FWMIS (Fisheries and Wildlife Management Information System). 2011. Alberta Sustainable Resource Development.
- Gaudet, C., EVS Environmental Consultants, and Environmental and Social Systems Analysts. 1994. A framework for ecological risk assessment at contaminated sites in Canada: Review and recommendations. Scientific Series No. 199. Ottawa, ON: Environment Canada, Ecosystem Conservation Directorate, Evaluation and Interpretation Branch.
- Genivar. *Vista Coal Project Traffic Impact Assessment (Revised)*. 2012.
- Godbout, G. and J-P Ouelett. 2010. Fine-scale habitat selection of American marten at the southern fringe of boreal forest. *Ecoscience* 17(2):175-185
- Gunther, K.A., M.J. Biel., and H.L. Robison. 1998. Factors influencing the frequency of road-killed wildlife in Yellowstone National Park. Pages 32-42 in G.L. Evink, D. Ziegler, and J. Berry, eds. Proceedings of the International Conference on Wildlife Ecology and Transportation. FL-ER-69-98, Florida Department of Transportation, Tallahassee, Florida. 263 pp.
- Halsey L.A., Vitt D.H, Beilman D., Crow S., Mehelcic S., Wells R. 2004. Alberta wetland inventory classification system version 2.0. Pub. No. T/031.
- Hargis, C.D. and D.R. McCullough. 1984. Winter diet and habitat selection of marten in Yosemite National park. *Journal of Wildlife Management* 48:40-46.
- Hatfield (Hatfield Consultants). 2008. Surface Water Quality EIA: Mercoal West and Yellowhead Tower Project.
- Hatfield Consultants. 2012. Vista Coal Mine Project: Surface Water Quality Report (Draft). Coalspur Mines (Operations) Ltd.
- Health Canada. 2007. Human Health Risk Assessment of Mercury in Fish and Health Benefits of Fish Consumption. Bureau of Chemical Safety. Food Directorate. Health Products and Food Branch. March 2007.
- Health Canada. 2009a. Federal Contaminated Site Risk Assessment in Canada, Part I: Guidance on Human Health Preliminary Quantitative Risk Assessment (PQRA), Version 2.0. Contaminated Sites Division, Safe Environments Programme, Ottawa, ON. May 2009.
- Health Canada. 2009b. Federal Contaminated Site Risk Assessment in Canada, Part II: Health Canada Toxicological Reference Values (TRVs) and Chemical-Specific Factors, Version 2.0. Contaminated Sites Division, Safe Environments Programme, Ottawa, ON. May 2009.

- Howald A.M. 1996. Translocation as a mitigation strategy: lessons from California. In: Falk D.A., Millar G.L., Olwell M. Eds. *Restoring Diversity: Strategies for Reintroduction of Endangered Plants*. Island Press. Washington, D.C.
- Hogberg, L.K., K.J. Patriquin, and R.M.R. Barclay. 2002. Use by bats of patches of residual trees in logged areas of the boreal forest. *American Midland Naturalist*. 148:282-288.
- Henderson, L.E. and H.G. Broders. 2008. Movement and resource selection of the northern myotis (*Myotis septentrionalis*) in a forest-agriculture landscape. *Journal of Mammalogy*. 89:952-963.
- IPCC (Intergovernmental Panel on Climate Change). 2001. *Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change* (Houghton, J.T., Ding, Y., Griggs, D.J., Noguera, M., van der Linden, P.J., Dai, X., Maskell, K., and Johnson, C.A. (Eds). Cambridge University Press, Cambridge, U.K. and New York, N.Y., USA, 881 pp. See: <http://www.ipcc.ch/ipccreports/tar/wgl/index.htm/>.
- IPCC (Intergovernmental Panel on Climate Change). 2006. Emission Factor Database. [http://www.ipcc-nggip.iges.or.jp/EFDB/find\\_ef\\_main.php](http://www.ipcc-nggip.iges.or.jp/EFDB/find_ef_main.php). Accessed March 2010.
- Jacob, D. J. and D. A. Winner, D.A. 2009. Effect of climate change on air quality. *Atmospheric Environment* 43:51–63.
- Luscar Ltd. 1999. Air Quality Evaluation of the Proposed Mine Permit Extension. Luscar Ltd. – Coal Valley Mine. Prepared by Cirrus Consultants.
- Kansas, J.L. and M.L. Charlebois. 2008. Project and cumulative impact statement for mammalian carnivores – Mercoal West and Yellowhead Tower Mine Extension Project. Prep. for Coal Valley Resources Inc. by URSUS Ecosystem Management Ltd., Calgary, AB. 141 pp.
- Kaczensky, P., F. Knauer, B. Krze, M. Jonozovic, M. Adamic and H. Gossow. 2003. The impact of high speed, high volume traffic axes on brown bears in Slovenia. *Biological Conservation* 111(2):191-204.
- Kansas, J.L. and M.D. Symbaluk. 2011. Balancing focal species, recreation and biodiversity in mountain coal mine closure planning. Volume 1 - Pages 423-431 In: A.B. Fourie, M. Tibbet, and A. Beersing (eds.) *Mine Closure 2011 – Proceedings of the Sixth International Conference on Mine Closure*. Australian Centre for Geomatics, Perth. 646 pp.
- Kansas, J.L. 2005. Grizzly Bears and Mining in the Cheviot Region - Retrospective Analysis – Draft for Discussion. Prepared for Elk Valley Coal Corporation and Cardinal River Operations, Hinton, Alberta.
- Keller, M.E. and S.H. Anderson. 1992. Avian use of habitat configurations created by forest cutting in southeast Wyoming. *Condor* 94(1): 55-65.
- Luscar Ltd. 1999. Coal Valley Mine Extension Application – Mercoal East Phase 1 and West Extension Areas; Report prepared by Coal Valley Mine, Edson, Alberta.
- Luscar Ltd. 2005. Mercoal Phase 2 Project EUB Mine License and AENV AEPEA Application.
- Mahon, T., and F. Doyle. 2005. Effects of Timber harvesting near nest sites on the reproductive success of northern goshawks (*Accipiter gentilis*). *Journal of Raptor Research* 39:335-341.

- Manalta Coal Ltd. (Manalta) 1982. McLeod River Project Volume V Mine Development, Appendix B Hydrogeology. Prepared by: Techman Engineering Ltd.
- McGarigal K and Marks B.J. 1994. FRAGSTATS: Spatial pattern analysis program for quantifying landscape structure. Forest Sciences Department, Oregon State University.
- Natural Regions Committee (NRC). 2006. Natural regions and subregions of Alberta. Compiled by D.J. Downing and W.W. Pettapiece. Government of Alberta, Pub. No. T/852.
- Nelson, J.S. and M.J. Paetz. 1992. The Fishes of Alberta 2nd Edition. The University of Alberta Press & The University of Calgary Press. 385 pp +Appendices.
- Nichols 2007 Nichols Applied Management 2007. Growth Pressures and Infrastructure in the Capital Region: Issues, Gaps and Conclusions.
- Olson, C.R., D. P. Hobson and M. J. Pybus. 2011. Changes In Population Size of Bats At A Hibernaculum In Alberta Canada, In Relation to Cave Disturbance And Access Restrictions. *Northwestern Naturalist* 92(3):224-230.,
- Patriquin, K.J. and R.M.R. Barclay. 2003. Foraging by bats in cleared, thinned and unharvested boreal forest. *Journal of Applied Ecology*. 40:646-657.
- Peles, J.D. and G.W. Barrett. 1996, Effects of vegetative cover on the population dynamics of meadow voles. *Journal of Mammalogy*. 77(3): 857-869.
- Penteriani, V., and B. Faivre. 2001. Effects of harvesting timber stands on goshawk nesting in two European areas. *Biological Conservation* 101: 211-216
- Peterken G.F. and Game M. 1984. Historical factors affecting the number and distribution of vascular plant species in the woodlands of central Lincolnshire. *Journal of Ecology* 72:155-182.
- Poulin, J.F., M.A. Villard, M. Edman, P.J. Goulet, and A.M. Eriksson. 2008. Thresholds in nesting habitat requirements of an old forest specialist, Brown Creeper (*Certhia americana*), as conservation targets. *Biological Conservation* 141(4):1129-1137.
- Saffran, K.A. and D.O. Trew. 1996. Sensitivity of Alberta Lakes to Acidifying Deposition: an Update of Sensitivity Maps with Emphasis on 109 Northern Lakes. Special report prepared by Water Sciences Branch, Water Management Division, Alberta Environmental Protection.
- Sanchez-Azofeifa, G.A., Chong, M., Sinkwich, J., and Mamet, S. 2004. Alberta ground cover characterization (AGCC) training and procedures manual. Department of Earth and Atmospheric Sciences, University of Alberta: Edmonton, AB.
- Schmiegelow, F.K.A., C.S. Machtans, and S.J. Hannon. 1997. Are boreal birds resilient to forest fragmentation? An experimental study of short-term community response. *Ecology* 78(6):1914-1932.
- Schneider R.R. and S. Wasel. 2000. The effects of human settlement on the density of moose in northern Alberta. *Journal of Wildlife Management* 64(2): 513-520.



- Schneider R.R. 2002. Alternative Futures: Alberta's Boreal Forest at the Crossroads. The Federation of Alberta Naturalists. Edmonton, AB. Pp 152.
- Schwartz, C.C. and A.W. Franzmann. 1997. Reproduction, natality and growth. Pages 141-171 in A.W. Franzmann and C.C. Schwartz (editors). Ecology and management of North American moose. Smithsonian Institute Press, Washington, DC, USA.
- Scott, J. M., F. Davis, B. Csuti, R. Noss, B. Butterfield, C. Groves, J. Anderson, S. Caicco, F. D'Erchia, T. C. Edwards, J. Ulliman, and R. G. Wright. 1993. Gap analysis: A geographical approach to protection of biological diversity. *Wildlife Monographs* 123:1-41.
- Servheen, C., J. Waller, and W. Kasworm. 1998. Fragmentation effect of high-speed highways on grizzly bear populations shared between the United States and Canada. Pages 97-103 in International Conference on Wildlife Ecology and Transportation. Florida Department of Transportation; U.S. Department of Transportation; U.S. Forest Service and Defenders of Wildlife.
- Simberloff D.S. and Gotelli N. 1984. Effects of insularization on plant species richness in the prairie-forest ecotone. *Biological Conservation* 29:27-46.
- Soulé, M. E. 1991. Conservation: tactics for a constant crisis. *Science* 253:744-750.
- Soutiere, E.C. 1979. Effects of timber harvesting on marten in Maine. *Journal of Wildlife Management* 43:850-860.
- Spencer, W.D., R.H. Barret, and W.J. Fielinski. 1983. Marten habitat preferences in the northern Sierra Nevada. *Journal of Wildlife Management* 47:1181-1186.
- Staples W.R. 1995. Lynx and coyote diet and habitat relationships during a low hare population on the Kenai Peninsula, Alaska. M.S. Thesis, University of Alaska, Fairbanks, Alaska, USA.
- Stats Can 2011 Statistics Canada. 2011. *Federal Census*.
- Statistics Canada. 2006. *Federal Census*.
- Stevens, S. and J. Duval. 2005. Ecology of grizzly bears in the Cheviot, Luscar and Gregg River mine areas (1999-2004). Submitted to Elk Valley Coal Corporation, Cardinal River Operations and Foothills Model Forest Grizzly Bear Research Project. 111 pp.
- Steventon, J.D. and J.T. Major. 1982. Marten use of habitat in commercially clear-cut forest. *Journal of Wildlife Management* 46:175-182.
- Symbaluk, M.D. 2008. Testing landscape modeling approaches for environmental impact assessment of mining land use on grizzly bears (*Ursus arctos horribilis*) in the foothills region of west-central Alberta. MSc. Thesis, Royal Roads University. 112 pp.
- Techman Engineering Ltd. 1981. Wildlife - Manalta Coal McLeod River Project Environmental Impact Assessment.
- Techman Engineering Ltd. 1982. McLeod River Coal Project Vol II Environmental Impact Assessment. Prepared For Manalta Coal Ltd. *Section 6. Examination of the Aquatic Resources in the McLeod River Lease Area, 1981*.

- Thompson, I.D. 1991. Will marten become the spotted owl of the east? *Forestry Chronicle*. 67: 136-140.
- Timoney K. 2001. Types and attributes of old growth forests in Alberta, Canada. *Natural Areas Journal* 21:282-300.
- US EPA (United States Environmental Protection Agency). 1996. IRIS Summary of Manganese (CASRN 7439-96-5). Reference Dose for Chronic Oral Exposure (RfD). Available at: <http://www.epa.gov/ncea/iris/subst/0373.htm#reforal>.
- US EPA (United States Environmental Protection Agency). 2005. 2005 National Emissions Inventory Data and Documentation Source: <http://www.epa.gov/ttnchie1/net/2005inventory.html>.
- Ward, K., and B. Chapman. 1995. The Caribou underworld: amphibians in clearcuts and forests. B.C. Nature Federation. *Cordillera Winter* 1995:32-41.
- Wind, El and L.A. Dupuis. 2002. COSEWIC status report on the western toad *Bufo boreas* in Canada, in COSEWIC assessment and status report on the western toad *Bufo boreas* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. 1-31 pp.
- Rescan Tahltan Environmental Consultants. 2008. Schaft Creek western toad baseline 2007. Prep. for Copper Fox Metals Inc. Vancouver, B.C.
- Servheen, C. 1990. The status and conservation of the bears of the world. *Int.Conf.Bear Res. and Manage. Monograph Series No.2*. 32pp.
- Mattson, D.J. 1993. Background and proposed standards for managing grizzly bear habitat security in the Yellowstone Ecosystem. Cooperative Park Studies Unit. University of Idaho. Moscow, ID. 17 pp. Missoula, MT. 8 pp.
- Stenhouse, G. and K. Graham. 2005. Foothills Model Forest Grizzly Bear Research Program 1999-2003 Final Report. 289 pp.
- Peek, J.M. 1997. Habitat relationships. Pages 351-375, in A.W. Franzmann and C.C. Schwartz (eds.). Chapter 11: Ecology and management of North American moose. Smithsonian Institute Press, Washington, DC. USA. 725 pp.
- Noss, R.F. and L.D. Harris. 1986. Nodes, networks and MUMs: preserving diversity at all scales. *Env. Manage.* 10: 299-309.
- Meffe, G.K. and C.R. Carroll. 1997. Principles of conservation biology. 2nd Edition. Sinauer Associates Inc. Sunderland, MA. 729 pp.
- Whittaker, D. and R.L. Knight. 1998. Understanding wildlife response to humans. *Wildlife Society Bulletin*. 26(2): 312-317.
- Wasser, S.K., J.L. Keim, M.L. Taper, and S.R. Lele. 2011. The influences of wolf predation, habitat loss, and human activity on caribou and moose in the Alberta oil sands. *Frontiers in Ecology and the Environment*. 110621062742041 DOI: 10.1890/100071
- Weaver, J.L., R.E.F. Escano, and D.S. Winn. 1987. A framework for assessing cumulative effects on grizzly bears. *Trans. 52<sup>nd</sup> N.A. Wildl. & Nat. Res. Conf.* 364-376.

- Gibeau, M.L., S. Herrero, J.L. Kansas and B. Benn. 1996. Grizzly bear population and habitat status in Banff National Park: report to the Banff Bow Valley task Force. 62pp.
- Graham, K., J. Duval, and G. Stenhouse. 2005. Quantitative assessment of grizzly bear road crossings in west-central Alberta. Pages 21-31 in Stenhouse, G. and Graham, K. editors. Foothills Model Forest Grizzly Bear Research Program 1999-2003 Final Report. 289 pp.
- Farr, D.R. 1995. Forest birds and ecosystem conservation in the Rocky Mountain foothills of Alberta. Ph.D. diss., University of Alberta. Edmonton, Alberta. 81pp.
- Poulin, J.F., M.A. Villard, M. Edman, P.J. Goulet, and A.M. Eriksson. 2008. Thresholds in nesting habitat requirements of an old forest specialist, Brown Creeper (*Certhia americana*), as conservation targets. *Biological Conservation* 141(4):1129-1137.
- Pretzlaw, T., M. Huynh, L. Takats, and L. Wilkinson. 2002. Protocol for monitoring long-toed salamander (*Ambystoma macrodactylum*) populations in Alberta. Alberta Sustainable Resource Development, Fish and Wildlife Division. Species at Risk Report No. 35. Edmonton, Alberta.
- Wayland, M. and R. Crosley. 2006. Selenium and other trace elements in aquatic insects in coal mine-affected streams in the Rocky Mountains of Alberta, Canada. *Arch. Environ. Contam. Toxicol.* 50: 511-522.
- Weaver M. and Kellman M. 1981. The effects of forest fragmentation on woodlot tree biotas in southern Ontario. *Journal of Biogeography* 8: 199-210.
- Webb N.R. and Vermaat A.H. 1990. Changes in vegetation diversity on remnant heathland fragments. *Biological Conservation* 53: 253-264.
- WHO 1986. World Health Organization guidelines on the conservation of medicinal plants. The International Union for Conservation of Nature and Natural Resources: Gland, Switzerland.
- WHO (World Health Organization). 2000. Air Quality Guidelines for Europe, Second Edition. World Health Organization, Regional Office for Europe, Copenhagen. WHO Regional Publications, European Series, No. 91.
- Willscher S., Hertwig T., Frenzel M., Felix M., and Starke S. 2010. Results of remediation of hard coal overburden and tailing dumps after a few decades: Insights and conclusions. *Hydrometallurgy* 104: 506-517.