

# **Alberta Health**

## **Primary, Community and Indigenous Health**

### Community Profile: Sylvan Lake Health Data and Summary

3<sup>rd</sup> edition , March 2017

## Table of Contents

|   |     |
|---|-----|
| <b>Introduction</b> .....   | i   |
| <b>Community Profile Summary</b> .....  | iii |
| <b>Zone Level Information</b> .....   | 1   |
| <b>Map of Alberta Health Services South Zone</b> .....  | 2   |
| <b>Population Health Indicators</b> .....   | 3   |
| Table 1.1 Zone versus Alberta Population Covered as at March 31, 2016 .....   | 3   |
| Table 1.2 Health Status Indicators for Zone versus Alberta Residents, 2013 and 2014 (Body Mass Index, Physical Activity, Smoking, Self-Perceived Mental Health) .....   | 3   |
| Table 1.3 Zone versus Alberta Infant Mortality Rates (per 1,000 live births), Years 2013 – 2015 .....   | 4   |
| <b>Local Geographic Area Level Information</b> .....  | 5   |
| <b>Map of Selected Health Services in Local Geographic Area</b> .....   | 6   |
| <b>Demographics</b> .....   | 7   |
| Table 2.1 Distribution of Population Covered by Age and Gender as at March 31, 2016 .....   | 7   |
| Figure 2.1 Percentage Distribution of Local Geographic Area versus Alberta Population by Age Groups as at March 31, 2016 .....  | 7   |
| Figure 2.2 Local Geographic Area Population Covered as at end of Fiscal Years 1996 – 2016 .....   | 8   |
| <b>Social Determinants of Health Indicators</b> .....   | 9   |
| Table 3.1 Population Percentage of First Nations with Treaty Status and Inuit as at March 31, 2016 ..   | 9   |
| Table 3.2 Social Determinants of Health Indicators for Local Geographic Area versus Alberta Residents, 2011 (Family Composition, Family Income, Housing, Mobility, Language, Immigration, Educational Attainment, Household and Dwelling Characteristics) ..... | 9   |
| <b>Chronic Disease Prevalence</b> .....   | 12  |
| Figure 4.1 Local Geographic Area Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2008 – 2015 (Chronic Obstructive Pulmonary Disease, Diabetes, Hypertension, Ischemic Heart Disease) .....  | 12  |
| Figure 4.2 Local Geographic Area versus Alberta Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2015 (Chronic Obstructive Pulmonary Disease, Diabetes, Hypertension, Ischemic Heart Disease) .....                                      | 13  |
| <b>Maternal and Child Health</b> .....  | 14  |
| Table 5.1 Local Geographic Area Maternal and Child Health Indicators for the Period 2008/2009 – 2010/2011 (Number of Births, Percent of Low/High Birth Weight, Birth Rate, Fertility Rate, Teen Birth Rate, Percent Maternal Prenatal Smoking) .....            | 14  |

|   |   |    |
|---|---|----|
| Table 5.2   | Childhood Immunization Coverage Rates, 2015 .....   | 15 |
| <b>Sexually Transmitted Infections</b> .....  |   | 16 |
| Table 6.1   | Top 5 Sexually Transmitted Infection (STI) Rates (per 100,000 population)<br>by Three-Fiscal-Year Period .....  | 16 |
| <b>Mortality</b> .....  |   | 17 |
| Figure 7.1  | Local Geographic Area Age-Standardized Mortality Rates<br>(per 100,000 population) by Three-Calendar-Year Period.....   | 17 |
| Figure 7.2  | Local Geographic Area versus Alberta Age-Standardized<br>Mortality Rates (per 100,000 population) for Three-Calendar-Year Period 2013 – 2015 ....   | 18 |
| Figure 7.3  | Local Geographic Area Distribution of Deaths by Cause of Death<br>Across 10 Calendar Years, 2006 – 2015 .....   | 19 |
| <b>Emergency Service Utilization (Part A: All CTAS Levels &amp; Part B: All Emergency Visits)</b> ..... |   | 20 |
| Table 8.1   | Emergency Visits for Patients Residing in the Local Geographic<br>Area by CTAS Level, Fiscal Years 2013/2014 – 2015/2016.....   | 20 |
| Figure 8.1  | Emergency Visit Rates (per 1,000 population) for CTAS Levels<br>Semi-Urgent (4) and Non-Urgent (5), Fiscal Year 2015/2016 .....   | 20 |
| Figure 8.2  | Average Number of Emergency Visits for Patients Residing in the Local<br>Geographic Area for CTAS Levels Semi-Urgent (4) and Non-Urgent (5)<br>Combined by Weekday/Weekend and Hour of Day, Fiscal Year 2015/2016 .....   | 21 |
| Figure 8.3  | Local Geographic Area Age-Standardized Emergency Visit Rates (per<br>100,000 population) for Selected Conditions, 2007 – 2014 (Acute<br>Upper Respiratory Infections, Arthritis, Asthma, Diabetes, Diseases of Middle Ear<br>and Mastoid, Emphysema and Chronic Bronchitis, Influenza, Mental &<br>Behavioural Disorders due to Psychoactive Substance Use,<br>Other Acute Lower Respiratory Infections, Renal Failure, Stroke) .....                       | 23 |
| Figure 8.4  | Local Geographic Area versus Alberta Age-Standardized Emergency<br>Visit Rates (per 100,000 population) for Selected Conditions, Calendar<br>Year 2014 (Acute Upper Respiratory Infections, Arthritis, Asthma,<br>Diabetes, Diseases of Middle Ear and Mastoid, Emphysema and Chronic<br>Bronchitis, Influenza, Mental & Behavioural Disorders due to Psychoactive<br>Substance Use, Other Acute Lower Respiratory Infections, Renal Failure, Stroke) ..... | 24 |
| <b>Inpatient Service Utilization</b> .....  |   | 25 |
| Table 9.1   | Inpatient Separation Rates (per 100,000 population) for Patients<br>Residing in the Local Geographic Area versus Alberta, Fiscal Years<br>2013/2014 – 2015/2016.....  | 25 |
| Figure 9.1  | Local Geographic Area Age-Standardized Inpatient Separation Rates (per<br>100,000 population) for Selected Conditions, 2008/2009 – 2015/2016 (Asthma,<br>Diabetes, Influenza, Ischemic Heart Diseases, Mental and Behavioural<br>Disorders due to Psychoactive Substance Use, Pneumonia, Pulmonary Heart<br>and Pulmonary Circulation Diseases) .....   | 25 |
| Figure 9.2  | Local Geographic Area versus Alberta Age-Standardized Inpatient<br>Separation Rates (per 100,000 population), for Selected Conditions,<br>2015/2016 (Asthma, Diabetes, Influenza, Ischemic Heart Diseases, Mental<br>and Behavioural Disorders due to Psychoactive Substance Use,<br>Pneumonia, Pulmonary Heart and Pulmonary Circulation Diseases) .....   | 26 |

|   |    |
|---|----|
| <b>Primary Health Care Indicators of Community Primary Care Need</b> .....  | 27 |
| Table 10.1 Primary Health Care Indicators of Community Primary Care Need.....   | 27 |
| 1. Travel: Percentage of LGA's Recipients' Family Physician Claims<br>Reported Outside of the LGA, 2015/2016  |    |
| 2. Volume of Family Physicians (per 100,000 population),<br>2015/2016   |    |
| 3. Ambulatory Care Sensitive Conditions – Age-Standardized<br>Separation Rate (per 100,000 population), 2015/2016   |    |
| 4. General Practice Care Sensitive Conditions - Age-Standardized<br>Rate (per 100,000 population), 2015/2016  |    |
| 5. ED Visits Related to Mood and Anxiety Disorders<br>Age-Standardized Rate (per 100,000 population), 2015/2016   |    |
| 6. ED Visits Related to Substance Abuse<br>Age-Standardized Rate (per 100,000 population), 2015/2016  |    |
| 7. ED Readmissions within 30 Days of Discharge from Hospital<br>Age-Standardized Rate (per 100,000 population), 2015/2016   |    |
| 8. Age-Standardized Rate of People with Three or more<br>Chronic Diseases (per 100 population), 2015/2016   |    |
| 9. Percentage of Influenza Vaccines for Those 65 and Over, 2015/2016  |    |
| 10. Average Canadian Deprivation Index (per 100 population), 2015/2016  |    |
| 11. SES: Percentage of People Receiving Support, in the Population, 2015/2016   |    |
| 12. Life Expectancy at Birth, 2006 to 2015  |    |
| <br>  |    |
| <b>Access to Health Services</b> .....  | 31 |
| Table 11.1 Ambulatory Care Visits and Inpatient Separations for the Local<br>Geographic Area Residents to Facilities Located In versus Out<br>of the Local Geographic Area, Fiscal Year 2015/2016 ..... | 31 |
| Table 11.2 Top 3 Non-Local Ambulatory Care Facilities/ Acute Care Hospitals<br>Accessed by Local Residents, Fiscal Year 2015/2016.....  | 31 |
| <br>  |    |
| <b>Appendix A – Definitions</b> .....   | 33 |
| <br>  |    |
| <b>Appendix B – Community Services Online Resources</b> .....   | 41 |
| <br>  |    |
| <b>Appendix C – Health Link Alberta Calls by Zone</b> .....   | 46 |
| <br>  |    |
| <b>Appendix D – Select Health Services in Local Geographic Area</b> .....   | 49 |

**Disclaimer:**

*Qualifiers such as 'higher than', 'much lower than', 'similar to' etc. are used throughout the community profile to compare local geographic area (LGA) indicator values to the provincial average. Note that the qualifiers 'similar' and 'comparable' are chosen to describe situations in which the LGA indicator value is either identical or very close to the provincial average. For some indicators (e.g. sexually transmitted infections) the range of values can differ considerably across LGAs. As such, values that may seem different to the reader could be classified as similar by our methodology. For further details on these qualifiers please refer to Appendix A.*

**Suggested Citation:**

*Alberta Health Primary, Community and Indigenous Health –Community Profile: [insert LGA name], Health Data and Summary, 3<sup>rd</sup> edition, March 2017*

## INTRODUCTION

Primary Health Care provides an entry point into the health care system and links individuals to medical services and social and community supports. The Government of Alberta is currently working to improve primary health care within the province. The Primary Health Care Strategy has five strategic directions: bring about cultural change, enhance delivery of care, establish building blocks for change, population needs based design, increase value and return on investment. Primary health care services in Alberta are delivered by a range of providers in many different settings. Current primary health care models in Alberta include: primary care networks, stand-alone physician clinics, community health centres, urgent-care centres, community ambulatory care centres, medi-centres, and university health centres.

To assist with primary health care planning, Alberta Health has developed a series of reports to provide a broad range of demographic, socio-economic and population health statistics considered relevant to primary health care for communities across the province. Alberta Health Services divides the province into five large health service zones, and these zones are subdivided into smaller geographic areas called local geographic areas (LGAs). The Alberta Health “Community Profile” reports provide information at the zone and LGA level for each of the 132 LGAs in Alberta.

The Community Profiles are intended to highlight areas of need and provide relevant information to support the consistent and sustainable planning of primary health care services. Each Community Profile offers an overview of the current health status of residents in the LGA, indicators of the area’s current health needs, and evidence as to which quality services are needed on a timely and efficient basis to address the area’s needs.

Each report includes sections that present zone and LGA level information. In addition, the Community Profile includes appendices containing sources of additional information about the community (e.g. Health Link Alberta and community services).

The zone level section opens with a zone map that puts the specific LGA into geographic context and includes health-related statistics at the zone level (the highest geographic breakdown next to the full provincial view). Some of the zone level health indicators are unique to this section and are not currently available at the LGA level.

The LGA section of the Community Profile is divided into a number of sub-sections and is the core component of each report. The population size of LGA varies substantially from very small in rural areas to large in metropolitan centers. A compendium of health related information on demographics, prevalence rates, emergency visits, mental health and addiction, maternal and child health and more, is included in this section. In addition, information on indicators of need (relating to utilization, health population needs and social determinants of health) is also provided.

Furthermore, each Community Profile contains information on access statistics, offering insight into existing needs, as well as the utilization of non-local facilities by LGA residents. A map of selected health care services available in each LGA, together with a listing of these locations, is also included.

While the current Community Profile contains information at both the zone and LGA level, information could be updated or added to the profile if information is provided by the community. For more information contact [primaryhealthcare@gov.ab.ca](mailto:primaryhealthcare@gov.ab.ca).

**Note:**

*Various data sources are used to compile the Community Profiles, which were developed through the collaboration of Alberta Health (Primary, Community and Indigenous Health; Analytics and Performance Reporting; Strategic Policy; Addiction and Mental Health) and Alberta Health Services (Primary Health Care).*

*The datasets used in previous editions of the community profiles are publicly available through the Interactive Health Data Application [http://www.ahw.gov.ab.ca/IHDA\\_Retrieval/](http://www.ahw.gov.ab.ca/IHDA_Retrieval/) or the government Open Data portal <https://open.alberta.ca/opendata>. The datasets for the 3rd edition of the community profiles will be available through Open Data in May 2017.*

**Contributors** *(Alphabetic by Family Name, within Branch/Organization):*

**Lawrence Kiyang** - *Analytics and Performance Reporting; Alberta Health*

**Katherine Lyman** - *Analytics and Performance Reporting; Alberta Health*

**Dan Metes** - *Analytics and Performance Reporting; Alberta Health*

**Mengzhe Wang** - *Analytics and Performance Reporting; Alberta Health*

**Ade A Davies** - *Primary Care Network (PCN) Operations; Alberta Health*

**Candy Gregory** - *Primary Care Network (PCN) Operations; Alberta Health*

**Rick Leischner** - *Primary, Community and Indigenous Health; Alberta Health*

**Naomi Gordon** - *Strategic Policy; Alberta Health*

**Peter G MacLeod** - *Strategic Policy; Alberta Health*

**Nana Gyennin** - *Primary Health Care; Alberta Health Services*

**Alka Patel** - *Primary Health Care; Alberta Health Services*

**Ryan Lacanilao** - *Addiction and Mental Health; Alberta Health*

## COMMUNITY PROFILE SUMMARY

### Local Geographic Area: Sylvan Lake

The community profile contains a large number of demographic, socio-economic and health related indicators intended to provide a better understanding of the community's current and future health needs. Below is a brief overview of some of the key indicators for the local geographic area (LGA), Sylvan Lake. For an in depth look at the data, please refer to the various sections of the report.

#### POPULATION HEALTH INDICATORS

- Health status indicators are available solely at the zone level. The percentage of obese adults in the Central Zone (which includes Sylvan Lake) was higher than the provincial percentage in 2014 (27.2% Central Zone vs. 22.8% AB). (Table 1.2)
- The Central Zone reported a similar proportion of inactive people compared to the provincial proportion during the same year (43.1% Central Zone vs. 43.1% AB). (Table 1.2)

#### DEMOGRAPHICS

- Sylvan Lake's population increased by 161.2% between 1996 and 2016 (compared to a 62.2% increase for Alberta) and currently stands at 17,789 people. (Figure 2.2)
- The largest age group in the LGA, in 2016, was 35-64 year olds who accounted for 39.0% of the population compared to 40.4% for Alberta. (Figure 2.1)
- Children 17 and under made up 25.1% of the LGA's population compared to 22.1% for Alberta, while individuals 65 and older accounted for 8.5% of the population in the LGA versus 11.8% in Alberta. (Figure 2.1)

#### SOCIAL DETERMINANTS OF HEALTH INDICATORS

- Sylvan Lake had a similar proportion of First Nations and Inuit people compared to Alberta (1.0% vs. 2.8% AB). (Table 3.1)
- The percentage of female lone-parent families was similar to the provincial percentage (11.6% vs. 11.1% AB). (Table 3.2)
- A similar proportion of families with an after-tax low-income level were reported in the LGA compared to Alberta (11.2% vs. 10.7% AB). (Table 3.2)
- The most common non-official languages spoken at home in the LGA were: Tagalog (Pilipino, Filipino), German, Dutch, Korean, and Spanish. (Table 3.2)

#### CHRONIC DISEASE PREVALENCE

- In 2015, the disease with the highest prevalence rate (per 100 population) in Sylvan Lake was hypertension. The rate associated with this disease was 0.9 times lower than the provincial rate (18.5 vs. 20.2 AB). (Figure 4.2)



## MATERNAL HEALTH

- From 2012/2013 to 2014/2015, Sylvan Lake's birth rate per 1,000 women was higher than the provincial rate (30.3 vs. 25.7 AB) and the teen birth rate per 1,000 women was similar to Alberta's teen birth rate (10.5 vs. 14.0 AB). (Table 5.1)

## SEXUALLY TRANSMITTED INFECTIONS

- The highest sexually transmitted infections (STI) rate per 100,000 population in the LGA, in 2013/2014 - 2015/2016, was reported for chlamydia. 3 of the top 5 STI rates in the LGA were higher than the provincial rates. (Table 6.1)

## MORTALITY

- The mortality rate (per 100,000 population) due to all causes was higher in the LGA, in 2013-2015, compared to the province (687.5 vs. 634.7 AB) and the most frequent cause of death reported between 2006 and 2015 was diseases of the circulatory system. (Figures 7.2 and 7.3)

## EMERGENCY SERVICE UTILIZATION (PART A: ALL CTAS LEVELS & PART B: ALL EMERGENCY VISITS)

- Semi and non-urgent emergency visits accounted for 42.3% of all emergency visits in 2015/2016. (Table 8.1)
- Acute upper respiratory infections were the most common reason for emergency visits (among select conditions) in 2014, and had a lower rate (per 100,000 population) compared to the provincial rate (1,321.8 vs. 3,601.8 AB). (Figure 8.4)

## INPATIENT SERVICE UTILIZATION

- Ischemic heart disease, mental & behavioural disorders due to psychoactive substance use, and pneumonia were the top three main reasons for inpatient separations (among selected conditions) in 2016, and inpatient separation rates were higher than the provincial rates for 4 of 7 diagnoses. (Figure 9.2)

## MENTAL AND BEHAVIOURAL DISORDERS

- Mental and behavioural disorders are particularly important from a population health perspective. In 2014, Sylvan Lake's emergency department (ED) visit rate for mental and behavioural disorders was lower than the provincial ED visit rate per 100,000 population (362.3 vs. 676.0 AB). (Figure 8.4)
- The inpatient discharge rate associated with mental and behavioural disorders was comparable to Alberta's discharge rate per 100,000 population (178.7 vs. 136.7 AB). (Figure 9.2)
- Between 2006 and 2014, mental and behavioural disorders accounted for 5.1% of all deaths in the LGA. (Figure 7.3) Note that deaths due to the top eight disease categories are displayed in Figure 7.3, while the remaining disease categories are grouped into the generic 'Other'.



### PRIMARY HEALTH CARE INDICATORS OF COMMUNITY PRIMARY CARE NEED

Through a series of consultation meetings and independent team analysis of 34 health indicators, primary health care teams from AHS and Alberta Health agreed to retain 11 of the most important health indicators relating to primary health care needs for each local geographic area. Some of these indicators relate to primary care utilization and availability of primary care services, while others refer to health conditions or health status such as incidence and prevalence of diseases. One additional indicator included, life expectancy at birth, was seen as a strong determinant of health status. All indicators reporting rates were age-standardized for easy interpretation. The following indicators have been highlighted for this LGA:


- The ambulatory care sensitive conditions (ACSC) separation rate per 100,000 population in Sylvan Lake was 484.3 compared to the Alberta rate of 359.4. (Table 10.1)
- In Sylvan Lake, the rate of people with three or more chronic diseases per 100 population was 3.8 compared to the Alberta rate of 3.9. (Table 10.1)
- The percentage of total family physician claims outside the recipient's home local geographic area in Sylvan Lake was 40.4% compared to the Alberta percentage of 53.1%. (Table 10.1)
- Residents of this local geographic area had a life expectancy at birth of 81.1 years compared to 81.3 years for Alberta. (Table 10.1)

### ACCESS TO HEALTH CARE SERVICES

- Sylvan Lake residents received ambulatory care services at facilities located outside the LGA. In 2015/2016, these visits made up 100.0% (or 29,864 visits) of all ambulatory care visits and most such visits (i.e. 43.2% of all external visits) were to the Red Deer Regional Hospital Centre in Red Deer (LGA of Red Deer - SW). (Tables 11.1 and 11.2)
- In 2015/2016, inpatient separations outside the LGA made up 100.0% (or 1,642) of all inpatient separations for Sylvan Lake residents and most of them (i.e. 74.8% of all external inpatient separations) occurred at the Red Deer Regional Hospital Centre in Red Deer (LGA of Red Deer - SW). (Tables 11.1 and 11.2)

## Zone Level Information

*This section contains information presented at the highest geographic breakdown level before rolling up to a full provincial view. The map of Alberta has been partitioned into five geographic zones (Calgary Zone, Central Zone, Edmonton Zone, North Zone, and South Zone), representing the health zones within Alberta Health Services. A variety of health indicators are unique to this section and are only captured at this level of geography due to either sampling and variability errors, or unavailability of data at the level of local geographical areas.*



## Alberta Central Zone

### POPULATION HEALTH INDICATORS

Table 1.1 shows the zone-level population distribution compared to the province, by age group and gender, as at Mar 31 of the most recent fiscal year available. Children under the age of one were defined as infants, while the pediatric age group consists of all minors excluding infants. People with no age information available were categorized as unknown.

**TABLE 1.1** Zone versus Alberta Population Covered<sup>1</sup>, as at March 31, 2016

|   | Central Zone |         |         | Alberta <sup>2</sup> |           |           |
|---|--------------|---------|---------|----------------------|-----------|-----------|
|   | Population   |         |         |                      |           |           |
|   | Female       | Male    | Total   | Female               | Male      | Total     |
|   | 248,492      | 253,331 | 501,823 | 2,198,984            | 2,250,120 | 4,449,104 |
| Percentage Distribution of Population by Age Groups |              |         |         |                      |           |           |
| Age Group   | Female       | Male    | Total   | Female               | Male      | Total     |
| Infants: Under 1                                    | 0.6%         | 0.6%    | 1.2%    | 0.6%                 | 0.6%      | 1.3%      |
| Pediatric: 1-17                                     | 10.4%        | 11.0%   | 21.3%   | 10.1%                | 10.7%     | 20.8%     |
| 18-34   | 11.8%        | 12.3%   | 24.1%   | 12.7%                | 13.0%     | 25.7%     |
| 35-64   | 19.2%        | 19.8%   | 39.0%   | 19.7%                | 20.7%     | 40.4%     |
| 65-79   | 5.3%         | 5.2%    | 10.5%   | 4.5%                 | 4.3%      | 8.8%      |
| 80 & Older  | 2.2%         | 1.6%    | 3.8%    | 1.8%                 | 1.2%      | 3.0%      |
| Unknown   | 0.0%         | 0.0%    | 0.0%    | 0.0%                 | 0.0%      | 0.0%      |

As at March 31, 2016, the largest age group was 35-64 year olds, accounting for 39.0% of the overall population in the Central Zone and 40.4% of the population in Alberta. Children 17 and under comprised 22.6% of Central Zone's overall population, compared to 22.1% for Alberta. In addition, residents 65 and older accounted for 14.3% of Central Zone's overall population, 2.5 percentage points higher than the corresponding provincial proportion.

Table 1.2 shows zone-level health status indicators compared to the province for the two most recent calendar years available.

**TABLE 1.2** Health Status Indicators for Zone versus Alberta Residents, 2013 and 2014

|               |      | Central Zone                       |       |       | Alberta |       |       |
|---------------|------|------------------------------------|-------|-------|---------|-------|-------|
|               |      | Body Mass Index (BMI) <sup>3</sup> |       |       |         |       |       |
| Category      | Year | Female                             | Male  | Total | Female  | Male  | Total |
| Under Weight  | 2013 | 2.6%                               | 2.4%  | 2.5%  | 3.6%    | 0.6%  | 2.0%  |
|               | 2014 | 1.8%                               | 1.9%  | 1.9%  | 4.6%    | 0.8%  | 2.6%  |
| Normal Weight | 2013 | 52.0%                              | 29.5% | 40.0% | 53.1%   | 35.5% | 43.8% |
|               | 2014 | 43.7%                              | 36.2% | 39.8% | 50.6%   | 35.2% | 42.6% |
| Over Weight   | 2013 | 29.6%                              | 42.1% | 36.3% | 25.5%   | 43.3% | 34.9% |
|               | 2014 | 27.7%                              | 34.4% | 31.2% | 24.5%   | 39.0% | 32.1% |
| Obese         | 2013 | 15.8%                              | 26.0% | 21.2% | 17.9%   | 20.6% | 19.3% |
|               | 2014 | 26.8%                              | 27.5% | 27.2% | 20.3%   | 25.0% | 22.8% |

**TABLE 1.2** Health Status Indicators for Zone versus Alberta Residents, 2013 and 2014 (continued)

|   |      | Central Zone |       |       | Alberta |       |       |
|---|------|--------------|-------|-------|---------|-------|-------|
| Physical Activity <sup>3</sup>            |      |              |       |       |         |       |       |
| Category                                  | Year | Female       | Male  | Total | Female  | Male  | Total |
| Active or moderately active               | 2013 | 59.6%        | 49.6% | 54.5% | 56.2%   | 58.6% | 57.4% |
|   | 2014 | 56.5%        | 57.3% | 56.9% | 54.2%   | 59.5% | 56.9% |
| Inactive                                  | 2013 | 40.4%        | 50.4% | 45.5% | 43.8%   | 41.4% | 42.6% |
|   | 2014 | 43.5%        | 42.7% | 43.1% | 45.8%   | 40.5% | 43.1% |
| Smoking <sup>3</sup>                      |      |              |       |       |         |       |       |
| Daily smokers                             | 2013 | 18.9%        | 22.4% | 20.7% | 11.7%   | 18.6% | 15.2% |
|   | 2014 | 16.4%        | 19.4% | 17.9% | 12.5%   | 16.5% | 14.5% |
| Never/former/<br>occasional smokers       | 2013 | 81.1%        | 77.6% | 79.3% | 88.3%   | 81.4% | 84.8% |
|   | 2014 | 83.6%        | 80.6% | 82.1% | 87.5%   | 83.5% | 85.5% |
| Self-Perceived Mental Health <sup>3</sup> |      |              |       |       |         |       |       |
| Excellent or Very Good                    | 2013 | 72.3%        | 69.9% | 71.1% | 73.1%   | 72.8% | 72.9% |
|   | 2014 | 72.3%        | 74.1% | 73.2% | 70.7%   | 73.7% | 72.2% |
| Poor Fair or Good                         | 2013 | 27.7%        | 30.1% | 28.9% | 26.9%   | 27.2% | 27.1% |
|   | 2014 | 27.7%        | 25.9% | 26.8% | 29.3%   | 26.3% | 27.8% |

The percentage of obese adults (age 20-64, not pregnant) in the Central Zone in 2014 was higher than the provincial percentage (27.2% vs. 22.8% AB) and there was a similar proportion of inactive people compared to Alberta (43.1% vs. 43.1% AB). In addition, a higher percentage of daily smokers was reported at the zone level compared to the province in 2014 (17.9% vs. 14.5% AB) and a similar proportion considered themselves as having excellent or very good mental health (73.2% vs. 72.2% AB).

Table 1.3 reports the infant mortality rates per 1,000 live births for the zone and the province, for the most recent calendar years available.

**TABLE 1.3** Zone versus Alberta Infant Mortality Rates (per 1,000 live births)  
Years 2013 - 2015

|   | Central Zone | Alberta |
|---|--------------|---------|
| <b>Infant Mortality Rate (per 1,000 births)<sup>3</sup></b> |              |         |
| 2013  | 5.0          | 4.5     |
| 2014  | 4.4          | 4.7     |
| 2015  | 4.5          | 4.4     |

The infant mortality rates in the Central Zone varied between 4.4 per 1,000 births in 2014 and 5.0 per 1,000 births in 2013. Compared to Alberta, infant mortality rates in the Central Zone were higher for 2 of the 3 calendar years.

**Sources:** Canadian Community Health Survey Provincial Share Files<sup>3</sup>

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health

Postal Code Translator File, Alberta Health

Alberta Vital Statistics Births and Deaths Files

**Notes:** <sup>1</sup> Population covered represents number of people covered under the Alberta Health Care Insurance Plan (AHCIP)

<sup>2</sup> Alberta population figure was calculated based on valid Alberta postal codes.

<sup>3</sup> See Appendix A for definition.

**Methodology:**


Surveillance and Assessment Unit, Alberta Health (As of Nov 2016) See link: [http://www.ahw.gov.ab.ca/IHDA\\_Retrieval](http://www.ahw.gov.ab.ca/IHDA_Retrieval)

## Local Geographic Area Level Information

*This section contains information presented at the level of the local geographic area and is more granular than the information at the zone level. Local geographic area refers to 132 geographic areas created by Alberta Health (AH) and Alberta Health Services (AHS) based on census boundaries. The Federal Census (2011) and National Household Survey (2011) information is custom extracted by Statistics Canada at the local geographic area level. The population of these areas varies from very small in rural areas to large in metropolitan centres.*

## Map of Selected Health Services in Local Geographic Area of Sylvan Lake

Population (2016): 17,789



Prepared by the Analytics and Performance Reporting Branch, Alberta Health  
 Note: For additional details regarding the selected health service facilities in the above map please refer to Appendix D.





## Local Geographic Area: Sylvan Lake

### DEMOGRAPHICS


Table 2.1 shows the population distribution of the local geographic area broken down by age group and gender, as at March 31 of the most recent fiscal year available. Specific age groups have been identified. Children under the age of one were defined as infants, while the pediatric age group includes all minors excluding infants. People with no age information available were categorized as unknown.

**TABLE 2.1** Distribution of Population Covered<sup>1</sup> by Age and Gender  
As at March 31, 2016

| Local Geographic Area Population |              |              |               |
|----------------------------------|--------------|--------------|---------------|
| Age Group                        | Female       | Male         | Total         |
| Infants: Under 1                 | 133          | 127          | 260           |
| Pediatric: 1-17                  | 2,005        | 2,203        | 4,208         |
| 18-34                            | 2,391        | 2,478        | 4,869         |
| 35-64                            | 3,361        | 3,579        | 6,940         |
| 65-79                            | 624          | 602          | 1,226         |
| 80 & Older                       | 170          | 116          | 286           |
| Unknown                          | 0            | 0            | 0             |
| <b>Total</b>                     | <b>8,684</b> | <b>9,105</b> | <b>17,789</b> |

Figure 2.1 profiles the population distribution by age group for both the local geographic area and Alberta, as at March 31 of the most recent fiscal year available.


**FIGURE 2.1** Percentage Distribution of Local Geographic Area (LGA) versus Alberta Population  
By Age Group as at March 31, 2016



As at March 31, 2016, the largest age group was 35-64 year olds, accounting for 39.0% of the overall population. Children 17 and under comprised 25.1% of Sylvan Lake's overall population, compared to 22.1% for Alberta. In addition, residents 65 and older accounted for 8.5% of Sylvan Lake's overall population, 3.3 percentage points lower than the corresponding provincial proportion.

The population counts as at March 31 of each year, between 1996 and the most recent year are provided in Figure 2.2.

**FIGURE 2.2** Local Geographic Area Population Covered as at End (i.e. Mar 31) of Fiscal Years 1996 - 2016



The population of Sylvan Lake increased by 161.2% between 1996 and 2016. A low of 6,810 individuals was reported in 1996 and a peak of 17,789 people was reported in 2016.

**Sources:**

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health  
 Postal Code Translator File, Alberta Health

**Notes:**

<sup>1</sup> Population covered represents number of people covered under the Alberta Health Care Insurance Plan (AHCIP)

## Local Geographic Area: Sylvan Lake

### SOCIAL DETERMINANTS OF HEALTH INDICATORS

Tables 3.1 and 3.2 highlight a number of indicators relating to social determinants of health such as family income, housing and educational attainment. Values for the local geographic area and Alberta are listed as proportions, raw numbers, or dollar amounts, depending on the indicator.

**TABLE 3.1** Population Percentage of First Nations with Treaty Status<sup>1</sup> and Inuit as at March 31, 2016

| First Nations with Treaty Status and Inuit Population |             |         |
|---|-------------|---------|
|   | Sylvan Lake | Alberta |
| Percent of Population that is First Nations or Inuit  | 1.0%        | 2.8%    |

**TABLE 3.2** Social Determinants of Health Indicators<sup>2</sup> for Local Geographic Area versus Alberta Residents 2011

| Family Composition  |                |                   |
|---|----------------|-------------------|
|   | Sylvan Lake    | Alberta           |
| Percent (Number of) Male Lone-Parent Families                                       | 3.3% (125)     | 3.4% (33,705)     |
| Percent (Number of) Female Lone-Parent Families                                     | 11.6% (435)    | 11.1% (110,800)   |
| Percent (Number of) 65 Years of Age and Older Who Live Alone                        | 23.4% (195)    | 25.0% (91,355)    |
| Percent (Number of) Persons not in Census Family <sup>1</sup>                       | 14.8% (1,950)  | 17.3% (616,065)   |
| Percent (Number of) Census Family Persons   | 85.3% (11,250) | 82.7% (2,951,865) |
| Average Number of Persons per Census Family   | 3.0            | 3.0               |
| Family Income   |                |                   |
|   | Sylvan Lake    | Alberta           |
| Percent (Number) of Families with After-Tax Low-Income <sup>1</sup>                 | 11.2% (418)    | 10.7% (105,875)   |
| Percent (Number) of Private Households with an After-Tax Income ≥ \$100,000 in 2010 | 26.6% (1,320)  | 27.8% (386,990)   |
| Average Census Family Income  | \$105,351      | \$116,232         |
| Housing   |                |                   |
|   | Sylvan Lake    | Alberta           |
| Percent Living in Owned Dwellings   | 78.4%          | 73.6%             |
| Percent Where Greater Than 30% of Income Is Spent on Housing for Homeowners         | 21.1%          | 18.4%             |
| Average Value of Dwelling   | \$396,917      | \$398,839         |
| Percent of Homeowners Who Have Homes in Need of Major Repairs                       | 5.1%           | 7.0%              |
| Percent Living in Rented Dwellings  | 21.7%          | 25.7%             |
| Percent Where Greater Than 30% of Income Is Spent on Housing for Renters            | 34.7%          | 38.6%             |
| Percent Living in Band Housing <sup>1</sup>   | 0.0%           | 0.7%              |

Compared to Alberta, Sylvan Lake had a similar proportion of First Nations people (1.0% vs. 2.8% AB). The proportion of female lone-parent families was similar to the provincial proportion (11.6% vs. 11.1% AB). In addition, the proportion of male lone-parent families in Sylvan Lake was similar to the provincial proportion (3.3% vs. 3.4% AB).

Furthermore, a similar percentage of families had an after-tax low-income level compared to the province (11.2% vs. 10.7% AB). Compared to Alberta, the percentage of people who spent 30% or more of their income on housing related expenses for homeowners was 2.7 percentage points higher in Sylvan Lake. In addition, a higher proportion of people in Sylvan Lake lived in dwellings they owned (78.4% vs. 73.6% AB).

**TABLE 3.2** Social Determinants of Health Indicators<sup>2</sup> for Local Geographic Area versus Alberta Residents 2011 (Continued)

| Mobility  |  |  |
|---|--|--|
|   | Sylvan Lake  | Alberta  |
| Percent who lived at the Same Address One Year Ago                    | 81.6%  | 84.8%  |
| Percent who lived at the Same Address Five Years Ago                  | 42.6%  | 55.1%  |
| Language  |  |  |
|   | Sylvan Lake  | Alberta  |
| Percent Who Do Not Speak English or French                            | 0.0%   | 1.4%   |
| Percent of Households Where a Non-Official Language Is Spoken at Home | 1.1%   | 10.5%  |
| Top Five Non-Official Languages Spoken at Home <sup>3</sup>           | Tagalog (Pilipino, Filipino), German, Dutch, Korean, and Spanish | Punjabi (Punjabi), German, Tagalog (Pilipino, Filipino), Chinese (n.o.s.), and Spanish |
| Immigration   |  |  |
|   | Sylvan Lake  | Alberta  |
| Total Number of Immigrants  | 605  | 644,115  |
| Percent of Immigrants Who Arrived in the Last Five Years              | 1.1%   | 4.0%   |
| Top Five Places of Birth for Recent Immigrants <sup>4</sup>           | United Kingdom, and Philippines                                  | Philippines, India, China, United Kingdom, and United States                           |
| Educational Attainment  |  |  |
|   | Sylvan Lake  | Alberta  |
| Percent with No High School Graduation Certificate                    | 14.1%  | 12.3%  |
| Percent with High School Graduation Certificate                       | 26.4%  | 23.8%  |
| Percent with Apprenticeship, Trades Certificate or Diploma            | 15.8%  | 12.2%  |
| Percent with College, Other Non-University Certificate, or Diploma    | 26.0%  | 21.4%  |
| Percent with University Certificate, Diploma or Degree                | 17.6%  | 30.3%  |

**TABLE 3.2** Social Determinants of Health Indicators<sup>2</sup> for Local Geographic Area versus Alberta Residents  
2011 (Continued)

| Household and Dwelling Characteristics                 |             |           |
|--|-------------|-----------|
|  | Sylvan Lake | Alberta   |
| Percent Persons in Private Households <sup>1</sup>     | 98.8%       | 97.9%     |
| Total Number of Households by Household Type           | 5,000       | 1,390,275 |
| Census Family Households                               | 73.8%       | 69.8%     |
| One-Family-Only Households                             | 68.1%       | 62.6%     |
| Two-or-More-Family Households                          | 5.7%        | 7.1%      |
| Non-Family Households                                  | 26.2%       | 30.2%     |
| Total Number of Dwellings by Structural Type           | 5,000       | 1,390,275 |
| Single-Detached House                                  | 73.4%       | 63.5%     |
| Moveable Dwelling                                      | 3.4%        | 3.4%      |
| Other Dwelling Including ≥5 Storey Apartment Buildings | 23.2%       | 33.1%     |

Sylvan Lake had a lower proportion of non-English and non-French speaking people compared to Alberta (0.0% vs. 1.4% AB). Also, a lower proportion of immigrants arrived in the last five years in Sylvan Lake compared to the province (1.1% vs. 4.0% AB). Furthermore, Sylvan Lake reported a lower proportion of people with university certificates, diplomas or degrees (17.6% vs. 30.3% AB).

**Sources:**

*Federal Census (2011) by LGA - Custom Extract, Statistics Canada*

*National Household Survey (2011) by LGA - Custom Extract, Statistics Canada*

*Postal Code Translator File, Alberta Health*

*Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health*

**Notes:**

<sup>1</sup> See Appendix A for definition.

<sup>2</sup> N/A indicates that data were not available for a specific metric for this LGA

<sup>3</sup> Less than five languages may be listed if no others were reported. Six or more languages may be listed in the case of ties.

<sup>4</sup> Less than five places of birth may be listed if no others were reported. Six or more places of birth may be listed in the case of ties. Since only a selected number of countries was included for each continent, categories like "Other places of birth in Continent X" may appear among the top 5 places of birth listed in Table 3.2; to better understand which countries are included in the "Other..." categories please refer to the list of selected counties that appeared distinctly in the data; countries not included in "Other..." but that could appear on their own are listed below:

-> Africa: Algeria, Cameroon, Congo, Egypt, Ethiopia, Mauritius, Morocco, Nigeria, Somalia, Tunisia, South Africa

-> Americas (N, S and Central) : Brazil, Colombia, Cuba, Guyana, Haiti, Jamaica, Mexico, Peru, United States, Venezuela

-> Asia (incl. Middle East): Afghanistan, Bangladesh, China, Hong Kong Special Administrative Region, India, Iran, Iraq, Israel, Japan, Lebanon, Nepal, Pakistan, Philippines, Saudi Arabia, South Korea, Sri Lanka, Syria, Taiwan, Turkey, United Arab Emirates, Vietnam


-> Europe: France, Germany, Moldova, Poland, Romania, Russian Federation, Ukraine, United Kingdom

## Local Geographic Area: Sylvan Lake

### CHRONIC DISEASE PREVALENCE

Figure 4.1 displays the rates per 100 population of the selected chronic diseases in the local geographic area, by calendar year. The prevalence rates refer to the number of diagnosed individuals at a given time and have been standardized by age.


**FIGURE 4.1** LGA Age-Standardized Chronic Disease Prevalence Rates<sup>1</sup> (per 100 population) 2008 - 2015



On average, the condition with the highest chronic disease prevalence rate reported for Sylvan Lake during 2008 to 2015 was hypertension. The largest rate of change during this time period was reported for hypertension (on average, a 0.08 people per 100 population increase per year). In 2015, Sylvan Lake ranked number 114 in hypertension, number 122 in diabetes, number 69 in ischemic heart disease and number 56 in COPD among prevalence rates reported for the 132 local geographical areas (note: a lower rank is desirable).

Figure 4.2 depicts the age-standardized prevalence rate of major chronic diseases, per 100 population, for the local geographic area compared to Alberta (most recent calendar year).

**FIGURE 4.2** LGA versus Alberta Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2015



In 2015, the Sylvan Lake prevalence rate for hypertension per 100 population was 0.9 times lower than the corresponding rate reported for the province (18.5 vs. 20.2 AB). In addition, Sylvan Lake showed prevalence rates higher than the provincial rates for 2 of the 4 chronic diseases included above.

**Sources:**

Alberta Health Care Insurance Plan (AHCIP) Physician Claims Data, Alberta Health  
 Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health  
 Alberta Hospital Discharge Abstract Database (DAD), Alberta Health  
 Postal Code Translator File, Alberta Health  
 Census 2011 Population Data, Statistics Canada

**Notes:**

<sup>1</sup>Age-standardized prevalence rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 2011 census population.

**Methodology:**

Surveillance and Assessment Branch, Alberta Health (As of Nov 2016) See link: [http://www.ahw.gov.ab.ca/IHDA\\_Retrieval](http://www.ahw.gov.ab.ca/IHDA_Retrieval)



## Local Geographic Area: Sylvan Lake

### MATERNAL AND CHILD HEALTH

Table 5.1 highlights maternal and child health indicators such as birth weight, fertility rate, teen birth rate and prenatal smoking for the local geographic area and Alberta. The indicator information is presented as rates, percentages, or raw numbers, depending on the indicator.

**TABLE 5.1** Local Geographic Area Maternal and Child Health Indicators for the period 2012/2013 - 2014/2015

| Maternal and Child Health Indicators  | Three-Fiscal-Year Period | Sylvan Lake | Alberta |
|---|--------------------------|-------------|---------|
| Number of Births  | 2012/2013 - 2014/2015    | 732         | 160,857 |
| Percent Low Birth Weights (of Live Births) <sup>1</sup> , less than 2500 gm     |                          | 5.5%        | 7.1%    |
| Percent High Birth Weights (of Live Births) <sup>1</sup> , greater than 4000 gm |                          | 8.5%        | 9.1%    |
| Birth Rate (per 1,000 population) <sup>1</sup>                                  |                          | 30.3        | 25.7    |
| Fertility Rate (per 1,000 Women 15 to 49 Years) <sup>1</sup>                    |                          | 56.6        | 50.8    |
| Teen Birth Rate (per 1,000 Women 15 to 19 Years)                                |                          | 10.5        | 14.0    |
| Percent of Deliveries with Maternal Prenatal Smoking                            |                          | 21.5%       | 13.4%   |

During 2012/2013 to 2014/2015, Sylvan Lake's birth rate of 30.3 per 1,000 women was higher than the provincial rate, and the teen birth rate of 10.5 per 1,000 was similar to Alberta's teen birth rate. In addition, a higher proportion of prenatal smoking cases were reported in Sylvan Lake compared to the province (21.5% vs. 13.4% AB).

Table 5.2 presents the rates for childhood immunization coverage by the age of two for the local geographic area and Alberta. The data is provided for the most recent calendar year available.

**TABLE 5.2** Childhood Immunization Coverage Rates, 2015

| DTaP-IPV-Hib (Diphtheria, Tetanus, Pertussis, Polio and Haemophilus Influenza B)<br>Dose 4 of 4 |               |             |         |
|---|---------------|-------------|---------|
| Age Group   | Calendar Year | Sylvan Lake | Alberta |
| By Age Two  | 2015          | 65.2%       | 75.4%   |
| MMR (Measles, Mumps, and Rubella)   |               |             |         |
| By Age Two  | 2015          | 81.0%       | 87.1%   |

By the age of two, 65.2% of children in Sylvan Lake (in 2015) had been vaccinated against DTaP-IPV-Hib (compared to 75.4% for AB), while 81.0% had received MMR vaccines (compared to 87.1% for AB).

**Sources:**

*Alberta Hospital Discharge Abstract Database (DAD), Alberta Health*  
*Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health*  
*Alberta Vital Statistics Births File*  
*Regional Immunization Applications*  
*Immunization and Adverse Reaction to Immunization (Imm/ARI)*  
*Postal Code Translator File, Alberta Health*

**Notes:**

<sup>1</sup> See Appendix A for definition.

**Methodology (Childhood Immunizations):**

Surveillance and Assessment Unit, Alberta Health (As of Nov 2014) See link: [http://www.ahw.gov.ab.ca/IHDA\\_Retrieval](http://www.ahw.gov.ab.ca/IHDA_Retrieval)

## Local Geographic Area: Sylvan Lake

### SEXUALLY TRANSMITTED INFECTIONS

Table 6.1 lists the rates of Sexually Transmitted Infections (STI) for the most recent three-fiscal-year periods available, for the local geographic area and Alberta.

**TABLE 6.1** Top 5 Sexually Transmitted Infection (STI)<sup>1</sup> Rates (per 100,000 population)  
By Three-Fiscal-Year Period

| STI (per 100,000 population) |                           |             |         |
|------------------------------|---------------------------|-------------|---------|
| Three-Fiscal-Year Period     | Disease                   | Sylvan Lake | Alberta |
| 2012/2013 -<br>2014/2015     | Chlamydia                 | 473.9       | 379.1   |
|                              | Non-Gonococcal Urethritis | 56.7        | 37.3    |
|                              | Gonorrhea                 | 26.3        | 48.4    |
|                              | Mucopurulent Cervicitis   | 10.1        | 7.1     |
|                              | Syphilis                  | 6.1         | 9.4     |
| 2013/2014 -<br>2015/2016     | Chlamydia                 | 477.2       | 382.4   |
|                              | Non-Gonococcal Urethritis | 56.3        | 37.4    |
|                              | Gonorrhea                 | 48.5        | 58.7    |
|                              | Mucopurulent Cervicitis   | 15.5        | 7.1     |
|                              | Syphilis                  | 9.7         | 11.1    |

Sylvan Lake's highest STI rate per 100,000 population in 2013/2014 - 2015/2016 was reported for chlamydia and this rate was higher than the provincial rate (477.2 vs. 382.4 AB).

3 of the top 5 STI rates in Sylvan Lake were higher than the provincial rates for STIs in 2013/2014 - 2015/2016.

**Sources:**

*Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health  
Communicable Disease Reporting System (CDRS)  
Postal Code Translator File, Alberta Health*

**Notes:**


<sup>1</sup> See Appendix A for definition.

## Local Geographic Area: Sylvan Lake

### MORTALITY

Figure 7.1 displays the age-standardized mortality rates<sup>1</sup>, per 100,000 population, for the three selected causes of death and all causes combined. Data is provided for each three-calendar-year period between 2006 and 2015. The age-standardized mortality rate by cause of death is a measure of the frequency (rate) at which deaths occur in a given population due to a certain cause.


**FIGURE 7.1** Local Geographic Area Age-Standardized Mortality Rates<sup>1</sup> (per 100,000 population) By Three-Calendar-Year Period



The three-year mortality rates for Sylvan Lake ranged between 661.5 and 758.9 per 100,000 population during the study period. The three selected causes of death, namely, neoplasms, diseases of the circulatory system, and external causes accounted for 66.5% to 73.0% of all deaths from 2006 - 2008 to 2013 - 2015.

The mortality rates per 100,000 population for the three selected causes of death<sup>2</sup> and all causes combined are displayed in Figure 7.2 for both the local geographic area and Alberta, for the most recent three-calendar-year period available. The mortality rates have been standardized by age.


**FIGURE 7.2** Local Geographic Area versus Alberta Age-Standardized Mortality Rates (per 100,000 population) for Three-Calendar-Year Period 2013-2015



For all causes, Sylvan Lake reported a higher mortality rate compared to the provincial rate (687.5 vs. 634.7 AB). In 2013 - 2015, neoplasms was the main cause of death in Sylvan Lake, with an associated mortality rate higher than the provincial rate per 100,000 population (212.6 vs. 174.3 AB). In addition, mortality rates were higher than the provincial rates for 3 of the 3 selected causes of death reported in Sylvan Lake.

Figure 7.3 illustrates the distribution of deaths by cause of death (top 8 causes) for the local geographic area, over the most recent 10-calendar-year period available. All other causes of death are lumped into the "Other" category. As such, this category may include different causes of death from report to report. The legend displays causes of death in descending order of magnitude.

**FIGURE 7.3** LGA Distribution of Deaths by Cause of Death Across 10 Calendar Years, 2006-2015



Between 2006 and 2015 diseases of the circulatory system accounted for 30.7% of all deaths reported in Sylvan Lake. More than three-quarters of all reported deaths were due to four major causes: diseases of the circulatory system, neoplasms, external causes (injury), and diseases of the respiratory system.

**Sources:**

Alberta Vital Statistics Death File  
 Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health  
 Postal Code Translator File, Alberta Health  
 Census 2011 Population Data, Statistics Canada

**Notes:**

<sup>1</sup>Age-standardized mortality rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 2011 census population.  
<sup>2</sup> Cause of death is derived from International Classification of Diseases 10 (ICD10) coding system.

## Local Geographic Area: Sylvan Lake

### EMERGENCY SERVICE UTILIZATION (PART A: BY CTAS LEVEL)

Table 8.1 describes emergency visits by Canadian Triage and Acuity Scale (CTAS) level<sup>1</sup>, for patients residing in the local geographic area, for the three most recent fiscal years.


**TABLE 8.1** Emergency Visits for Patients Residing in the Local Geographic Area by CTAS Level  
Fiscal Years 2013/2014 - 2015/2016

| CTAS Level                                   | Emergency Visits    |                     |                     |
|--|---------------------|---------------------|---------------------|
|  | 2013/2014           | 2014/2015           | 2015/2016           |
| Resuscitation (1) and Emergency (2) Combined | 546 (10.3%)         | 701 (12.5%)         | 841 (14.6%)         |
| Urgent (3)                                   | 1,994 (37.5%)       | 2,164 (38.5%)       | 2,380 (41.2%)       |
| Semi Urgent (4)                              | 2,251 (42.4%)       | 2,186 (38.8%)       | 2,103 (36.4%)       |
| Non-Urgent (5)                               | 405 (7.6%)          | 457 (8.1%)          | 340 (5.9%)          |
| Unknown                                      | 119 (2.2%)          | 119 (2.1%)          | 113 (2%)            |
| <b>Total</b>                                 | <b>5,315 (100%)</b> | <b>5,627 (100%)</b> | <b>5,777 (100%)</b> |

The volume of emergency visits for patients residing in Sylvan Lake increased by 8.7% between 2013/2014 and 2015/2016. In addition, semi-urgent and non-urgent visits combined accounted for 42.3% of all emergency visits in 2015/2016, an increase of -8.0% from 2013/2014.

Figure 8.1 shows emergency visit rates by semi-urgent and non-urgent CTAS levels for patients residing in the local geographic area and Alberta, for the most recent fiscal year available.

**FIGURE 8.1** Emergency Visit Rates<sup>1</sup> (per 1,000 population) for CTAS Levels Semi-Urgent (4) and Non-Urgent (5)<sup>2</sup>, Fiscal Year 2015/2016






Sylvan Lake's combined semi-urgent and non-urgent emergency visit rate per 1,000 population was lower than the provincial rate in 2015/2016 (137.3 vs. 243.0 AB). Semi-urgent emergency visits occurred at a 0.6 times lower rate in Sylvan Lake compared to Alberta (118.2 vs. 187.5 AB).

A time profile of the average number of emergency visits by weekday/weekend is shown in Figure 8.2. Data covers both semi-urgent and non-urgent emergency visit CTAS levels during the most recent fiscal year available, for patients residing in the local geographic area.

**FIGURE 8.2** Total Hourly Number of Emergency Visits for Patients Residing in the LGA For CTAS Levels Semi-Urgent(4) and Non-Urgent(5) Combined, by Weekday/Weekend (Fiscal Year 2015/2016).



The peak hourly total number of emergency visits for Sylvan Lake in 2015/2016 was reported for weekends between 11 AM - Noon (34 emergency visits). That is, there was a total of 34 visits reported between 11 AM - Noon on a regular weekend day, during this year. The hourly total number of emergency visits for both weekdays and weekends was low between midnight and early morning hours, increased gradually afterwards, and declined considerably late at night.

**Sources:**

*Ambulatory Care Data, Alberta Health*

*Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health*

*Postal Code Translator File, Alberta Health*

**Notes:**

<sup>1</sup> See Appendix A for definition.


<sup>2</sup> In order to be consistent with the type of services expected to be provided by primary health care, the analysis above focused only on semi-urgent and non-urgent emergency CTAS levels.

## Local Geographic Area: Sylvan Lake

### EMERGENCY SERVICE UTILIZATION (PART B: ALL EMERGENCY VISITS)

Figure 8.3 provides age-standardized emergency visit rates<sup>1</sup> for selected health conditions per 100,000 population for each calendar year beginning in 2007. Emergency department visit rates are defined as the number of visits to emergency departments due to a certain condition, divided by the total population of the local geographic area.


**FIGURE 8.3** LGA Age-Standardized<sup>2</sup> Emergency Visit Rates (per 100,000 population)  
 For Selected Conditions, 2007 - 2014



On average, the highest emergency visit rates for selected health conditions reported for Sylvan Lake during 2007 to 2014 were due to acute upper respiratory infections. In addition, among selected health conditions, the largest rate of change among emergency visits during this time period was reported for mental beh disrd dt psyact subs use (on average, a 29 emergency visits per 100,000 population increase per year).

Age-standardized emergency visit rates per 100,000 population, by selected health conditions, for the most current calendar year available, are shown in Figure 8.4 for both the local geographic area and Alberta.

**FIGURE 8.4** LGA versus Alberta Age-Standardized Emergency Visit Rates (per 100,000 population) For Selected Conditions, Calendar Year 2014



In 2014, the three most common reasons for emergency visits, among selected health conditions, were: acute upper respiratory infections, mental & behavioural disorders due to psychoactive substance use, and asthma. Among selected health conditions, the most common reason for emergency visits in 2014, acute upper respiratory infections, had a lower rate in Sylvan Lake compared to the provincial rate per 100,000 population (1,321.8 vs. 3,601.8 AB). Furthermore, Sylvan Lake showed emergency rates higher than the provincial rates for none of the 11 selected conditions.

**Sources:** Ambulatory Care Data, Alberta Health  
 Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health  
 Postal Code Translator File, Alberta Health  
 Census 2011 Population Data, Statistics Canada

**Notes:** <sup>1</sup> See Appendix A for definition.

<sup>2</sup> Age-standardized rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 2011 census population.

**Methodology:**

Surveillance and Assessment Unit, Alberta Health (As of Nov 2016)

See link: [http://www.ahw.gov.ab.ca/IHDA\\_Retrieval](http://www.ahw.gov.ab.ca/IHDA_Retrieval)

## Local Geographic Area: Sylvan Lake

### INPATIENT SERVICE UTILIZATION

Table 9.1 describes yearly inpatient separation<sup>1</sup> (IP Sep) rates per 100,000 population for patients residing in the LGA as well as Alberta. The rate of inpatient separations is the ratio between the total number of separations and the total local population.


**TABLE 9.1** Inpatient Separation Rates (per 100,000 population) for Patients Residing in the LGA versus Alberta, Fiscal Years 2013/2014 - 2015/2016

| Inpatient Separation Rates (per 100,000 population) |             |         |
|---|-------------|---------|
| Fiscal Years  | Sylvan Lake | Alberta |
| 2013/2014   | 8,686.4     | 8,611.6 |
| 2014/2015   | 8,405.9     | 8,496.5 |
| 2015/2016   | 8,758.2     | 8,413.3 |

Sylvan Lake's inpatient separation rate for patients residing in the local geographic area varied between 8410.0 in 2014/2015 and 8760.0 in 2015/2016. In addition, in 2015/2016, the inpatient separation rate for patients residing in Sylvan Lake was similar to the provincial rate (8758.2 vs. 8413.3 AB).

Figure 9.1 presents IP Sep rates for selected health conditions (per 100,000 population), for patients residing in the local geographic area, for the fiscal years 2008/2009 through 2015/2016. The rates have been standardized by age.


**FIGURE 9.1** LGA Age-Standardized<sup>2</sup> Inpatient Separation Rates (per 100,000 population) For Selected Conditions, 2008/2009 - 2015/2016



On average, the highest inpatient separation rates, among selected health conditions, reported in Sylvan Lake during 2008/2009 to 2015/2016 were due to ischemic heart diseases. These rates reached a high of 557.9 per 100,000 population in 2009/2010 and a low of 287.6 per 100,000 population in 2015/2016. Also, among selected conditions, the largest inpatient separation rate of change during this time period was reported for ischemic heart diseases (on average, a 21 inpatient separation per 100,000 population decrease per year).

Figure 9.2 presents inpatient separation rates per 100,000 population for patients residing in the local geographic area, compared to provincial rates, for the most recent fiscal year and selected health conditions.

**FIGURE 9.2** LGA versus Alberta Age-Standardized Inpatient Separation Rates (per 100,000 population) For Selected Conditions, 2015/2016



In 2015/2016, the three highest inpatient separation rates were reported for ischemic heart disease, mental & behavioural disorders due to psychoactive substance use, and pneumonia. The most common reason for inpatient separations in Sylvan Lake was ischemic heart disease, which had a similar rate compared to the provincial rate per 100,000 population (287.6 vs. 244.8 AB). Additionally, Sylvan Lake's inpatient separation rates were higher than the provincial rates for 4 of the 7 diagnoses.

**Sources:**

- Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
- Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
- Postal Code Translator File, Alberta Health
- Census 2011 Population Data, Statistics Canada

**Notes:** <sup>1</sup> See Appendix A for definition.

<sup>2</sup> Age-standardized rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 2011 census population.

**Methodology:**

Surveillance and Assessment Unit, Alberta Health (As of Dec 2014) See link: [http://www.ahw.gov.ab.ca/IHDA\\_Retrieval](http://www.ahw.gov.ab.ca/IHDA_Retrieval)

## Local Geographic Area: Sylvan Lake

### PRIMARY HEALTH CARE INDICATORS OF COMMUNITY PRIMARY CARE NEED

As a result of consultations and analysis during the fall of 2016, 12 indicators were identified to help determine the need for new or additional primary health care services across all local geographic areas throughout Alberta. These indicators were related to health service utilization and the health needs of the population. The indicators are standardized by age, where appropriate, to allow comparison of information across local geographic areas and the province. The bullets below present the underlying issues that these indicators will address.

- Health status indicators help show the burden of disease in the population that could be monitored and/or improved by primary health care services.
- Utilization indicators determine if there is a gap between population health needs and available health care services and suggests where this gap exists (e.g. use of emergency departments for non-urgent health care).

Table 10.1 profiles recent data for these indicators for both the local geographic area (LGA) and Alberta. The LGA indicator value is compared to the Alberta average.

**TABLE 10.1.** Primary Health Care Indicators of Community Primary Care Need

| Utilization Indicators |   | Sylvan Lake | Alberta  |
|------------------------|---|-------------|----------|
| 1                      | Travel: Percentage of LGA's Recipients' Family Physician Claims Reported Outside of the LGA, 2015/2016                | 40.4%       | 53.1%    |
| 2                      | Volume of Family Physicians (per 1,000 Population), 2015/2016   | 1.0         | 1.0      |
| 3                      | Ambulatory Care Sensitive Conditions - Age-Standardized Separation Rate (per 100,000 population), 2015/2016           | 484.3       | 359.4    |
| 4                      | General Practice Care Sensitive Conditions - Age-Standardized Rate (per 100,000 population), 2015/2016                | 5,403.1     | 12,112.5 |
| 5                      | ED Visits Related to Mood and Anxiety Disorders - Age-Standardized Rate (per 100,000 population), 2015/2016           | 1,079.2     | 1,167.8  |
| 6                      | ED Visits Related to Substance Abuse - Age-Standardized Rate (per 100,000 population), 2015/2016                      | 799.1       | 1,073.0  |
| 7                      | ED Readmissions within 30 Days of Discharge from Hospital - Age-Standardized Rate (per 100,000 population), 2015/2016 | 1,195.8     | 1,444.2  |



**TABLE 10.1.** Proposed Primary Health Care Indicators of Community Primary Care Need (continued)

| Health Status Indicators <sup>1</sup> |   | Sylvan Lake | Alberta |
|---------------------------------------|---|-------------|---------|
| 8                                     | Age-Standardized Rate of People with Three or more Chronic Diseases (per 100 population), 2015/2016 | 3.8         | 3.9     |
| 9                                     | Percentage of Influenza Vaccines for Those 65 and Over, 2015/2016                                   | 48.9%       | 53.3%   |
| Social Determinant of Health          |   | Sylvan Lake | Alberta |
| 10                                    | Average Canadian Deprivation Index (per 100 population), 2015/2016                                  | 7.6         | 7.3     |
| 11                                    | SES: Percentage of People Receiving Support, in the Population, 2015/2016                           | 15.2%       | 21.3%   |
| 12                                    | Life Expectancy at Birth, 2006 to 2015  | 81.1        | 81.3    |

Each of the 12 indicators displayed for Sylvan Lake is described below. Higher values are desirable for indicators 2, 9 and 12. The reverse holds for the nine remaining indicators.

**Indicator 1: Percentage of LGA's Recipients' Family Physician Claims Outside of the LGA**

The percentage of total Family Physician claims outside the recipient's home local geographic area is a proxy for access to primary care services. While the indicator provides values for all LGAs, the values are more informative for rural or remote areas (as travel inside urban areas has different meaning and impact).

**Indicator 2: Volume of Family Physicians**

This indicator measures the number of active Family Physicians per 1,000 population in the LGA. This indicator can be linked to continuity of care, access to care, wait times and general patient satisfaction. Physicians directly influence how most health care resources are utilized. Information on physician supply and distribution will help support health decision-makers and planners to prepare for future needs.

**Indicator 3: Ambulatory Care Sensitive Conditions**

The Canadian Institute of Health Information (CIHI) has recognized ambulatory care sensitive conditions (ACSC) separation rates as a valid proxy indicator for the robustness of a primary care system. The ACSC indicator measures the aggregate acute care separation rate, per 100,000 population, over one year for the following seven conditions. Of these, the following six conditions have been included in the current indicator: Angina, Asthma, Congestive Heart Failure, Chronic Obstructive Pulmonary Disorder, Diabetes and Hypertension. A disproportionately high rate is presumed to reflect problems in obtaining access to appropriate primary care. Note that in rural areas, a limitation of this indicator is that it reflects differences in access to physicians.

#### **Indicator 4: General Practice Care Sensitive Conditions**

The General Practice Care Sensitive Conditions indicator measures the aggregate emergency department (ED) or urgent care centre visits rate for health conditions that may be appropriately managed at a family physician's office. Treatment of such conditions at family physician offices allows for proper follow up and better patient outcomes. A disproportionately high rate is presumed to reflect problems in obtaining access to appropriate primary care.

#### **Indicator 5: ED Visits Related to Mood and Anxiety Disorders**

This indicator measures the number of ED visits related to mood and anxiety disorders, per 100,000 population. A higher rate of ED visits related to mood and anxiety disorders may be an indication of inadequate community resources or difficulties accessing care in the community. Most ED visits related to mood and anxiety disorders can be avoided if individuals with these condition have access to comprehensive outpatient and community based recovery-focused services.

#### **Indicator 6: ED Visits Related to Substance Abuse**

This indicator measures the number of ED visits related to substance abuse disorders, per 100,000 population. A higher rate of ED visits related to substance abuse may be an indication of inadequate community resources or difficulties accessing care in the community. These ED visits can be avoided by improving access to primary care and specialized community services and supports. Individuals with these conditions who are treated in primary care are less likely to show up in the ED. More substance abuse related ED visits happening outside office hours may indicate the need for after-hour primary care services, which would be a better source of care than having patients with these conditions utilize the ED.

#### **Indicator 7: ED Readmissions within 30 Days of Discharge from Hospital**

As described by CIHI, this is the risk-adjusted rate of unplanned readmission for non-elective return to an acute care hospital for any cause that occurs within 30 days of discharge from the primary hospitalization. Urgent, unplanned readmissions to acute care facilities are increasingly being used to measure quality of care and care coordination. While not all unplanned readmissions are avoidable, interventions during and after a hospitalization can be effective in reducing readmission rates.

#### **Indicator 8: People with Three or More Chronic Diseases**

Interdisciplinary care and coordination of services is required for patients with multiple chronic conditions. This indicator tracks the proportion of patients with three or more chronic conditions which may include: asthma, congestive heart failure, COPD, dementia, diabetes, hypertension, and/or ischemic heart disease.

#### **Indicator 9: Percentage of Influenza Vaccines for Those 65 and Over**

The percentage of influenza vaccines administered annually to 65 year olds and over is an important primary health care indicator of preventive services delivered through primary health care. The data for this indicator includes immunizations delivered by community pharmacists and physicians to 65 year olds and older, in 2015/2016.

### **Indicator 10: Average Canadian Deprivation Index (CDI)**

Estimates for the CDI are derived from the Canadian Community Health Survey (CCHS). The CDI is an individual level measure of material deprivation, based on home ownership, education, and food security in the CCHS. Values range from 1 (most well off) to 5 (most deprived). The indicator reports the percentage of the CCHS sample within the LGA, for material deprivation levels 4 & 5 of the CDI.

### **Indicator 11: SES Percentage of People Receiving Support, in the Population**

This indicator measures the percentage of low-income earners who benefit from the prescription drug subsidy under the "Low-Income Health Benefits Program", which is a Government-sponsored supplementary health benefit programs.

### **Indicator 12: Life Expectancy at Birth**

The life expectancy at birth correlates highly with determinants of health and is a good predictor of future health related costs. This measure is considered a significant indicator of overall population health.

#### **Sources:**

*Interactive Health Data Application (IHDA), Surveillance and Assessment Branch, Alberta Health*  
*Alberta Health Care Insurance Plan (AHCIP) Physician Claims Data, Alberta Health*  
*Stakeholder Registry File, Alberta Health*  
*Alberta Hospital Discharge Abstract Database (DAD), Alberta Health*  
*Ambulatory Care Data, Alberta Health*  
*Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health*  
*Postal Code Translator File, Alberta Health*  
*Alberta Blue Cross Claims Data, Alberta Health*  
*Immunization and Adverse Reaction to Immunization (Imm/ARI) System, Alberta Health*  
*Pharmaceutical Information Network (PIN), Alberta Health*  
*Alberta Blue Cross, Publically-Funded Pharmacy Influenza Immunization Program*

**Notes:** <sup>1</sup> See Appendix A for definition.

## Local Geographic Area: Sylvan Lake

### ACCESS TO HEALTH SERVICES

Table 11.1 provides the number of ambulatory care visits or inpatient separations made by local area residents to facilities within the local geographic area as well as facilities outside of the area. The data is provided for the most recent fiscal year available.

**TABLE 11.1** Ambulatory Care Visits and Inpatient Separations for the Local Geographic Area Residents To Facilities Located In versus Out of the Local Geographic Area, Fiscal Year 2015/2016

| Ambulatory Care Visits                     |  |              |            |             |
|--|--|--------------|------------|-------------|
| Visits Within Local Area of Residence (IN) | Visits Outside Local Area of Residence (OUT) | Total Visits | Percent IN | Percent OUT |
| 0  | 29,864                                       | 29,864       | 0.0%       | 100.0%      |
| Inpatient Separations (IP Sep)             |  |              |            |             |
| Seps Within Local Area of Residence        | Seps Outside Local Area of Residence         | Total IP Sep | Percent IN | Percent OUT |
| 0  | 1,642  | 1,642        | 0.0%       | 100.0%      |

Table 11.2 focuses on ambulatory care visits or inpatient separations made by local area residents to the top three accessed non-local facilities. Of particular interest is the percentage of non-local visits to, or separations from, each of the three facilities out of all non-local visits or separations. These percentages appear in the last column of the table below. The data is provided for the most recent fiscal year available.

**TABLE 11.2** Top 3 Non-Local Ambulatory Care Facilities Accessed by Local Residents Fiscal Year 2015/2016

| Local Residents Accessing Non-Local Ambulatory Care Facilities             |                       |                        |                      |                       |
|--|-----------------------|------------------------|----------------------|-----------------------|
| Ambulatory Care Facility Name  | Facility Municipality | Facility LGA           | Number of OUT Visits | % of Total OUT Visits |
| Red Deer Regional Hospital Centre  | Red Deer              | Red Deer - SW          | 12,904               | 43.2%                 |
| David Thompson Health Region 4 Non-Hospital Regional Service Delivery Org. | Red Deer              | Red Deer - SW          | 6,627                | 22.2%                 |
| University of Alberta Hospital   | Edmonton              | Edmonton - Bonnie Doon | 3,597                | 12.0%                 |

**TABLE 11.2** Top 3 Non-Local Acute Care Hospitals Accessed by Local Residents  
 Fiscal Year 2015/2016 (continued)

| Local Residents Accessing Non-Local Acute Care Hospitals |                       |                        |                      |                       |
|--|-----------------------|------------------------|----------------------|-----------------------|
| Hospital Name  | Hospital Municipality | Hospital LGA           | Number of OUT IP Sep | % of Total OUT IP Sep |
| Red Deer Regional Hospital Centre                        | Red Deer              | Red Deer - SW          | 1,228                | 74.8%                 |
| University of Alberta Hospital                           | Edmonton              | Edmonton - Bonnie Doon | 72                   | 4.4%                  |
| Foothills Medical Centre                                 | Calgary               | Calgary - Centre North | 72                   | 4.4%                  |

**Sources:**

*Ambulatory Care Data, Alberta Health*

*Alberta Hospital Discharge Abstract Database (DAD), Alberta Health*

*Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health*

*Postal Code Translator File, Alberta Health*

## Definitions

## Appendix A

### After-Tax Low Income Measure

In simple terms, the Low-income measure after tax (LIM-AT) is a fixed percentage (50%) of median adjusted after-tax income of households observed at the person level, where 'adjusted' indicates that a household's needs are taken into account. Adjustment for household sizes reflects the fact that a household's needs increase as the number of members increase, although not necessarily by the same proportion per additional member.

The LIMs derivation begins by calculating the 'adjusted household income' for each household by dividing household income by the square root of the number of persons in the household, otherwise known as the 'equivalence scale.' This adjusted household income is assigned to each individual in the private household, and the median of the adjusted household income (where half of all individuals will be above it and half below) is determined over the population. The LIM for a household of one person is 50% of this median, and the LIMs for other sizes of households are equal to this value multiplied by their equivalence scale.

Unlike other low income lines, LIMs do not vary by size of area of residence. (Statistics Canada) Thresholds for specific household sizes can be found at the following location:

<https://www12.statcan.gc.ca/nhs-enm/2011/ref/dict/table-tableau/t-3-2-eng.cfm>

### Age Standardization

Age standardization is a technique applied to make rates comparable across groups with different age distributions. A simple rate is defined as the number of people with a particular condition divided by the whole population. An age-standardized rate is defined as the number of people with a condition divided by the population within each age group. Standardizing (adjusting) the rate across age groups allows a more accurate comparison between populations that have different age structures. Age standardization is typically done when comparing rates across time periods, different geographic areas, and or population sub-groups (e.g. ethnic group). Direct standardization was used for all analyses in this Community Profile, where standardization applies.

### Band Housing

For historical and statutory reasons, shelter occupancy on reserves does not lend itself to the usual classification by standard tenure categories. Therefore, a special category, band housing, has been created for 1991 Census products. Band housing also appears in the 1996, 2001, and 2006 Census products. In 2011, band housing appeared in the NHS Survey instead of the Census. (Statistics Canada)

### Birth Rate

The birth rate is the number of live births, of a given geographic area in a given year, per 1,000 population of the same geographic area in the same year. (Statistics Canada)

## Body Mass Index (BMI)

The BMI is a method of classifying body weights by health risk level, which is adopted by the World Health Organization (WHO). Guidelines were put in place by Health Canada to clearly define this index.

The BMI is computed as an individual's weight (in kilograms) divided by the square of their height (in meters). The standard BMI categories used are: underweight, normal, overweight and obese (classes I-III). For the purposes of this report, the following categories were used:

| BMI Categories | BMI              |
|----------------|------------------|
| under weight   | less than 18.50  |
| normal weight  | 18.50 to 24.99   |
| overweight     | 25.00 to 29.99   |
| obese          | 30.00 or greater |

Obesity has been linked with many chronic diseases, including hypertension, type 2 diabetes, cardiovascular disease, osteoarthritis and certain types of cancer. (Statistics Canada, Canadian Community Health Survey)

## Canadian Community Health Survey (CCHS)

CCHS is a national cross-sectional survey carried out by Statistics Canada to provide estimates of health status, health care utilization, and determinants of health at the provincial health region level. Statistics Canada provides a Provincial Share file to each Ministry of Health. This file contains detailed survey responses for those participants agreeing to disclosure to the Ministry. In Alberta, the share file represents between 92% and 95% of participants in each cycle of the master file.

For more information go to the following link:

<http://www23.statcan.gc.ca/imdb/p2SV.pl?Function=getSurvey&SDDS=3226>

## Canadian Triage and Acuity Scale (CTAS)

The CTAS is a scale to categorize patients according to the type and severity of their initial presenting signs and symptoms at the Emergency Department that helps to determine priorities for treatment. The CTAS is used to determine the triage level. There are 5 levels, with level 1 being the most urgent and level 5 the least urgent.

### Triage Level 1 – Resuscitation

Patients are categorized as having conditions that are threats to life or limb (or imminent risk of deterioration) requiring immediate aggressive interventions.

### Triage Level 2 – Emergent

Patients are categorized as having conditions that are a potential threat to life, limb or function, requiring rapid medical intervention or delegated acts.

### Triage Level 3 – Urgent

Patients are categorized as having conditions that could potentially progress to a serious problem requiring emergency intervention. These conditions may be associated with significant discomfort or affecting ability to function at work or activities of daily living.

### Triage Level 4 – Less Urgent (Semi urgent)

Patients are categorized as having conditions that are related to patient age, distress, or potential for deterioration or complications and would benefit from intervention or reassurance within 1-2 hours.

### Triage Level 5 – Non Urgent

Patients are categorized as having conditions that may be acute but non-urgent as well as conditions which may be part of a chronic problem with or without evidence of deterioration. The investigation or interventions for some of these illnesses or injuries could be delayed or even referred to other areas of the hospital or health care system.

### Triage Level 9 – Unknown

The information regarding this particular level is included in the National Ambulatory Care Reporting System Manual available through CIHI.

## **Census**

The census is a survey that collects data from all the members of a population, whether it is people or businesses. The most common use of the term "Census" is the population Census of Canada which is taken at 5-year intervals which counts persons and households and a wide variety of characteristics. In fact, some of the Census questions are asked on a sample basis i.e. in the past every fifth household receives a long-form questionnaire asking additional questions.

For 2011, Statistics Canada did not use a mandatory long-form questionnaire as part of the census. Information previously collected by the mandatory long-form census questionnaire was collected as part of the new voluntary National Household Survey (NHS).

Collection of the NHS began within four weeks of the May 2011 Census. Approximately 4.5 million households received the NHS questionnaire.

The 2011 Census questionnaire consisted of the same eight questions that appeared on the 2006 Census short-form questionnaire, with the addition of two questions on language. (Statistics Canada)

## **Census Family**

A family as defined by the Census includes one of the following: a married couple (with or without children of either and/or both spouses), a common-law couple (with or without children of either and/or both partners) or a lone parent of any marital status, with at least one child.

A couple may be of opposite sex or same sex. A couple family with children may be further classified as either an intact family in which all children are the biological and/or adopted children of



both married spouses or of both common-law partners, or a stepfamily with at least one biological or adopted child of only one married spouse or common-law partner and whose birth or adoption preceded the current relationship.

Stepfamilies, in turn may be classified as simple or complex. A simple stepfamily is a couple family in which all children are biological or adopted children of one, and only one, married spouse or common-law partner whose birth or adoption preceded the current relationship. A complex stepfamily is a couple family which contains at least one biological or adopted child whose birth or adoption preceded the current relationship.

These families contain children from:

- Each married spouse or common-law partner and no other children
- One married spouse or common-law partner and at least one other biological or adopted child of the couple
- Each married spouse or common-law partner and at least one other biological or adopted child of the couple. (Statistics Canada)

### **Chinese, n.o.s. (not otherwise specified)**

The 2011 census category 'Chinese, n.o.s.' includes responses of 'Chinese' as well as all Chinese languages other than Cantonese, Mandarin, Taiwanese, Chaochow (Teochow), Fukien, Hakka and Shanghainese. (Statistics Canada)

### **Chronic Obstructive Pulmonary Disease (COPD)**

The population aged 35 and over who reported being diagnosed by a health professional with chronic bronchitis, emphysema or COPD. (Statistics Canada, Canadian Community Health Survey)

COPD is a progressive disease that makes it hard to breathe. It can cause coughing that produces large amounts of mucus, wheezing, shortness of breath, chest tightness, and other symptoms. Cigarette smoking is the leading cause of COPD. Most people who have COPD smoke or used to smoke. Long-term exposure to other lung irritants (such as air pollution, chemical fumes, or dust) also may contribute to COPD.

### **Emergency Department (ED) Visit Rate**

The ED visit rate is the number of visits to the emergency department divided by the total population of the local geographic area.

### **Family Care Clinic (FCC)**

Family Care Clinics provide primary health care services, such as diagnosis and treatment of illness, immunizations, screening and links to other health services and community agencies. The clinics emphasize health promotion, disease and injury prevention, and self-management and care of chronic disease. FCCs offer extended hours of service and same day access.

## **Fertility Rate**

The fertility rate is the number of live births per 1,000 women of reproductive age (15 - 49 years) in a population per year. This is a more standardized way to measure fertility in a population than birth rate because it accounts for the percentage of women of reproductive age. (Statistics Canada)

## **First Nations with Treaty Status**

First Nation is a term that came into common usage in the 1970s to replace the word "Indian". First Nations refers to individuals and to communities (or reserves) and their governments (or band councils). The term arose in the 1980s and is politically significant because it implies possession of rights arising from historical occupation and use of territory. Though no Canadian legal definition of this term exists (the Constitution refers to Indians), the United Nations considers First Nations to be synonymous with indigenous peoples.

Status Indian: A First Nations person who is registered according to the Indian Act's requirements and therefore qualifies for treaty rights and benefits. Non-Status Indian: A First Nations person who is not registered under the Indian Act, for whatever reason, according to the act's requirements and therefore does not qualify for the rights and benefits given to people registered as status Indians.

Starting in 1701, the British Crown entered into solemn treaties to encourage peaceful relationships between First Nations and non-Aboriginal people. Over the next several centuries, treaties were signed to define, among other things, the respective rights of Aboriginal people and governments to use and enjoy lands that Aboriginal people traditionally occupied. The Government of Canada and the courts understand treaties between the Crown and Aboriginal people to be solemn agreements that set out promises, obligations and benefits for both parties.

(Aboriginal Affairs and Northern Development Canada 2013; Government of Alberta, Indigenous Relations, 2013)

## **Health Status**

Health status is the level of health of the individual, group or population as subjectively assessed by the individual or by more objective measures. (Statistics Canada)

## **High Birth Weight**

Birth weight is the body weight of a baby at its birth. High birth weight is defined as live births with a weight of 4,500 grams or more, expressed as a percentage of all live births with known weight. (Statistics Canada, Vital Statistics, Birth Database)

## **Hospitalization Rate**

The hospitalization rate is the age-standardized rate of acute care hospitalization, per 100,000 population. (Canadian Institute for Health Information)

## **Infant Mortality Rate**

The infant mortality rate is infants who die in the first year of life, expressed as a count and a rate per 1,000 live births. (Statistics Canada, Vital Statistics, Birth and Death Databases)

## **Inpatient**

An inpatient is an individual who has been officially admitted to a hospital for the purpose of receiving one or more health services. (Canadian Institute for Health Information: MIS Standards 2011)

### **Inpatient Separations (IP Seps)**

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice, or transfer. The number of separations is the most commonly used measure of the utilization of hospital services. Separations, rather than admissions, are used because hospital abstracts for inpatient care are based on information gathered at the time of discharge.

## **Inuit**

Inuit are the Aboriginal people of Arctic Canada. As of Sept 2010, it is estimated that about 45,000 Inuit live in 53 communities in: Nunatsiavut (Labrador); Nunavik (Quebec); Nunavut; and the Inuvialuit Settlement Region of the Northwest Territories. Each of these four Inuit groups have settled land claims. These Inuit regions cover one-third of Canada's land mass. Please note that small numbers of Inuit people can be found in various other regions of Canada other than the four regions listed above.

The word "Inuit" means "the people" in the Inuit language called, Inuktitut and is the term by which Inuit refer to themselves. (Aboriginal Affairs and Northern Development Canada)

### **Local Geographic Areas (LGAs)**

To assist with primary health care planning, Alberta Health has developed a series of reports to provide a broad range of demographic, socio-economic, and population health statistics considered relevant to primary health care for communities across the province. Alberta Health Services divides the province into five large health service Zones, and these Zones are subdivided into smaller geographic areas called Local Geographic Areas (LGAs). These 132 LGAs reflect areas where given populations live, work and receive most day-to-day services including commercial services and health care.

LGA is defined based on the multiple characteristics listed below.

- Population density
- Distance from urban centres or major rural centres that provide a variety of services (health and non-health)
- Local knowledge about the population, industry type, municipalities, resources, infrastructure, schools, etc.
- Travel patterns of populations seeking services (health and non-health)
- Place of work and commuting behaviours.

## Low Birth Weight

Birth weight is the body weight of a baby at its birth. Live births less than 5.5 pounds or 2500 grams at birth are considered as babies with low birth weight. Low birth weight is a key determinant of infant survival, health, and development. (Statistics Canada, Vital Statistics, Birth Database)

## Mortality Rate by Cause of Death

The age-standardized mortality rate by cause of death is a measure of the frequency (rate) at which deaths occur in a given population due to a certain cause. The potential confounding effect of different age structures (i.e. across geographic boundaries or years) is reduced when comparing rates that have been age-adjusted. (Interactive Health Data Application, Alberta Health)

## Neoplasms

A neoplasm is an unusual new growth of tissue resulted by uncontrolled production of cells. These cells do not coordinate with normal cells and may appear abnormal compared to the normal cells. The term "tumor" is used to name a neoplasm that has formed a lump. Some neoplasms do not form lumps. The neoplasms that spread to the other parts of the body are commonly known as 'Cancers'. (<http://www.cancer.gov/cancertopics>)

## National Household Survey (NHS)

Between May and August 2011, Statistics Canada conducted the National Household Survey (NHS) for the first time. This voluntary, self-administered survey was introduced as a replacement for the long census questionnaire, more widely known as Census Form 2B.

The NHS is designed to collect social and economic data about the Canadian population. The objective of the NHS is to provide data for small geographic areas and small population groups. For further details around sampling design, topics covered etc. please visit the link below: [http://www12.statcan.gc.ca/nhs-enm/2011/ref/nhs-enm\\_guide/guide\\_2-eng.cfm](http://www12.statcan.gc.ca/nhs-enm/2011/ref/nhs-enm_guide/guide_2-eng.cfm) (Statistics Canada).

## Physical Activity

Physical activity is measured as the population aged 12 and over who reported a level of physical activity, based on their responses to questions about the frequency, nature and duration of their participation in leisure time physical activity. Respondents are classified as active, moderately active or inactive based on an index of average daily physical activity over the past three months.

For each leisure time physical activity engaged in by the respondent, an average daily energy expenditure is calculated by multiplying the number of times the activity was performed by the average duration of the activity by the energy cost (kilocalories per kilogram of body weight per hour) of the activity. The index is calculated as the sum of the average daily energy expenditures of all activities. Respondents are classified as follows: 3.0 kcal/kg/day or more = physically active; 1.5 to 2.9 kcal/kg/day = moderately active; less than 1.5 kcal per day = inactive. (Statistics Canada, Canadian Community Health Survey)

## Prevalence Rate

Prevalence is a measure of disease that allows us to determine a person's likelihood of having a disease. Therefore, the number of prevalent cases is the total number of cases of disease existing

in a population. A prevalence rate is the total number of cases of a disease existing in a population divided by the total population. (<http://www.health.ny.gov/diseases/chronic/basicstat.htm>)

### Primary Care

Primary care is the first point of contact that people have with the health care system for medical needs requiring treatment and referral to other services as needed and is usually provided by a family physician or other health care professional.

(<https://www.pcnpmo.ca/alberta-pcns/Pages/Primary-Care.aspx>)

### Primary Care Networks

Primary Care Networks are groups of family doctors that work with Alberta Health Services and other health professionals to coordinate the delivery of primary health care for their patients.

(<http://www.pcnpmo.ca/AboutPCNs/PCNsInAlberta/Pages/default.aspx>)

### Private Household

A private household is a person or a group of people occupying the same dwelling and who do not have a usual place of residence elsewhere in Canada or abroad. The household universe is divided into two sub-universes on the basis of whether the household is occupying a collective dwelling or a private dwelling. The latter is a private household. (Statistics Canada)

### Qualifier (comparisons between indicator values)

In comparing indicators across local geographic areas (LGAs) and the Province, this report uses qualifiers such as 'higher than', 'lower than', 'similar to', etc. These statements are based on a simple statistical comparison that determines how far apart the indicator values are on the full scale of values for the indicator. For each indicator, the standard deviation (SD) was used as the measuring stick for whether the values are "close" or "far apart". For each indicator, the distance between the LGA value and the provincial (AB) value was measured as number of SDs, and the direction of the difference (plus or minus). For example, if the LGA value is two SDs above the AB value, then the LGA value is said to be 'much higher' than the provincial value. The complete set of comparison criteria is given below.

| Qualifier          | Distance between values |
|--------------------|-------------------------|
| Much Lower         | below -1.5 SD           |
| Lower              | -1.5 SD to -0.25 SD     |
| Similar/Comparable | -0.25 SD to +0.25 SD    |
| Higher             | +0.25 SD to +1.5 SD     |
| Much Higher        | +1.5 SD and higher      |

### Separation Rate

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice or transfer. The separation rate is the total number of inpatient separations divided by the total population.

### **Self-Perceived Mental Health**

Perceived mental health is a general indication of the number of people in the population suffering from some form of mental disorder, mental or emotional problems or distress, not necessarily reflected in self-perceived health. This data is usually collected through surveys where respondents are asked to rate their mental health as poor, fair, good, very good or excellent. (Statistics Canada, Canadian Community Health Survey)

### **Sexually Transmitted Infection (STI)**

A sexually transmitted infection is an infection that can be transferred from one person to another through sexual contact. (Public Health Agency of Canada)

### **Smoker**

As defined by Statistics Canada, 'smokers' are members of the population aged 12 and older who report being a current smoker. A "daily smoker" is someone who reports smoking cigarettes every day (although it does not take into account the number of cigarettes smoked). 'Occasional smokers' refers to those who reported smoking cigarettes occasionally; this includes former daily smokers who now smoke occasionally. (Statistics Canada, Canadian Community Health Survey)

### **Social Determinants of Health**

The social determinants of health influence the health of populations. They can include: income and social status, social support networks, education, employment/working conditions, social environments, physical environments, personal health practices and coping skills, healthy child development, gender and culture. (Statistics Canada)

### **Teen Birth Rate**

The teenage live birth rate is the number of live births per 1,000 women aged 15 to 19. (E-STAT, Statistics Canada)

## Community Services (Online Resources)

## Appendix B

### 1. Indigenous Relations

- Indigenous Services:  
<http://indigenous.alberta.ca/Services.cfm>  
This link provides a directory of services and information for First Nations, Metis and Inuit peoples in Alberta.
- Health Services and Social Programs for Indigenous Peoples:  
<http://www.aadnc-aandc.gc.ca/eng/1461942831385/1461942892707>  
This link provides information on physical and mental health services, child and family services, non-insured benefits, and health and wellbeing.
- First Nation Community Profiles:  
<http://fnp-ppn.aadnc-aandc.gc.ca/fnp/Main/index.aspx?lang=eng>  
This link provides a collection of information that describes individual First Nation communities across Canada. It also allows you to quickly locate First Nation communities by consulting the interactive map: <http://cipppn-fnpim.aadnc-aandc.gc.ca/index-eng.html>
- Delegated First Nation Agencies:  
<http://humanservices.alberta.ca/family-community/15540.html>  
This link provides contact information and a map of delegated First Nation agencies and societies in Alberta.
- Alberta Metis Organizations:  
<http://indigenous.alberta.ca/Metis-Relations.cfm>  
This link provides information on Metis communities and organizations in Alberta.

### 2. Education

- Alberta Education and Training:  
<http://www.learnalberta.ca/content/mychildslearning/index.html>  
This link provides resources on the variety of educational choices, curriculum and related information available for children from Kindergarten to Grade 12.
- Future Ready:  
<https://www.alberta.ca/future-ready.aspx>  
This link provides resources on Alberta's integrated approach to education, skills and training.

- Local Resources:
  - Find a directory of your local schools and school boards:  
<https://education.alberta.ca/alberta-education/school-authority-index/?searchMode=3>  
This link provides a list of school authorities and associated public, private, francophone and early childhood services – school authorities are listed in alphabetical order.

### 3. Employment

- Career Planning and Support Programs:  
<https://www.alberta.ca/career-planning.aspx>  
This link provides information on guidance and resources for career planning and advancement.
- Career Planning, Education, Jobs:  
<http://alis.alberta.ca/index.html>  
This link provides resources for finding a job, including career planning, training and development, job search and career information. It also provides links to educational resources.
- Local Resources:
  - Find your local employment resources:  
<http://humanservices.alberta.ca/services-near-you/11959.html>  
This link provides employment, training and career services by region. Each region links to a comprehensive list of office locations, job fairs and service directories.

### 4. Family and Children

- Financial, Family and Social Supports  
<https://www.alberta.ca/financial-family-social-supports.aspx>  
This link provides information on financial assistance and support programs for individuals and families.
- Children and Family Services:  
<http://humanservices.alberta.ca/family-community.html>  
This link provides links to programs and services that support families and communities; it provides information on child care, parenting, women's issues, youth programs, safer communities, and family community support services.



- Programs and Services for Parents:  
<http://www.humanservices.alberta.ca/family-community/child-care-resources-for-parents.html>  
This link provides resources for parents on childcare programs.
- Programs and Services for Youth:  
<http://www.humanservices.alberta.ca/abuse-bullying.html>  
This link provides resources on family and community safety including information on bullying, internet safety, and healthy relationships.

## 5. Housing

- Housing and Property:  
<http://www.programs.alberta.ca/Living/6345.aspx?N=770+599>  
This link provides information on housing and property in Alberta, including information for tenants and landlords.
- Housing and Rent Assistance:  
<https://www.alberta.ca/housing-rent-assistance.aspx>  
This link provides information on assistance for low-income Albertans to find safe and affordable places to live.
- Local Resources:
  - Find your local housing programs and services:  
<http://www.programs.alberta.ca/Living/13810.aspx?Ns=13705+13711+13738&N=770>  
This link provides information on condominiums, landlords and tenants, and rent and rental properties.
  - Find your local homeless support resources:  
<https://www.alberta.ca/homelessness.aspx>  
This link provides information on initiatives in Alberta that focus on the prevention and reduction of adult and youth homelessness in the province. It also provides information on shelters and personal identification cards for those experiencing homelessness.  
  
<http://humanservices.alberta.ca/homelessness/16050.html>  
This link provides information on funding provided to the Outreach Support Services Initiative and the Addiction and Mental Health Strategy in the communities of Calgary, Edmonton, Grande Prairie, Fort McMurray, Red Deer, Lethbridge and Medicine Hat.

## 6. Seniors

- Alberta Seniors:  
<http://www.seniors.alberta.ca/>  
This link provides information and links to the different programs and services supporting seniors in Alberta.
- Seniors Financial Assistance Programs:  
<https://www.alberta.ca/seniors-financial-assistance.aspx>  
This link provides information on a variety of seniors programs including financial assistance, dental and optical assistance, home adaptation and repair, property tax deferral and special needs assistance.

## 7. Social Services

- Alberta Supports:  
<https://www.alberta.ca/alberta-supports.aspx>  
This link helps individuals find and apply for family and social supports.
- Alberta Community and Social Services:  
<http://humanservices.alberta.ca/programs-and-services.html>  
This link provides a portal to the variety of programs and services provided by Alberta Human Services. Human Services has developed a resource list:  
<http://www.humanservices.alberta.ca/documents/fscd-resource-list.pdf>
- Service Delivery Offices:  
<http://humanservices.alberta.ca/services.html>  
This link provides a link to help you locate, among others, your local Service delivery offices, Alberta Works Centres, Child and Family Services Authorities and Employment Services.
- Alberta Food Bank Network Association:  
<http://foodbanksalberta.ca/food-banks/>  
This link provides contact information for Food Banks across Alberta.
- Programs and Services for Low-Income Earners:  
<http://www.humanservices.alberta.ca/financial-support/3171.html>  
This link contains information about Alberta Works and other social assistance programs for low-income earners.

- **Local Services:**

To find other local community and social services in your area:

- Find local services through this province-wide service directory of community, health, social and government services:

[http://www.informalberta.ca/public/common/index\\_ClearSearch.do](http://www.informalberta.ca/public/common/index_ClearSearch.do)

- 24 hour information and referral service:

<http://ab.211.ca/homepage>

Telephone: 211

Toll-free Edmonton – Alberta North: 1888-482-4696 and Calgary – Central Alberta and Alberta South: 1-855-266-1605.

## Health Link Alberta Calls for Central Zone

## Appendix C

The following listing shows the town/city, number of calls and percentage where the zone was coded as Central (including calls from the Mental Health Helpline). Records where the town/city is unknown or where the caller chose not to give demographic information are excluded. The listing is sorted alphabetically by Town/City in ascending order.

### Calls by Town/City for the Fiscal Year 2015/2016

| Town/City      | # of Calls | %    | Town/City       | # of Calls | %    |
|----------------|------------|------|-----------------|------------|------|
| Acme           | 184        | 0.4% | Carnwood        | 11         | 0.0% |
| Alder Flats    | 86         | 0.2% | Caroline        | 245        | 0.5% |
| Alhambra       | 82         | 0.2% | Castor          | 173        | 0.3% |
| Alix           | 167        | 0.3% | Chauvin         | 41         | 0.1% |
| Alliance       | 43         | 0.1% | Chipman         | 64         | 0.1% |
| Alsike         | 12         | 0.0% | Clandonald      | 17         | 0.0% |
| Altario        | 17         | 0.0% | Clive           | 172        | 0.3% |
| Amisk          | 37         | 0.1% | College Heights | 2          | 0.0% |
| Andrew         | 83         | 0.2% | Compeer         | 10         | 0.0% |
| Armena         | 19         | 0.0% | Condor          | 68         | 0.1% |
| Bashaw         | 188        | 0.4% | Consort         | 117        | 0.2% |
| Bawlf          | 120        | 0.2% | Coronation      | 131        | 0.3% |
| Beauvallon     | 16         | 0.0% | Craigmyle       | 24         | 0.0% |
| Beaver County  | 36         | 0.1% | Cynthia         | 4          | 0.0% |
| Benalto        | 51         | 0.1% | Czar            | 39         | 0.1% |
| Bentley        | 330        | 0.7% | Daysland        | 109        | 0.2% |
| Big Valley     | 75         | 0.2% | Delburne        | 221        | 0.4% |
| Bittern Lake   | 63         | 0.1% | Delia           | 66         | 0.1% |
| Blackfalds     | 1,416      | 2.8% | Denwood         | 36         | 0.1% |
| Blackfoot      | 74         | 0.1% | Derwent         | 28         | 0.1% |
| Bluffton       | 137        | 0.3% | Dewberry        | 48         | 0.1% |
| Bodo           | 4          | 0.0% | Dickson         | 6          | 0.0% |
| Botha          | 58         | 0.1% | Donalda         | 62         | 0.1% |
| Bowden         | 273        | 0.5% | Drayton Valley  | 1,263      | 2.5% |
| Brazeau County | 3          | 0.0% | Drumheller      | 853        | 1.7% |
| Breton         | 183        | 0.4% | East Coulee     | 12         | 0.0% |
| Brosseau       | 6          | 0.0% | Eckville        | 349        | 0.7% |
| Brownfield     | 18         | 0.0% | Edberg          | 56         | 0.1% |
| Bruce          | 15         | 0.0% | Edgerton        | 70         | 0.1% |
| Bruderheim     | 191        | 0.4% | Elnora          | 66         | 0.1% |
| Buck Creek     | 26         | 0.1% | Endiang         | 15         | 0.0% |
| Buck Lake      | 63         | 0.1% | Erskine         | 97         | 0.2% |
| Byemoor        | 34         | 0.1% | Falun           | 50         | 0.1% |
| Cadogan        | 8          | 0.0% | Fenn            | 4          | 0.0% |
| Camrose        | 2,489      | 5.0% | Ferintosh       | 78         | 0.2% |
| Carbon         | 76         | 0.2% | Forestburg      | 98         | 0.2% |

Health Link Alberta Calls for Central Zone (Continued)

| Town/City             | # of Calls | %    | Town/City        | # of Calls | %     |
|-----------------------|------------|------|------------------|------------|-------|
| Gadsby                | 20         | 0.0% | McLaughlin       | 11         | 0.0%  |
| Galahad               | 15         | 0.0% | Meeting Creek    | 27         | 0.1%  |
| Gwynne                | 69         | 0.1% | Metiskow         | 12         | 0.0%  |
| Hairy Hill            | 20         | 0.0% | Millet           | 549        | 1.1%  |
| Halfmoon Bay          | 3          | 0.0% | Minburn          | 34         | 0.1%  |
| Halkirk               | 37         | 0.1% | Mirror           | 66         | 0.1%  |
| Hanna                 | 295        | 0.6% | Monitor          | 1          | 0.0%  |
| Hardisty              | 78         | 0.2% | Morrin           | 33         | 0.1%  |
| Hay Lakes             | 126        | 0.3% | Mulhurst Bay     | 45         | 0.1%  |
| Hayter                | 9          | 0.0% | Mundare          | 167        | 0.3%  |
| Heisler               | 39         | 0.1% | Munson           | 20         | 0.0%  |
| Hilliard              | 9          | 0.0% | Musidora         | 5          | 0.0%  |
| Holden                | 100        | 0.2% | Myrnam           | 80         | 0.2%  |
| Hughenden             | 53         | 0.1% | Nacmine          | 1          | 0.0%  |
| Huxley                | 47         | 0.1% | Nevis            | 1          | 0.0%  |
| Innisfail             | 823        | 1.6% | New Norway       | 108        | 0.2%  |
| Innisfree             | 67         | 0.1% | Nordegg          | 13         | 0.0%  |
| Irma                  | 98         | 0.2% | Norglenwold      | 12         | 0.0%  |
| Islay                 | 25         | 0.1% | Ohaton           | 56         | 0.1%  |
| James River<br>Bridge | 10         | 0.0% | Olds             | 1,372      | 2.7%  |
| Kelsey                | 23         | 0.0% | Paradise Valley  | 55         | 0.1%  |
| Killam                | 123        | 0.2% | Penhold          | 538        | 1.1%  |
| Kingman               | 122        | 0.2% | Pine Lake        | 45         | 0.1%  |
| Kinsella              | 11         | 0.0% | Ponoka           | 1,121      | 2.2%  |
| Kirriemuir            | 1          | 0.0% | Provost          | 231        | 0.5%  |
| Kitscoty              | 160        | 0.3% | Ranfurly         | 6          | 0.0%  |
| Lacombe               | 1,935      | 3.9% | Red Deer         | 12,470     | 25.0% |
| Lacombe County        | 1          | 0.0% | Red Deer County  | 602        | 1.2%  |
| Lamont                | 236        | 0.5% | Red Willow       | 1          | 0.0%  |
| Lavoy                 | 26         | 0.1% | Rimbey           | 610        | 1.2%  |
| Leslieville           | 145        | 0.3% | Rivercourse      | 10         | 0.0%  |
| Lindale               | 27         | 0.1% | Rochon Sands     | 1          | 0.0%  |
| Linden                | 204        | 0.4% | Rocky Mountain   | 1,766      | 3.5%  |
| Lloydminster          | 1,771      | 3.5% | Rocky Rapids     | 57         | 0.1%  |
| Lodgepole             | 18         | 0.0% | Rosalind         | 31         | 0.1%  |
| Lougheed              | 34         | 0.1% | Rosedale Station | 34         | 0.1%  |
| Lousana               | 35         | 0.1% | Rosedale Valley  | 14         | 0.0%  |
| Ma-Me-O Beach         | 67         | 0.1% | Round Hill       | 59         | 0.1%  |
| Mannville             | 119        | 0.2% | Rowley           | 2          | 0.0%  |
| Markerville           | 4          | 0.0% | Rumsey           | 29         | 0.1%  |
| Marwayne              | 99         | 0.2% | Ryley            | 112        | 0.2%  |
| Maskwacis             | 1,311      | 2.6% | Sedgewick        | 105        | 0.2%  |

Health Link Alberta Calls for Central Zone (Continued)

| Town/City   | # of Calls | %    |
|-------------|------------|------|
| Springbrook | 182        | 0.4% |
| Spruce View | 33         | 0.1% |
| St Michael  | 42         | 0.1% |
| Star        | 21         | 0.0% |
| Stauffer    | 16         | 0.0% |
| Stettler    | 894        | 1.8% |
| Streamstown | 6          | 0.0% |
| Strome      | 45         | 0.1% |
| Sundre      | 568        | 1.1% |
| Sunnynook   | 3          | 0.0% |
| Swalwell    | 20         | 0.0% |
| Sylvan Lake | 1,779      | 3.6% |
| Tees        | 46         | 0.1% |
| Three Hills | 489        | 1.0% |
| Tofield     | 716        | 1.4% |

| Town/City    | # of Calls    | %             |
|--------------|---------------|---------------|
| Torrington   | 54            | 0.1%          |
| Trochu       | 160           | 0.3%          |
| Tulliby Lake | 9             | 0.0%          |
| Two Hills    | 141           | 0.3%          |
| Vegreville   | 787           | 1.6%          |
| Vermilion    | 525           | 1.1%          |
| Veteran      | 41            | 0.1%          |
| Viking       | 162           | 0.3%          |
| Wainwright   | 639           | 1.3%          |
| Westerose    | 153           | 0.3%          |
| Wetaskiwin   | 1,896         | 3.8%          |
| Willingdon   | 58            | 0.1%          |
| Wimborne     | 19            | 0.0%          |
| Winfield     | 117           | 0.2%          |
| Wostok       | 3             | 0.0%          |
| <b>Total</b> | <b>49,939</b> | <b>100.0%</b> |

**Source:**

*Health Link Alberta, Alberta Health Services*

## Select Health Services in Local Geographic Area

## Appendix D

### Sylvan Lake

#### Active Treatment Hospitals

There are no Active Treatment Hospitals in this Local Geographic Area

**Source:**

*Alberta Health, January 2017*

**Note:**

*Active Treatment Hospitals refers to: Tertiary, Referral Care Hospitals; Specialty Care Pediatric Hospitals; Specialty Care Rehabilitation Hospitals; Specialty Care Cancer Hospitals; Regional Referral, Secondary Level Care Hospitals; Community Hospital, Full Service Hospitals; Community Hospital, Moderate to Basic Services Hospitals; and, Designated Ambulatory Care Hospitals.*

#### Community Ambulatory Care Centres

| Certified Service Type     | Name                                | Address                             |
|----------------------------|-------------------------------------|-------------------------------------|
| CACC, Basic Medical Clinic | Sylvan Lake Community Health Centre | 4602 49 Avenue, Sylvan Lake, T4S1M7 |

**Source:**

*Alberta Health, January 2017*

**Note:**

*Community Ambulatory Care Centres refers to: Urgent Care Centres; and, Basic Community Ambulatory Care Clinics.*

#### Mental Health Facilities

| Facility Type                  | Name                               | Address                             |
|--------------------------------|------------------------------------|-------------------------------------|
| Community Mental Health Clinic | Sylvan Lake Mental Health Services | 4602 49 Avenue, Sylvan Lake, T4S1M7 |

**Source:**

*Alberta Health, January 2017*

**Note:**

*Mental Health Facilities refers to: Addiction Community Centres; Addiction Residential and/or Detox Centres; Community Mental Health Clinics; and, Mental Health (Psychiatric) Facilities.*

#### Diagnostic Imaging Centres

| Name                                | Address  |
|-------------------------------------|--|
| CAMIS - Sylvan Lake                 | Suite 110, 33 Beju Industrial Drive, Sylvan Lake, T4S0B6 |
| Sylvan Lake Community Health Centre | 4602 49th Ave, Sylvan Lake, T4S1M7                       |

**Source:**

*Alberta Health, January 2017*

### Community Pharmacies

| Name                     | Address                                      |
|--------------------------|--|
| Drugstore Pharmacy #4390 | 70 Hewlett Park Landing, Sylvan Lake, T4S2J3 |
| Rexall #7221             | 4635 50 Street, Sylvan Lake, T4S1P2          |
| Shoppers Drug Mart #2438 | Bays 8-13-5043 50a St, Sylvan Lake, T4S1R1   |
| Shoppers Drug Mart #2450 | Bldg 800-3715 47 Ave, Sylvan Lake, T4S0C8    |
| Sylvan Lake Pharmacy     | 102-5007 46 St, Sylvan Lake, T4S1C2          |
| Wal-Mart Pharmacy #1102  | 3420 47 Avenue, Sylvan Lake, T4S0B6          |

**Source:**

*Alberta Health, January 2017*

### Medical Laboratories

| Name                                | Address                            |
|-------------------------------------|------------------------------------|
| Sylvan Lake Community Health Centre | 4602 49th Ave, Sylvan Lake, T4S1M7 |

**Source:**

*Alberta Health, January 2017*

### Long Term Care Accommodation

| Name                | Address                             |
|---------------------|-------------------------------------|
| Bethany Sylvan Lake | 4700 47 Avenue, Sylvan Lake, T4S2M3 |

**Source:**

*Alberta Health, January 2017*

### Supportive Living Accommodation

| Accommodation Type            | Name                | Address                                  |
|-------------------------------|---------------------|--|
| Assisted Living Accommodation | Bethany Sylvan Lake | 4700 47 Avenue, Sylvan Lake, T4S2M3      |
| Lodge                         | Sylvan Lake Lodge   | 100, 4620 47 Avenue, Sylvan Lake, T4S1N2 |

**Source:**

*Alberta Health, January 2017*

**Note:**

*Supportive Living Accommodation refers to: Assisted Living Accommodation; Group Homes; and, Lodges.*



### Family Physician Offices

| Name   | Address   |
|--|---|
| Fugler Stephen Dr                                      | 5036 48 Street, Sylvan Lake, T4S1C6               |
| Horizon Family Medicine (Sylvan Lake Satellite Clinic) | 70 Hewlett Park Landing, Sylvan Lake, T4S2J3      |
| Sylvan Family Health Centre                            | Suite 101, 190 Pelican Place, Sylvan Lake, T4S1K2 |
| Sylvan Medical Center                                  | 5007 46 Street, Sylvan Lake, T4S1C2               |

**Sources:**

*Delivery Site Registry, Alberta Health, January 2017*  
*Physician Claims, Alberta Health, 2015/2016 and Q1-Q3 2016/2017*

**Note:**

*The family physician office information is based on available Delivery Site Registry data (as of the extract date), which in turn, is based on information provided by the College of Physicians and Surgeons of Alberta. Only physician offices with at least one claim reported during 2015/2016 or 2016/2017 (Q1-Q3) are included. For the most up to date information go to [www.albertanetcare.ca/learningcentre/Delivery-Site-Registry.htm](http://www.albertanetcare.ca/learningcentre/Delivery-Site-Registry.htm)*