# Alberta Health Primary Health Care - Community Profiles

Community Profile: Banff Health Data and Summary

Primary Health Care Division February 2013



# **Table of Contents**

Introduction	1	i
Community	Profile Summary	iii
Zone Level	Information	1
Map of Albe	rta Health Services Calgary Zone	2
Population H	lealth Indicators	3
Table 1.1	Zone versus Alberta Population Covered as at March 31, 2012	3
Table 1.2	Health Status Indicators for Zone versus Alberta Residents, 2010 and 2011 (BMI, Physical Activity, Smoking, Self-Perceived Mental Health)	3
Table 1.3	Zone versus Alberta Infant Mortality Rates (per 1,000 live births), Fiscal Years 2008/2009 to 2010/2011	4
Local Geog	raphic Area Level Information	5
Map of Selec	cted Health Services in Local Geographic Area	6
Demographi	cs	7
Table 2.1	Distribution of Population Covered by Age and Gender as at March 31, 2012	7
Figure 2.1	Percentage Distribution of Local Geographic Area versus Alberta Population by Age Groups as at March 31, 2012	7
Figure 2.2	Local Geographic Area Population Covered as at end of Fiscal Year 1994 to 2012	8
Socio-Econo	omic Indicators	9
Table 3.1	Population Percentage of First Nations with Treaty Status as at March 31, 2006	9
Table 3.2	Socio-Economic Indicators for Local Geographic Area versus Alberta Residents, 2006 (Family Composition, Family Income, Housing, Mobility, Language, Immigration, Educational Attainment, Household and Dwelling Characteristics)	9
Chronic Disc	ease Prevalence	12
Figure 4.1	Local Geographic Area Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2003 to 2010 (Hypertension, Diabetes, Ischemic Heart Disease, Chronic Obstructive Pulmonary Disease)	12
Figure 4.2	Local Geographic Area versus Alberta Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2010 (Hypertension, Diabetes, Ischemic Heart Disease, Chronic Obstructive Pulmonary Disease)	13
Maternal and	d Child Health	14
Table 5.1	Local Geographic Area Maternal and Child Health Indicators for Three-Year Period (Number of Births, Percent of Low/High Birth Weight, Birth Rate, Fertility Rate, Teen Birth Rate, Percent Maternal Prenatal Smoking)	14

Table 5.2	Childhood Immunization Coverage Rates, 2010	15
Communica	ble Diseases	16
Table 6.1	Top 5 Sexually Transmitted Infection (STI) Rates (per 100,000 population) by Three-Year Period	16
Mortality		17
Figure 7.1	Local Geographic Area Age-Standardized Mortality Rates (per 100,000 population) by Three-Year Period	17
Figure 7.2	Local Geographic Area versus Alberta Age-Standardized Mortality Rates (per 100,000 population) for Three-Year Period 2008 – 2010	18
Figure 7.3	Local Geographic Area Distribution of Deaths by Cause of Death Across 10 Years, 2001 to 2010	19
Emergency	Service Utilization	20
Table 8.1	Emergency Visits for Patients Residing in the Local Geographic Area by Triage Level, Fiscal Years 2009/2010 to 2011/2012	20
Figure 8.1	Emergency Visit Rates (per 1,000 population) for Triage Levels Semi-Urgent (4) and Non-Urgent (5), Fiscal Year 2011/2012	20
Figure 8.2	All Emergency Visits for Patients Residing in the Local Geographic Area for Triage Levels Semi-Urgent (4) and Non-Urgent (5) Combined by Weekday and Time, Fiscal Year 2011/2012	21
Figure 8.3	Local Geographic Area Age-Standardized Emergency Visit Rates (per 100,000 population) for Selected Conditions, 2003 – 2010 (Acute Upper Respiratory Infections, Mental & Behaviour Disorders due to Psychoactive Substance Use, Diseases of Middle Ear and Mastoid, Emphysema and Chronic Bronchitis, Diabetes, Asthma, Influenza, Other Acute Lower Respiratory Infections, Renal Failure)	23
Figure 8.4	Local Geographic Area versus Alberta Age-Standardized Emergency Visit Rates (per 100,000 population) for Selected Conditions, 2010 (Acute Upper Respiratory Infections, Diseases of Middle Ear and Mastoid, Asthma, Mental & Behaviour Disorders due to Psychoactive Substance Use, Other Acute Lower Respiratory Infections, Stroke, Diabetes, Influenza, Renal Failure, Emphysema and Chronic Bronchitis, Arthritis)	24
Inpatient Se	rvice Utilization	25
Table 9.1	Inpatient Separation Rates (per 1,000 population) for Patients Residing in the Local Geographic Area versus Alberta, Fiscal Years 2009/2010 to 2011/2012	25
Figure 9.1	Local Geographic Area Age-Standardized Inpatient Separation (Sep) Rates (per 100,000 population) for Selected Conditions, 2003 – 2010 (Asthma, Diabetes, Influenza, Ischemic Heart Diseases, Mental and Behavioural Disorders due to Psychoactive Substance Use, Pneumonia, Pulmonary Heart and Pulmonary Circulation Diseases)	25
Figure 9.2	Local Geographic Area versus Alberta Age-Standardized Inpatient Separation Rates (per 100,000 population), for Selected Conditions, 2010 (Asthma, Diabetes, Influenza, Ischemic Heart Diseases, Mental and Behavioural Disorders due to Psychoactive Substance Use, Pneumonia, Pulmonary Heart and Pulmonary Circulation Diseases)	26

Primary Hea	lth C	Care Indicators of Community Primary Care Need	27
Table 10.1	Pro	posed Primary Health Care Indicators of Community Primary Care Need	27
	1.	Travel: Percentage of Total Family Physician Claims Outside the Recipients Home Local Geographic Area, 2010/2011	
	2.	Ambulatory Care Sensitive Conditions - Age-Standardized Hospitalization Rate (per 100,000 population), 2003 to 2011	
	3.	Continuity of Care, 2010	
	4.	ED Visits Related to Mood Disorders (Age-Standardized, per 100,000 population), 2003 to 2011	
	5.	ED Visits Related to Anxiety Disorders (Age-Standardized, per 100,000 population), 2003 to 2011	
	6.	ED Visits Related to Injuries (Age-Standardized, per 100,000 population), 2003 to 2011	
	7.	Diabetes Prevalence (per 100 population), 2010	
	8.	Chronic Obstructive Pulmonary Disease Prevalence Rate (per 100 population), 2010	
	9.	Age-Standardized Rate of People with Three or more Chronic Diseases (per 100 population), 2010	
	10.	Influenza Vaccines for Those 65 and Over, 2011/2012	
	11.	Predicted Primary Health Care Utilization, 2006/2007 to 2008/2009	
	12.	Primary Health Care Service Gap, 2006/2007 to 2008/2009	
	13.	Life Expectancy at Birth, 2000 to 2011	
Access to He	ealth	n Services	33
Table 11.1	Ge	bulatory Care Visits and Inpatient Separations for the Local ographic Area Residents to Facilities Located In versus Out he Local Geographic Area, Fiscal Year 2011/2012	33
Table 11.2		o 3 Non-Local Ambulatory Care Facilities cessed by Local Residents, Fiscal Year 2011/2012	33
Appendix A – I	Defi	nitions	35
		nmunity Services Online Resources	
Appendix C – I	Heal	th Link Alberta Calls by Zone	45
Appendix D – S	Sele	ct Health Services in Local Geographic Area	46

#### Note:

Qualifiers such as 'higher than', 'much lower than', 'similar to' etc. are used throughout the community profile to compare LGA indicator values to the provincial average. Note that the qualifiers 'similar' and 'comparable' are chosen to describe situations in which the LGA indicator value is either identical or very close to the provincial average. For further details on these qualifiers please refer to Appendix A.

#### INTRODUCTION

Primary Health Care provides an entry point into the health care system and links individuals to medical services and social and community supports. The Government of Alberta is currently working to improve primary health care within the province. The government's goal is to have a 'health home' for all Albertans, where they can receive coordinated and comprehensive primary health care. Primary health care services in Alberta are delivered in a variety of settings and by a range of providers. Current primary health care models in Alberta include: primary care networks, family care clinics, stand-alone physician clinics, community health centres, urgent-care centres, community ambulatory care centres, medi-centres, and university health centres.

To assist with primary health care planning, Alberta Health has developed a series of reports to provide a broad range of demographic, socio-economic and population health statistics considered relevant to primary health care for communities across the province. Alberta Health Services divides the province into five large health service Zones, and these Zones are subdivided into smaller geographic areas called local geographic areas (LGAs). The Alberta Health "Community Profile" reports provide information at the Zone and LGA level for each of the 132 LGAs in Alberta.

The Community Profiles (Profiles) are intended to highlight areas of need and provide relevant information to support the consistent and sustainable planning of primary health services. Each Profile offers an overview of the current health status of residents in the LGA, indicators of the area's current and future health needs, and evidence as to which quality services are needed on a timely and efficient basis to address the area's needs.

Each report includes sections that present Zone and LGA level information. In addition, the Profile includes Appendices containing sources of additional information about the community (e.g. Health Link Alberta and community services).

The Zone level section opens with a Zone map that puts the specific LGA into context and includes health-related statistics at the Zone level (the highest geographic breakdown next to the full provincial view). Some of the Zone level health indicators are unique to this section and are not currently available at the LGA level.

The LGA section of the Profile is divided into a number of sub-sections and is the core component of each report. The population size of LGA varies substantially from very small in rural areas to large in metropolitan centers. A compendium of health related information on demographics, prevalence rates, emergency visits, maternal and child health and more, is included in this section. In addition, information on indicators of need (relating to utilization, health population needs and social determinants of health) is also provided.

© 2013 Government of Alberta i

Alberta Health, Primary Health Care Division Community Profile: Banff

Furthermore, each Community Profile contains information on access statistics, offering some additional insight into existing needs that are not being met, as well as the utilization of non-local facilities by LGA residents. A map of selected health services available in each LGA, together with a listing of these locations, is also included in each report.

While the current Profile contains information at both the Zone and LGA level, information could be updated or added to the profile if information is provided by the community. For more information contact *primaryhealthcare@gov.ab.ca* 

#### COMMUNITY PROFILE SUMMARY

### Local Geographic Area: Banff

The community profile contains a large number of demographic, socio-economic and health related indicators intended to provide a better understanding of the community's current and future health needs. The summary that follows provides a brief overview of some of the key indicators for the local geographic area (LGA), Banff. For a more in depth look at the data, please refer to the various sections of the report.

#### POPULATION HEALTH INDICATORS

- Health status indicators are available solely at the zone level. The percentage of obese people in the Calgary Zone (which includes Banff) was lower than the provincial percentage in 2011 (18.1% Calgary Zone vs. 19.6% AB). (Table 1.2)
- The Calgary Zone reported a lower proportion of inactive people compared to the provincial proportion during the same year (39.0% Calgary Zone vs. 43.8% AB). (Table 1.2)

#### **DEMOGRAPHICS**

- Banff's population increased by 43.1% between 1994 and 2012 (compared to a 44.3% increase for Alberta) and currently stands at 11,418 people. (Figure 2.2)
- The largest age group in the LGA, in 2012, was 18-34 year olds who accounted for 47.5% of the population compared to 40.6% for Alberta. (Figure 2.1)
- Children 17 and under made up 11.3% of the LGA's population compared to 22.5% for Alberta, while individuals 65 and older accounted for 4.9% of the population in the LGA and 11.1% in Alberta. (Figure 2.1)

#### **SOCIO - ECONOMIC INDICATORS**

- Banff had a lower proportion of First Nations people compared to Alberta (0.8% vs. 3.8% AB).
   (Table 3.1)
- The percentage of female lone-parent families was lower than the provincial percentage (7.5% vs. 11.3% AB). (Table 3.2)
- A lower proportion of families with an income below the low income cut-off point was reported in the LGA compared to Alberta (1.8% vs. 6.4% AB). (Table 3.2)
- The most common non-official languages spoken at home in the LGA were: Japanese, Spanish, Cantonese, German, Portuguese, Amharic, Chinese (n.o.s.), Khmer (Cambodian), Tagalog (Pilipino, Filipino). (Table 3.2)

#### **CHRONIC DISEASE PREVALENCE**

• In 2010, the disease with the highest prevalence rate (per 100 population) in Banff was hypertension. The rate associated with this disease was 0.7 times lower than the provincial rate (10.2 vs. 14.2 AB). (Figure 4.2)

© 2013 Government of Alberta iii

#### **MATERNAL HEALTH**

• In 2008/2009 to 2010/2011, Banff's birth rate per 1,000 women was lower than the provincial rate (18.6 vs. 27.4 AB) and the teen birth rate per 1,000 women was lower than Alberta's teen rate (5.5 vs. 18.9 AB). (Table 5.1)

#### SEXUALLY TRANSMITTED INFECTIONS

• The highest sexually transmitted infections (STI) rate per 100,000 population in the LGA, in 2009 - 2012, was reported for chlamydia. STI rates in the LGA were higher than the provincial rates for 3 of the top 5 Alberta STIs, where comparisons could be made. (Table 6.1)

#### **MORTALITY**

• The mortality rate (per 100,000 population) due to all causes was much lower in the LGA compared to the province (316.1 vs. 519.2 AB) and the most frequent cause of death reported between 2001 and 2010 was diseases of the circulatory system. (Figures 7.2 and 7.3)

#### **EMERGENCY AND INPATIENT SERVICE UTILIZATION**

- Semi and non-urgent emergency visits accounted for 72.9% of all emergency visits in 2011/2012. (Table 8.1)
- Acute Upper Respiratory Infections were the most common reason for emergency visits (among select conditions) in 2010, and had a similar rate (per 100,000 population) compared to the provincial rate (2,017.7 vs. 3,069.2 AB). (Figure 8.4)
- Mental & behavioural disorders due to psychoactive substance use, pneumonia, and ischemic heart diseases were the top three main reasons for inpatient discharges (among selected conditions) in 2010, and inpatient separation rates were higher than the provincial rates for 1 of 7 diagnoses. (Figure 9.2)

#### **MENTAL AND BEHAVIOURAL DISORDERS**

- Mental and behavioural disorders are particularly important from a population health perspective. In 2010, Banff's ED visit rate for mental and behavioural disorders was similar to the provincial ED visit rate per 100,000 population (369.2 vs. 465.8 AB). (Figure 8.4)
- The inpatient discharge rate associated with mental and behavioural disorders was comparable to Alberta's discharge rate per 100,000 population (129.9 vs. 107.2 AB). (Figure 9.2)
- During 2001 to 2010 mental and behavioural disorders accounted for 4.7% of all deaths in the LGA. (Figure 7.3) Note that deaths due to the top 8 disease categories are displayed in Figure 7.3, while the remaining disease categories are grouped into the generic 'Other'.

© 2013 Government of Alberta iv

#### PRIMARY HEALTH CARE INDICATORS OF COMMUNITY PRIMARY CARE NEED

During a mapping project conducted by Alberta Health Services in 2012, 13 indicators relating to primary health care needs were developed for each local geographic area. Some of these indicators relate to primary care utilization and availability of primary care services, while others refer to health conditions or health status such as incidence and prevalence of diseases. One additional indicator included, life expectancy at birth, was seen as a strong determinant of health status. Stratification by geographic peer groups (metro, metro moderate, urban, rural, rural remote) was applied to some of these indicators to account for substantially different rates across groups. The following indicators have been highlighted for this LGA:

- Banff's separation rate for ambulatory care sensitive conditions (per 100,000 population) was 0.5 times lower than the corresponding rural provincial rate (352.6 vs. 708.8 AB rural). (Table 10.1)
- The age-standardized rate for people with three or more chronic diseases per 100 population was much lower in Banff compared to the province (1.1 vs. 2.2 AB). (Table 10.1)
- The dollar gap between actual and predicted community and primary care per capita billings during 2006/2007 and 2008/2009 was \$19.84 in Banff compared to the \$-2.92 rural provincial average. (Table 10.1)
- Residents of Banff had a life expectancy at birth of 83.1 years compared to 80.5 years for Alberta. (Table 10.1)


#### **ACCESS TO HEALTH CARE SERVICES**

- Banff residents received ambulatory care services at facilities located outside the LGA. These visits made up 49.4% (or 7,090 visits) of all ambulatory care visits and most such visits (i.e. 34.5% of all external visits) were to the Canmore General Hospital in Canmore (LGA of Canmore). (Tables 11.1 and 11.2)
- Inpatient separations outside the LGA made up 41.5% (or 291) of all inpatient separations for Banff residents and most of them (i.e. 45.0% of all external inpatient separations) occurred at the Foothills Medical Centre in Calgary (LGA of Calgary Centre North). (Tables 11.1 and 11.2)

© 2013 Government of Alberta

# **Zone Level Information**

This section contains information presented at the highest geographic breakdown level before rolling up to a full provincial view. The map of Alberta has been partitioned into five geographic zones (Calgary Zone, Central Zone, Edmonton Zone, North Zone, and South Zone), representing the health zones within Alberta Health Services. A variety of health indicators are unique to this section and are only captured at this level of geography due to either sampling and variability errors, or unavailability of data at the level of local geographical areas.



# Alberta Calgary Zone

#### POPULATION HEALTH INDICATORS

The table below shows the zone-level population distribution compared to the province, by age group and gender, for the most recent fiscal year available. Children under the age of one were defined as infants, while the pediatric age group consists of all minors excluding infants. People with no age information available were categorized as unknown.

**TABLE 1.1** Zone versus Alberta Population Covered<sup>1</sup>, as at March 31, 2012

	Calgary Zone			Alberta <sup>2</sup>		
			Рор	ulation		
	Female	Male	Total	Female	Male	Total
	729,602	731,865	1,461,467	1,944,849	1,964,616	3,909,465
Perc	entage Dis	stribution of	Population b	y Age Group	os	
Age Group	Female	Male	Total	Female	Male	Total
Infants: Under 1	0.6%	0.7%	1.3%	0.6%	0.7%	1.3%
Pediatric: 1-17	10.1%	10.6%	20.7%	10.3%	10.9%	21.2%
18-34	12.9%	12.8%	25.7%	12.8%	12.9%	25.8%
35-64	20.8%	21.4%	42.2%	20.0%	20.7%	40.6%
65-79	3.9%	3.6%	7.5%	4.2%	3.9%	8.1%
80 & Older	1.6%	1.0%	2.6%	1.8%	1.2%	3.0%
Unknown	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

In 2012, the largest age group was 35-64 year olds, accounting for 42.2% of the overall population in the Calgary Zone and 40.6% of the population in Alberta. Children 17 and under comprised 22.0% of Calgary Zone's overall population, compared to 22.5% for Alberta. In addition, residents 65 and older accounted for 10.1% of Calgary Zone's overall population, 1.0 percentage points lower than the corresponding provincial proportion.

The following table shows zone-level health status indicators compared to the province for the two most recent fiscal years available.

TABLE 1.2 Health Status Indicators for Zone versus Alberta Residents, 2010 and 2011

		Calgary Zone			Alberta			
	Body Mass Index (BMI) <sup>3</sup>							
Category	Year	Female	Male	Total	Female	Male	Total	
Under Weight	2010	4.8%	0.7%	2.6%	3.9%	0.5%	2.1%	
	2011	3.6%	1.6%	2.5%	3.7%	0.8%	2.1%	
Normal Weight	2010	58.8%	41.1%	49.4%	54.9%	38.6%	46.2%	
	2011	60.9%	38.3%	48.9%	56.1%	35.4%	45.1%	
Over Weight	2010	22.2%	40.1%	31.6%	24.5%	39.8%	32.6%	
Over Weight	2011	22.5%	37.5%	30.4%	23.9%	41.4%	33.2%	
Obese	2010	14.2%	18.2%	16.3%	16.8%	21.1%	19.1%	
	2011	13.0%	22.6%	18.1%	16.3%	22.4%	19.6%	

TABLE 1.2 Health Status Indicators for Zone versus Alberta Residents, 2010 and 2011 (continued)

			Calgary Zor	ne		Alberta	
Physical Activity <sup>3</sup>							
Category	Year	Female	Male	Total	Female	Male	Total
Active or moderately	2010	58.5%	62.1%	60.3%	54.3%	57.8%	56.1%
active	2011	57.8%	64.1%	61.0%	55.5%	57.0%	56.2%
Inactive	2010	41.5%	37.9%	39.7%	45.7%	42.2%	43.9%
Illactive	2011	42.2%	35.9%	39.0%	44.5%	43.0%	43.8%
			Smo	king <sup>3</sup>			
Daily smokers	2010	10.8%	17.7%	14.3%	13.9%	19.8%	16.9%
Daily Sillokers	2011	13.1%	12.5%	12.8%	14.6%	18.2%	16.5%
Never/former/	2010	89.2%	82.3%	85.7%	86.1%	80.2%	83.1%
occasional smokers	2011	86.9%	87.5%	87.2%	85.4%	81.8%	83.5%
Self-Perceived Mental Health <sup>3</sup>							
Excellent or Very	2010	75.0%	73.5%	74.3%	73.5%	73.5%	73.5%
Good	2011	79.1%	78.3%	78.7%	73.8%	75.1%	74.5%
Poor Fair or Good	2010	25.0%	26.5%	25.7%	26.5%	26.5%	26.5%
Poor Fair or Good	2011	20.9%	21.7%	21.3%	26.2%	24.9%	25.5%

The percentage of obese people in the Calgary Zone in 2011 was lower than the provincial percentage (18.1% vs. 19.6% AB) and there was a lower proportion of inactive people compared to Alberta. In addition, a lower percentage of daily smokers was reported at the zone level compared to the province in 2011 (12.8% vs. 16.5% AB) and a higher proportion considered themselves as having excellent or very good mental health (78.7% vs. 74.5% AB).

The table below reports the infant mortality rates per 1,000 live births for the zone and the province, for the most recent fiscal years available.

**TABLE 1.3** Zone versus Alberta Infant Mortality Rates (per 1,000 live births) Fiscal Years 2008/2009 to 2010/2011

	Calgary Zone	Alberta
Infant Mortali	oirths) <sup>3</sup>	
2008/2009	4.6	6.0
2009/2010	4.7	6.3
2010/2011	4.7	6.2

The infant mortality rates in the Calgary Zone varied between 4.6 per 1,000 births in 2008/2009 and 4.7 per 1,000 births in 2009/2010. Compared to Alberta, infant mortality rates in the Calgary Zone were higher for none of the 3 fiscal years.

#### Sources:

Canadian Community Health Survey Provincial Share Files

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health

Postal Code Translation File, Alberta Health

Alberta Vital Statistics Births and Deaths Files

Notes: 1 Population covered represents number of people covered under the Alberta Health Care Insurance Plan (AHCIP)

<sup>&</sup>lt;sup>2</sup> Alberta population figure was calculated based on valid Alberta postal codes.


<sup>&</sup>lt;sup>3</sup> See Appendix A for definition.

# Local Geographic Area Level Information

This section contains information presented at the level of the local geographic area and is more granular than the information at the zone level. Local geographic area refers to 132 geographic areas created by Alberta Health (AH) and Alberta Health Services (AHS) based on census boundaries. Census sub-divisions and dissemination areas were used whenever possible to achieve the closest match to zone boundaries. The population of these areas varied from very small in rural areas to large in metropolitan centers.

# Map of Selected Health Services in Local Geographic Area of Banff

Population (2012): 11,418



Prepared by Information and Analysis Branch, Alberta Health

#### **DEMOGRAPHICS**


The table below shows the population distribution of the local geographic area broken down by age group and gender, for the most recent fiscal year available. Specific age groups have been identified. Children under the age of one were defined as infants, while pediatric age group includes all minors excluding infants. People with no age information available were categorized as unknown.

**TABLE 2.1** Distribution of Population Covered<sup>1</sup> by Age and Gender As at March 31, 2012

Local Geographic Area Population								
Age Group	Female	Male	Total					
Infants: Under 1	45	51	96					
Pediatric: 1-17	594	609	1,203					
18-34	2,813	2,612	5,425					
35-64	1,840	2,293	4,133					
65-79	204	207	411					
80 & Older	86	64	150					
Unknown	0	0	0					
Total	5,582	5,836	11,418					

The following figure profiles the age group distribution of population for both the local geographic area and Alberta, for the most recent fiscal year available.


**FIGURE 2.1** Percentage Distribution of Local Geographic Area (LGA) versus Alberta Population By Age Groups as at March 31, 2012



In 2012, the largest age group was 18-34 year olds, accounting for 47.5% of the overall population. Children 17 and under comprised 11.3% of Banff's overall population, compared to 22.5% for Alberta. In addition, residents 65 and older accounted for 4.9% of Banff's overall population, 6.2 percentage points lower than the corresponding provincial proportion.

The population counts for each year between 1994 and the most recent fiscal year are provided in the figure below.

FIGURE 2.2 Local Geographic Area Population Covered as at End of Fiscal Years 1994 - 2012



The population of Banff increased by 43.1% between 1994 and 2012. A low of 7,800 individuals was reported in 2006 and a peak of 11,418 people was reported in 2012.

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health Postal Code Translation File, Alberta Health

#### Notes:

<sup>&</sup>lt;sup>1</sup> Population covered represents number of people covered under the Alberta Health Care Insurance Plan (AHCIP)

#### **SOCIO-ECONOMIC INDICATORS**

The following two tables highlight a number of indicators relating to social determinants of health, such as family income, housing and educational attainment. Values for the local geographic area and Alberta are listed as proportions, raw numbers, or dollar amounts, depending on the indicator.

TABLE 3.1 Population Percentage of First Nations with Treaty Status<sup>1</sup> as at March 31, 2006

First Nations with Treaty Status Population					
	Banff	Alberta			
Percent of Population that is First Nations with Treaty Status	0.8%	3.8%			

Sources: Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health

TABLE 3.2 Socio-Economic Indicators<sup>2</sup> for Local Geographic Area versus Alberta Residents, 2006

Family Composition					
	Banff	Alberta			
Percent (Number of) Male Lone-Parent Families	3.5% (40)	3.1% (27,710)			
Percent (Number of) Female Lone-Parent Families	7.5% (85)	11.3% (102,555)			
Percent (Number of) 65 Years of Age and Older Who Live Alone	37.7% (115)	27.2% (88,410)			
Percent (Number of) Persons not in Census Family <sup>1</sup>	27.8% (1,580)	16.2% (531,785)			
Percent (Number of) Census Family Persons	55.7% (3,160)	81.9% (2,696,285)			
Average Number of Persons per Census Family	2.8	3.0			
Family Inco	ome				
	Banff	Alberta			
Percent (Number of) of Families with Income Below LICO <sup>3</sup>	1.8% (21)	6.4% (56,937)			
Percent (Number) of Families with Income Greater Than \$100,000/yr	31.0% (360)	33.1% (297,680)			
Average Census Family Income	\$85,955	\$98,240			
Housing					
	Banff	Alberta			
Percent Living in Owned Dwellings	41.6%	73.1%			
Percent Where Greater Than 30% of Income Is Spent on Housing for Homeowners	23.8%	16.6%			
Average Value of Dwelling	\$469,797	\$293,811			
Percent of Homeowners Who Have Homes in Need of Major Repairs	4.6%	6.7%			
Percent Living in Rented Dwellings	59.4%	26.3%			
Percent Where Greater Than 30% of Income Is Spent on Housing for Renters	37.6%	37.1%			
Percent Living in Band Housing <sup>4</sup>	0.0%	0.6%			

Compared to Alberta, Banff had a lower proportion of First Nations people (0.8% vs. 3.8% AB). The proportion of female lone-parent families was lower than the provincial proportion (7.5% vs. 11.3% AB). In addition, the proportion of male lone-parent families in Banff was higher than the provincial proportion (3.5% vs. 3.1% AB).

Furthermore, a lower percentage of families had an income below the low income cut-off point (as defined by Statistics Canada) compared to the province (1.8% vs. 6.4% AB). Compared to Alberta, the percentage of people who spent 30% or more of their income on housing related expenses was 7.2 percentage points higher in Banff. In addition, a much lower proportion of people in Banff lived in dwellings they owned (41.6% vs. 73.1% AB).

**TABLE 3.2** Socio-Economic Indicators<sup>2</sup> for LGA versus Alberta Residents, 2006 (continued)

TABLE 3.2 Socio-Economic indicators for EGA versus A	•	
Mobility	У	
	Banff	Alberta
Percent who lived at the Same Address One Year Ago	71.4%	81.1%
Percent who lived at the Same Address Five Years Ago	40.9%	52.2%
Languaç	ge	
	Banff	Alberta
Percent Who Do Not Speak English or French	2.1%	1.2%
Percent of Households Where a Non-Official Language Is Spoken at Home	9.2%	9.1%
Top Five Non-Official Languages Spoken at Home <sup>5</sup>	Japanese, Spanish, Cantonese, German, Portuguese, Amharic, Chinese (n.o.s.), Khmer (Cambodian), Tagalog (Pilipino, Filipino)	Chinese (n.o.s.), German, Panjabi (Punjabi), Cantonese, Spanish
Immigrat	ion	
	Banff	Alberta
Total Number of Immigrants	695	- ,
Percent of Immigrants Who Arrived in the Last Five Years	3.3%	3.2%
Top Five Places of Birth for Recent Immigrants <sup>6</sup>	Eastern Asia, Southern Asia, Oceania and other, Northern Europe, Eastern Africa	Eastern Asia, Southern Asia, Southeast Asia, West Central Asia and the Middle East, Eastern Europe
Educational At	tainment	
	Banff	Alberta
Percent with No High School Graduation Certificate	10.7%	
Percent with High School Graduation Certificate	20.1%	24.1%
Percent with Apprenticeship, Trades Certificate or Diploma	10.0%	12.4%
Percent with College, Other Non-University Certicate, or Diploma	23.6%	21.5%
Percent with University Certificate, Diploma or Degree	35.0%	26.6%

TABLE 3.2 Socio-Economic Indicators<sup>2</sup> for LGA versus Alberta Residents, 2006 (continued)

Household and Dwelling Characteristics					
	Banff	Alberta			
Percent Persons in Private Households <sup>1</sup>	90.9%	98.1%			
Total Number of Households by Household Type	2,045	1,256,195			
Census Family Households	55.3%	72.0%			
One-Family-Only Households	55.3%	68.4%			
Two-or-More-Family Households	0.0%	1.8%			
Other Family Households	44.5%	29.9%			
Total Number of Dwellings by Structural Type	2,235	1,256,190			
Single-Detached House	15.7%	63.3%			
Moveable Dwelling	0.0%	3.0%			
Other Dwelling	84.8%	33.7%			

Banff had a higher proportion of non-English and non-French speaking people compared to Alberta (2.1% vs. 1.2% AB). Also, a similar proportion of immigrants arrived in the last five years in Banff compared to the province (3.3% vs. 3.2% AB). Furthermore, Banff reported a higher proportion of people with university certificates, diplomas or degrees (35.0% vs. 26.6% AB).

#### Sources:

Federal Census (2006), Statistics Canada

Postal Code Conversion File, Statistics Canada

Postal Code Translation File, Alberta Health

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health (2006)

#### Notes:

<sup>&</sup>lt;sup>1</sup> See Appendix A for definition.

<sup>&</sup>lt;sup>2</sup> N/A indicates that data were not available for a specific metric for this LGA

<sup>&</sup>lt;sup>3</sup>LICO - Low Income Cut Off (as defined by Statistics Canada) <a href="http://www.statcan.gc.ca">http://www.statcan.gc.ca</a>

<sup>&</sup>lt;sup>4</sup> See Appendix A for more details.


<sup>&</sup>lt;sup>5</sup> Less than five languages may be listed if no others were reported. Six or more languages may be listed in the case of ties.

<sup>&</sup>lt;sup>6</sup> Less than five places of birth may be listed if no others were reported. Six or more places of birth may be listed in the case of ties.

#### **CHRONIC DISEASE PREVALENCE**

The figure below displays the rates per 100 population of the most prevalent chronic diseases in the local geographic area. The prevalence rates refer to the number of diagnosed individuals at a given time and have been standardized by age.


FIGURE 4.1 LGA Age-Standardized Chronic Disease Prevalence Rates<sup>1</sup> (per 100 population) 2003 - 2010



On average, the condition with the highest chronic disease prevalence rate reported for Banff during 2003 to 2010 was for hypertension. The largest rate of change during this time period was reported for hypertension (a 0.08 per 100 population average rate increase per year - based on regression line fitting). In 2010, Banff ranked number 132 in hypertension, number 132 in diabetes, number 131 in ischemic heart disease and number 116 in COPD among prevalence rates reported for the 132 local geographical areas.

The following figure depicts the age-standardized prevalence rates of major chronic diseases, per 100 population, for 2010, comparing the local geographic area to Alberta.

FIGURE 4.2 LGA versus Alberta Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2010



Age-Standardized Prevalence Rates (per 100 population)

In 2010, the Banff prevalence rate for hypertension per 100 population was 0.7 times lower than the corresponding rate reported for the province (10.2 vs. 14.2 AB). In addition, Banff showed prevalence rates higher than the provincial rates for none of the 4 chronic diseases included above.

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Physician Claims Data, Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
Postal Code Translation File, Alberta Health

Census 1991 Population Data, Statistics Canada

#### Notes:

<sup>1</sup> Age-standardized prevalence rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

#### Methodology:

See link: <a href="http://www.ahw.gov.ab.ca/IHDA\_Retrieval">http://www.ahw.gov.ab.ca/IHDA\_Retrieval</a>

#### MATERNAL AND CHILD HEALTH

The following table highlights maternal and child health indicators such as birth weight, fertility rate, teen birth rate and prenatal smoking for the local geographic area and Alberta. The indicator information is presented as rates, percentages, or raw numbers, depending on the indicator.

TABLE 5.1 Local Geographic Area Maternal and Child Health Indicators for Three-Year Period

Maternal and Child Health Indicators	Period	Banff	Alberta
Number of Births	2008/2009 - 2010/2011	265	151,603
Percent Low Birth Weights (of Live Births) <sup>1</sup> , less than 2500 gm	2008/2009 - 2010/2011	6.0%	6.8%
Percent High Birth Weights (of Live Births) <sup>1</sup> , greater than 4000 gm	2008/2009 - 2010/2011	6.8%	10.3%
Birth Rate (per 1,000 population) <sup>1</sup>	2008/2009 - 2010/2011	18.6	27.4
Fertility Rate (per 1,000 Women 15 to 49 Years) <sup>1</sup>	2008/2009 - 2010/2011	25.6	53.1
Teen Birth Rate (per 1,000 Women 15 to 19 Years)	2008/2009 - 2010/2011	5.5	18.9
Percent Maternal Prenatal Smoking (of Deliveries)	2007/2008 - 2009/2010	3.5%	18.0%

During 2008/2009 to 2010/2011, Banff's birth rate of 18.6 per 1,000 women was lower than the provincial rate, and the teen birth rate of 5.5 per 1,000 was lower than Alberta's teen birth rate. In addition, a lower proportion of prenatal smoking cases were reported in Banff compared to the province (3.5% vs. 18.0% AB).

The following table presents the rates for childhood immunization coverage by the age of two for the local geographic area and Alberta. The data is provided for the most recent calendar year available.

TABLE 5.2 Childhood Immunization Coverage Rates, 2010

DTaP-IPV-Hib (Diphtheria, Tetanus, Pertussis, Polio and Haemophilus Influenza B)  Dose 4 of 4			
Age Group Period Banff Alberta			
By Age Two	2010	70.4%	73.1%
MMR (Measles, Mumps, and Rubella)			
By Age Two	2010	81.7%	85.7%

By the age of two, 70.4% of children in Banff (in 2010) had been vaccinated against DTaP-IPV-Hib (compared to 73.1% for AB), while 81.7% had received MMR vaccines (compared to 85.7% for AB).

#### Sources:

Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health
Alberta Vital Statistics Births File
Regional Immunization Applications
Immunization and Adverse Reaction to Immunization (Imm/ARI)
Postal Code Translation File, Alberta Health

#### Notes:

<sup>&</sup>lt;sup>1</sup> See Appendix A for definition.

#### **COMMUNICABLE DISEASES**

The following table lists the rates of Sexually Transmitted Infections (STI)<sup>1</sup> for the most recent three-year periods from 2008 to 2012, for the local geographic area and Alberta.

**TABLE 6.1** Top 5 Sexually Transmitted Infection (STI) Rates (per 100,000 population) By Three-Year Period

STI (per 100,000 population)			
Period	Disease	Banff	Alberta
2008-2011	Chlamydia	903.2	352.0
	Non-Gonococcal Urethritis	191.6	34.5
	Gonorrhea	37.6	41.0
	Mucopurulent Cervicitis	20.5	9.0
	Syphilis	3.4	6.0
2009-2012	Chlamydia	751.7	359.9
	Non-Gonococcal Urethritis	191.9	35.8
	Mucopurulent Cervicitis	22.0	8.1
	Gonorrhea	18.9	36.8
	Syphilis	3.1	4.8

Banff's highest STI rate per 100,000 population in 2009 - 2012 was reported for chlamydia and this rate was higher than the provincial rate (751.7 vs. 359.9 AB).

STI rates in Banff were higher than the provincial rates for 3 of the top 5 Alberta STIs in 2009 - 2012 (where comparisons could be made).

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health Communicable Disease Reporting System (CDRS)

Postal Code Translation File, Alberta Health

#### Notes:


<sup>&</sup>lt;sup>1</sup> See Appendix A for definition.

#### **MORTALITY**

Figure 7.1 displays the age-standardized mortality rates<sup>1</sup>, per 100,000 population, for the three most frequent causes of death and all causes combined. Data is provided for each three-year period between 2001 and 2010. The cause-specific mortality rate is defined as the proportion of deaths among people with a common health condition for each time period.

FIGURE 7.1 Local Geographic Area Age-Standardized Mortality Rates (per 100,000 population)


By Three-Year Period



The three-year mortality rates for Banff ranged between 316.1 and 541.4 per 100,000 population during the study period. The three most frequent causes of death, namely, neoplasms, diseases of the circulatory system, and external causes accounted for 55.1% to 77.3% of all deaths from 2001 - 2003 to 2008 - 2010.

The mortality rates per 100,000 population for the three most frequent causes of death<sup>2</sup> and all causes combined are displayed below for both the local geographic area and Alberta, for the most recent three-year period available. The mortality rates have been standardized by age.

FIGURE 7.2 Local Geographic Area versus Alberta Age-Standardized Mortality Rates (per 100,000 population) for Three-Year Period 2008 - 2010




Age-Standardized Mortality Rates (per 100,000 population)

Compared to the provincial mortality rate for all causes, Banff reported a much lower rate (316.1 vs. 519.2 AB). In 2008 - 2010, neoplasms was the main cause of death for Banff, with an associated mortality rate much lower than the provincial rate per 100,000 population (85.1 vs. 151.1 AB). In addition, mortality rates were higher than the provincial rates for none of the 3 most common causes of death reported in Banff.

The pie chart below illustrates the distribution of deaths by cause of death for the local geographic area, over the most recent 10-year period available. The legend presents causes of death in descending order of magnitude.

FIGURE 7.3 LGA Distribution of Deaths by Cause of Death Across 10 Years, 2001 to 2010



Between 2001 and 2010 diseases of the circulatory system accounted for 31.6% of all deaths reported in Banff. More than three-quarters of all reported deaths were due to five major causes: diseases of the circulatory system, neoplasms, external causes (injury), diseases of the respiratory system, and diseases of the digestive system.

#### Sources:

Alberta Vital Statistics Death File

Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health Postal Code Translation File, Alberta Health

Census 1991 Population Data, Statistics Canada

#### Notes:

#### Methodology:

See link: <a href="http://www.ahw.gov.ab.ca/IHDA\_Retrieval">http://www.ahw.gov.ab.ca/IHDA\_Retrieval</a>

<sup>&</sup>lt;sup>1</sup> Age-standardized mortality rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

<sup>&</sup>lt;sup>2</sup> Cause of death is derived from International Classification of Diseases 10 (ICD10) coding system.

#### **EMERGENCY SERVICE UTILIZATION**

The table below describes emergency visits by triage level<sup>1</sup> for patients residing in the local geographic area, for the three most recent fiscal years.


**TABLE 8.1** Emergency Visits for Patients Residing in the Local Geographic Area by Triage Level Fiscal Years 2009/2010 to 2011/2012

Triage Level	Emergency Visits		
Thage Level	2009/2010	2010/2011	2011/2012
Resuscitation (1) and Emergency (2) Combined	155	151	191
Urgent (3)	844	745	1,045
Semi Urgent (4)	2,041	1,848	2,365
Non-Urgent (5)	1,413	1,512	1,491
Unknown	136	238	198
Total	4,589	4,494	5,290

The volume of emergency visits for patients residing in Banff increased by 15.3% between 2009/2010 and 2011/2012. In addition, semi-urgent and non-urgent visits combined accounted for 72.9% of all emergency visits in 2011/2012.

The following figure shows emergency visit rates by semi-urgent and non-urgent triage levels for patients residing in the local geographic area and Alberta, for the most recent fiscal year available.


FIGURE 8.1 Emergency Visit Rates<sup>1</sup> (per 1,000 population) for Triage Levels Semi-Urgent (4) and Non-Urgent (5)<sup>2</sup>, Fiscal Year 2011/2012



Banff's combined semi-urgent and non-urgent emergency visit rate per 1,000 population was comparable to the provincial rate in 2011/2012 (337.7 vs. 267.5 AB). Semi-urgent emergency visits occurred at a 1.1 times higher rate in Banff compared to Alberta (207.1 vs. 186.7 AB).

A time profile of the number of emergency visits by day of the week is shown in the following figure. Data covers both semi-urgent and non-urgent emergency visit triage levels during the most recent fiscal year available, for patients residing in the local geographic area.

FIGURE 8.2 All Emergency Visits for Patients Residing in the Local Geographic Area
For Triage Levels Semi-Urgent(4) and Non-Urgent(5) Combined by Weekday and Time
Fiscal Year 2011/2012



The peak total number of emergency visits for Banff in 2011/2012 was reported for Fridays between 10 - 11 AM (54 emergency visits). The volume of emergency visits was low during the early morning hours and declined gradually throughout the day after peaking somewhere between late morning and early afternoon.

#### Sources:

Ambulatory Care Data, Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health
Postal Code Translation File, Alberta Health


#### Notes:


<sup>&</sup>lt;sup>1</sup> See Appendix A for definition.

<sup>&</sup>lt;sup>2</sup> In order to be consistent with the type of services expected to be provided by primary health care, the analysis above focused only on semi-urgent and non-urgent emergency triage levels.

#### **EMERGENCY SERVICE UTILIZATION**

The following figure provides age-standardized emergency visit rates for selected health conditions per 100,000 population for each year beginning in 2003. Emergency department visit rates are defined as the number of visits to emergency departments due to a certain condition, divided by the total population of the local geographic area.






On average, the highest emergency visit rates, for selected health conditions, reported for Banff during 2003 to 2010 were due to acute upper respiratory infections. In addition, among selected health conditions, the largest rate of change among emergency visits during this time period was reported for acute upper respiratory infections (a 218.5 per 100,000 population average rate decrease per year - based on regression line fitting).

Age-standardized emergency visit rates per 100,000 population, by selected health conditions, for the most current year available, are shown below for both the local geographic area and Alberta.

FIGURE 8.4 LGA versus Alberta Age-Standardized Emergency Visit Rates (per 100,000 population)
For Selected Conditions, 2010



Age-Standardized Emergency Rates (per 100,000 population)

In 2010, the three most common reasons for emergency visits, among selected health conditions, were: acute upper respiratory infections, asthma, and diseases of middle ear and mastoid. Among selected health conditions, the most common reason for emergency visits in 2010, acute upper respiratory infections, had a similar rate in Banff compared to the provincial rate per 100,000 population (2,017.7 vs. 3,069.2 AB). Furthermore, Banff showed emergency rates higher than the provincial rates for 3 of the 11 selected conditions.

#### Sources:

Ambulatory Care Data, Alberta Health

Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health

Postal Code Translation File, Alberta Health

Census 1991 Population Data, Statistics Canada

Age-standardized rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

Notes: 1 See Appendix A for definition.

#### Methodology:

See link: <a href="http://www.ahw.gov.ab.ca/IHDA\_Retrieval">http://www.ahw.gov.ab.ca/IHDA\_Retrieval</a>

#### INPATIENT SERVICE UTILIZATION

The following table describes inpatient separation<sup>1</sup> rates per 1,000 population for patients residing in the LGA and Alberta accessing health facilities across all of Alberta.


**TABLE 9.1** Inpatient Separation Rates (per 1,000 population) for Patients Residing in the LGA versus AB Fiscal Years 2009/2010 to 2011/2012

Inpatient Separation Rates (per 1,000 population)			
Fiscal Years	Banff	Alberta	
2009/2010	69.0	89.7	
2010/2011	58.4	88.0	
2011/2012	61.6	88.3	

Banff's inpatient separation rate for patients residing in the local geographic area varied between 58.4 in 2010/2011 and 69.0 in 2009/2010. In addition, in 2011/2012, the inpatient separation rate for patients residing in Banff was 0.7 times lower than the provincial rate (61.6 vs. 88.3 AB).

The figure below presents inpatient separation rates for selected health conditions (per 100,000 population), for patients residing in the local geographic area, for the calendar years 2003 through 2010. The rate of inpatient separations is the ratio between the total number of separations and the total local population, for each year. The rates have been standardized by age.


**FIGURE 9.1** LGA Age-Standardized<sup>2</sup> Inpatient Separation (IP Sep) Rates (per 100,000 population) For Selected Conditions, 2003 - 2010



On average, the highest inpatient separation rates, among selected health conditions, reported in Banff during 2003 to 2010 were due to ischemic heart diseases. These rates reached a high of 299.0 per 100,000 population in 2008 and a low of 115.0 per 100,000 population in 2010. In addition, among selected conditions, the largest inpatient separation rate of change during this time period was reported for ischemic heart diseases (a 8.6 per 100,000 population average rate decrease per year - based on regression line fitting).

The following figure presents inpatient separation rates per 100,000 population for patients residing in the local geographic area, compared to provincial rates, for the most recent calendar year and selected health conditions.

**FIGURE 9.2** LGA versus Alberta Age-Standardized Inpatient Separation Rates (per 100,000 population) For Selected Conditions, 2010



Age-Standardized IP Sep Rates (per 100,000 population)

In 2010, the three highest inpatient separation rates were reported for mental & behavioural disorders due to psychoactive substance use, pneumonia, and ischemic heart diseases. The most common reason for inpatient separations in Banff was mental & behavioural disorders due to psychoactive substance use, which had a higher rate compared to the provincial rate per 100,000 population (129.9 vs. 107.2 AB). Additionally, Banff's inpatient separation rates were higher than the provincial rates for 1 of the 7 diagnoses.

#### Sources:

Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
Postal Code Translation File, Alberta Health

Census 1991 Population Data, Statistics Canada

**Notes:** <sup>1</sup> See Appendix A for definition.

<sup>2</sup> Age-standardized rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

#### Methodology:

See link: <a href="http://www.ahw.gov.ab.ca/IHDA\_Retrieval">http://www.ahw.gov.ab.ca/IHDA\_Retrieval</a>

#### PRIMARY HEALTH CARE INDICATORS OF COMMUNITY PRIMARY CARE NEED

As a result of consultations and analysis during the summer of 2012, 13 indicators were identified to help identify the need for new or additional primary health care services across all local geographic areas throughout Alberta. Six of these indicators were related to utilization, another six were associated with health population needs and a final indicator, life expectancy at birth, is seen as a reflection of health status. The indicators are standardized by age, where appropriate, to allow comparison of information across local geographic areas and the province. Examples of some of these indicators are given below.

- the burden of disease in the population that could be monitored and/or ameliorated by primary health care services (e.g. the proportion of the population with diabetes);
- a gap between population health needs and available health care services (e.g. use of emergency departments for non-urgent health care).

The table below profiles recent data for these indicators for both the local geographic area (LGA) and Alberta. Due to considerable differences in population densities and travel times to a variety of health services, the various LGAs have been categorized into five geographic peer groups: rural, rural remote, urban, metro, and metro moderate. This grouping (stratification) was applied to 7 of the 13 indicators below. For these indicators, the LGA indicator value is compared to the corresponding geographic peer group average (rather than the Alberta average) to allow for a more reasonable comparison between LGAs with similar characteristics.

TABLE 10.1. Proposed Primary Health Care Indicators of Community Primary Care Need

	Utilization Indicators	Banff	Alberta / Geographic Peer Group Average
1*	Travel: Percentage of Total Family Physician Claims Outside the Recipients Home Local Geographic Area, 2010/2011	12.9%	31.0%
2*	Ambulatory Care Sensitive Conditions - Age- Standardized Separation Rate (per 100,000 population), 2003 to 2011	352.6	708.8
3	Continuity of Care, 2010	12.0%	14.0%
4*	ED Visits Related to Mood Disorders (Age- Standardized, per 100,000 population), 2003 to 2011	162.4	469.8
5*	ED Visits Related to Anxiety Disorders (Age- Standardized, per 100,000 population), 2003 to 2011	492.2	948.6
6*	ED Visits Related to Injuries (Age-Standardized, per 100,000 population), 2003 to 2011	17,696.9	19,823.7

**TABLE 10.1.** Proposed Primary Health Care Indicators of Community Primary Care Need (continued)

	Health Status Indicators	Banff	Alberta / Geographic Peer Group Average
7	Diabetes Prevalence (per 100 population), 2010	3.0	5.1
8	Chronic Obstructive Pulmonary Disease Prevalence Rate (per 100 population), 2010	1.3	1.8
9	Age-Standardized Rate of People with Three or more Chronic Diseases (per 100 population), 2010	1.1	2.2
10	Influenza Vaccines for Those 65 and Over, 2011/2012	40.9%	40.6%
11*	Predicted Primary Health Care Utilization, 2006/2007 to 2008/2009	\$111.40	\$117.51
12*	Primary Health Care Service Gap, 2006/2007 to 2008/2009	\$19.84	-\$2.92
	Social Determinant of Health	Banff	Alberta / Geographic Peer Group Average
13	Life Expectancy at Birth, 2000 to 2011	83.1	80.5

<sup>\*</sup> Note: For these indicators, the Banff indicator value is compared to the Alberta rural average to allow for a more reasonable comparison between LGAs with similar characteristics.

Each of the 13 indicators displayed for Banff is described below.

### **Indicator 1:**

The percentage of total Family Physician claims outside the recipient's home local geographic area is a proxy for access to primary care facilities. This indicator is stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups. While the indicator provides values for all LGAs, the values are more informative for rural and rural remote areas (as travel inside urban areas has different meaning and impact).

For patients residing in Banff a lower percentage of Family Physician services was provided outside the recipient's home local geographic area compared to the rural provincial average (12.9% vs. 31.0% AB rural).

## **Indicator 2:**

The Canadian Institute of Health Information (CIHI) has recognized ambulatory care sensitive conditions (ACSC) separation rates as a valid proxy indicator for the robustness of a primary care system. The ACSC indicator measures the aggregate acute care separation rate, per 100,000 population, over one year for the following seven conditions: Angina, Asthma, Congestive Heart Failure, Chronic Obstructive Pulmonary Disorder, Diabetes, Epileptic Convulsion or Seizure, and Hypertension. A disproportionately high rate is presumed to reflect problems in obtaining access to appropriate primary care.

This indicator is stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups.

Banff's separation rate for ambulatory care sensitive conditions (per 100,000 population) was 0.5 times lower than the corresponding rural provincial rate (352.6 vs. 708.8 AB rural).

#### **Indicator 3:**

Continuity of care describes the percentage of patients with minor or severe chronic illnesses that have access to their family physician less than 50% of the time. Higher values indicate areas with higher proportions of "unhealthy" or "sick" patients who are weakly attached to their Family Physician. Lower values are preferable.

Banff's percentage of patients with minor or severe chronic illnesses with a low degree of continuity of care was lower than the percentage reported in Alberta (12.0% vs. 14.0% AB).

#### Indicator 4:

The age-standardized emergency visit rates for mood disorder (per 100,000 population) are stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups.

Banff's rate of emergency department visits related to mood disorders (per 100,000 population) was 0.3 times lower than the provincial rural average rate (162.4 vs. 469.8 AB rural).

#### Indicator 5:

The age-standardized emergency visit rates for anxiety disorder (per 100,000 population) are stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantially different rates across groups.

Banff's rate of emergency department visits related to anxiety disorders (per 100,000 population) was 0.5 times lower than the provincial rural average rate (492.2 vs. 948.6 AB rural).

## **Indicator 6:**

The age-standardized emergency visit rates due to injuries, per 100,000 population, (excluding adverse effects due to drugs/medical procedures) are stratified by geographic peer groups (metro, metro moderate, urban, rural, rural remote) due to substantial differences across groups.

Emergency visits related to injuries occurred at a 0.9 times lower rate in Banff, compared to the provincial rural average rate per 100,000 population (17,696.9 vs. 19,823.7 AB rural).

#### Indicator 7:

Chronic diseases such as diabetes are a heavy burden for the health care system in terms of both associated costs and the impact they have on an individual's quality of life. This indicator presents the age-standardized diabetes prevalence rate per 100 population.

The prevalence rate for diabetes in Banff was much lower than the provincial rate (3.0 vs. 5.1 AB).

#### **Indicator 8:**

Chronic diseases such as Chronic Obstructive Pulmonary Disease (COPD) are a heavy burden for the health care system in terms of both associated costs and the impact they have on an individual's quality of life. This indicator presents the age-standardized COPD prevalence rate per 100 population (due to small numbers).

For COPD, the prevalence rate in Banff was 0.7 times lower than the provincial rate (1.3 vs. 1.8 AB).

#### **Indicator 9:**

Interdisciplinary care and coordination of services is required for patients with multiple chronic conditions. The age-standardized rate of people with three or more chronic diseases tracks the proportion of patients with three or more conditions which may include: COPD, diabetes, ischemic heart disease, asthma, and/or kidney disease.

The age-standardized rate for people with three or more chronic diseases per 100 population was much lower in Banff compared to the province (1.1 vs. 2.2 AB).

#### Indicator 10:

The percentage of influenza vaccines administered annually to 65 year olds and over is an important primary health care indicator of preventive services delivered through primary health care. The data for this indicator includes immunizations delivered by community pharmacists and physicians between September 1, 2011 and March 31, 2012.

Banff's percentage of the population 65 and over who had been administred influenza vaccines was comparable to the provincial percentage (40.9% vs. 40.6% AB).

#### Indicator 11:

The Health Human Resource Forecasting and Simulation Model (HHRFSM) predicts future need/use of primary health care services by residents, based on the characteristics of the individuals and their community.

HHRFSM predicts future primary health care utilization in terms of costs, specifically the expected per capita billings for general practitioner visits. The indicator constitutes a composite measure of relative health need based on personal characteristics (e.g. age, gender), health status (e.g. chronic diseases, inpatient status) and various socio-economic factors (e.g. educational level, income level).

The dollar value for community and primary care billings per capita during 2006/2007 to 2008/2009 was \$111.40 in Banff, 5.2% lower than the \$117.51 rural provincial average.

#### **Indicator 12:**

The primary health care service gap is measured as the difference between actual and predicted per capita billings for community and primary care services from HHRFSM (see indicator 11). A positive value indicates the average resident is receiving more primary health care services than expected; negative values indicate fewer services received than expected. Stratification by the geographic peer group (metro, metro moderate, urban, rural, rural remote) was applied to this indicator due to substantially different rates across groups.

The dollar gap between actual and predicted community and primary care per capita billings during 2006/2007 and 2008/2009 was \$19.84 in Banff compared to the \$-2.92 rural provincial average.

#### Indicator 13:

The life expectancy at birth correlates highly with determinants of health and is a good predictor of future health related costs. This measure is considered a significant indicator of overall population health.

Banff had a higher life expectancy at birth in comparison to the provincial life expectancy (83.1 years vs. 80.5 years AB).

### Sources:

Health Human Resource Forecasting and Simulation Model, Alberta Health

Interactive Health Data Application (IHDA), Alberta Health

Clinical Risk Grouper (CRG) Application, Alberta Health

Alberta Provider Directory, Alberta Health

Alberta Health Care Insurance Plan (AHCIP) Physician Claims Data, Alberta Health

Stakeholder Registry File, Alberta Health

Alberta Hospital Discharge Abstract Database (DAD), Alberta Health

Ambulatory Care Data, Alberta Health

Wait List Registry, Alberta Health

Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health

Case Costing Files, Alberta Health

Alberta Health, Primary Health Care Division Community Profile: Banff

Postal Code Translation File, Alberta Health
Alberta Blue Cross Claims Data, Alberta Health
Census 2006 Population Data, Statistics Canada
Canadian Community Health Survey (CCHS), Statistics Canada
Long Term Care Funding File, Alberta Health
Continuing Care Bed Survey, Alberta Health

**Notes:** <sup>1</sup> For more details see Local Area Family Care Clinic Prioritization Framework Report: <u>http://www.health.alberta.ca/documents/PHC-FCC-Framework-TELUS-2012.pdf</u>

# Local Geographic Area: Banff

## **ACCESS TO HEALTH CARE SERVICES**

The table below provides the number of ambulatory care visits or inpatient separations made by local area residents to facilities within the local geographic area as well as facilities outside of it. The data is provided for the most recent fiscal year available.

**TABLE 11.1** Ambulatory Care Visits and Inpatient Separations for the Local Geographic Area Residents<sup>1</sup>
To Facilities Located In versus Out of the Local Geographic Area, Fiscal Year 2011/2012

Ambulatory Care Visits					
Visits Within Local Area of Residence (IN)	Visits Outside Local Area of Residence (OUT)	Total Visits		Percent IN	Percent OUT
7,268	7,090	14,	,358	50.6%	49.4%
Inpatient Separations (Seps)					
Seps Within Local Area of Residence	Seps Outside Local Area of Residence	Total Seps		Percent IN	Percent OUT
410	291		701	58.5%	41.5%

The following table focuses on ambulatory care visits or inpatient separations made by local area residents to the top three accessed non-local facilities. Of particular interest is the percentage of non-local visits to, or separations from each of the three facilities out of all non-local visits or separations. These percentages appear in the last column of the table below. The data is provided for the most recent fiscal year available.

**TABLE 11.2** Top 3 Non-Local Ambulatory Care Facilities Accessed by Local Residents Fiscal Year 2011/2012

Local Residents Accessing Non-Local Ambulatory Care Facilities				
Ambulatory Care Facility Name	Facility Municipality	Facility LGA	Number of OUT Visits	% of Total OUT Visits
Canmore General Hospital	Canmore	Canmore	2,445	34.5%
Foothills Medical Centre	Calgary	Calgary - Centre North	1,261	17.8%
Calgary Health Region Non- Hospital Regional Service Delivery Organization	Calgary	Calgary - Fish Creek	1,196	16.9%

**TABLE 11.2** Top 3 Non-Local Acute Care Hospitals Accessed by Local Residents Fiscal Year 2011/2012 (continued)

Local Residents Accessing Non-Local Acute Care Hospitals				
Hospital Name	Hospital Municipality	Hospital LGA	Number of OUT Seps	% of Total OUT Seps
Foothills Medical Centre	Calgary	Calgary - Centre North	131	45.0%
Canmore General Hospital	Canmore	Canmore	51	17.5%
Rockyview General Hospital	Calgary	Calgary - Elbow	47	16.2%

#### Sources:

Ambulatory Care Data, Alberta Health
Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health
Postal Code Translation File, Alberta Health

Definitions Appendix A

# **Age Standardization**

Age standardization is a technique applied to make rates comparable across groups with different age distributions. A simple rate is defined as the number of people with a particular condition divided by the whole population. An age-standardized rate is defined as the number of people with a condition divided by the population within each age group. Standardizing (adjusting) the rate across age groups allows a more accurate comparison between populations that have different age structures. Age standardization is typically done when comparing rates across time periods, different geographic areas, and or population sub-groups (e.g. ethnic group).

## **Band Housing**

For historical and statutory reasons, shelter occupancy on reserves does not lend itself to the usual classification by standard tenure categories. Therefore, a special category, band housing, has been created for 1991 Census products. Band housing also appears in the 1996, 2001, and 2006 Census products. (Statistics Canada)

#### **Birth Rate**

The number of live births, of a given geographic area in a given fiscal year, per 1,000 population of the same geographic area in the same year. (Statistics Canada)

# **Body Mass Index (BMI)**

The BMI is a method of classifying body weights by health risk level, adopted by the World Health Organization (WHO). Guidelines were put in place by Health Canada to clearly define this index.

The BMI is computed as an individual's weight (in kilograms) divided by the square of their height (in meters). The standard BMI categories used are: underweight, normal, overweight and obese (classes I-III). For the purposes of this report, the following categories were used:

BMI Categories	ВМІ
under weight	less than 18.50
normal weight	18.50 to 24.99
overweight	25.00 to 29.99
obese	30.00 or greater

Obesity has been linked with many chronic diseases, including hypertension, type 2 diabetes, cardiovascular disease, osteoarthritis and certain types of cancer. (Statistics Canada, Canadian Community Health Survey)

# **Canadian Triage and Acuity Scale (CTAS)**

A scale to categorize patients according to the type and severity of their initial presenting signs and symptoms at the Emergency Department that helps to determine priorities for treatment. The

Canadian Triage and Acuity Scale (CTAS) is used to determine the triage level. There are 5 levels, with level 1 being the most urgent and level 5 the least urgent.

## Triage Level 1 – Resuscitation

Conditions that are threats to life or limb (or imminent risk of deterioration) requiring immediate aggressive interventions.

# <u>Triage Level 2 – Emergent</u>

Conditions that are a potential threat to life, limb or function, requiring rapid medical intervention or delegated acts.

## Triage Level 3 - Urgent

Conditions that could potentially progress to a serious problem requiring emergency intervention. May be associated with significant discomfort or affecting ability to function at work or activities of daily living.

## Triage Level 4 – Less Urgent (Semi urgent)

Conditions that are related to patient age, distress, or potential for deterioration or complications and would benefit from intervention or reassurance within 1-2 hours.

## Triage Level 5 – Non Urgent

Conditions that may be acute but non-urgent as well as conditions which may be part of a chronic problem with or without evidence of deterioration. The investigation or interventions for some of these illnesses or injuries could be delayed or even referred to other areas of the hospital or health care system.

#### Triage Level 9 – Unknown

The information regarding this particular level is included in the National Ambulatory Care Reporting System Manual available through CIHI.

For further details please refer to the link below:

http://www.calgaryhealthregion.ca/policy/docs/1451/Admission\_over-capacity\_AppendixA.pdf

### **Census**

A survey that collects data from all the members of a population, whether it's people or businesses. The most common use of the term "Census" is the population Census of Canada which is taken at 5-year intervals which counts persons and households and a wide variety of characteristics. In fact, some of the Census questions are asked on a sample basis i.e. in the past every fifth household receives a long-form questionnaire asking additional questions. (Statistics Canada)

#### **Census Family**

A family as defined by the Census includes one of the following: a married couple and the children, if any, of either or both spouses; a couple living common law and the children, if any, of either or both partners; or, a lone parent of any marital status with at least one child living in the same

dwelling. In addition, the following criteria must apply: all members of a particular census family live in the same dwelling; a couple may be of opposite or same sex; children may be children by birth, marriage or adoption regardless of their age or marital status as long as they live in the dwelling and do not have their own spouse or child living in the dwelling. Grandchildren living with their grandparent(s) but with no parents present also constitute a census family. (Statistics Canada)

### Chinese, n.o.s.

The 2006 census category 'Chinese, n.o.s.' (not otherwise specified) includes responses of 'Chinese' as well as all Chinese languages other than Cantonese, Mandarin, Taiwanese, Chaochow (Teochow), Fukien, Hakka and Shanghainese. (Statistics Canada)

## **Chronic Obstructive Pulmonary Disease (COPD)**

Population aged 35 and over who reported being diagnosed by a health professional with chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD). (Statistics Canada, Canadian Community Health Survey)

COPD is a progressive disease that makes it hard to breathe. It can cause coughing that produces large amounts of mucus, wheezing, shortness of breath, chest tightness, and other symptoms. Cigarette smoking is the leading cause of COPD. Most people who have COPD smoke or used to smoke. Long-term exposure to other lung irritants (such as air pollution, chemical fumes, or dust) also may contribute to COPD.

# **Emergency Department (ED) Visit Rate**

The number of visits to the emergency department divided by the total population of the local geographic area.

## Family Care Clinic (FCC)

Family Care Clinics provide primary health care services, such as diagnosis and treatment of illness, immunizations, screening and links to other health services and community agencies. The clinics will emphasize health promotion, disease and injury prevention, and self-management and care of chronic disease. FCCs will offer extended hours of service and same day access.

#### **Fertility Rate**

The fertility rate is the number of live births per 1,000 women of reproductive age (15 - 49 years) in a population per year. This is a more standardized way to measure fertility in a population than birth rate because it accounts for the percentage of women of reproductive age. (Statistics Canada)

## **First Nations with Treaty Status**

First Nation is a term that came into common usage in the 1970s to replace the word "Indian". Although the term First Nation is widely used, no legal definition of it exists. Among its uses, the term "First Nations people" refers to the Indian people in Canada, both Status and non-Status.

Starting in 1701, the British Crown entered into solemn treaties to encourage peaceful relationships between First Nations and non-Aboriginal people. Over the next several centuries, treaties were signed to define, among other things, the respective rights of Aboriginal people and governments to use and enjoy lands that Aboriginal people traditionally occupied. The Government of Canada and the courts understand treaties between the Crown and Aboriginal people to be solemn agreements

that set out promises, obligations and benefits for both parties (Aboriginal Affairs and Northern Development Canada).

#### **Health Status**

The level of health of the individual, group or population as subjectively assessed by the individual or by more objective measures. (Statistics Canada)

## **High Birth Weight**

Birth weight is the body weight of a baby at its birth. High birth weight is defined as live births with a weight of 4,500 grams or more, expressed as a percentage of all live births with known weight (Statistics Canada, Vital Statistics, Birth Database)

## **Hospitalization Rate**

Age-standardized rate of acute care hospitalization, per 100,000 population. (Canadian Institute for Health Information)

## **Infant Mortality Rate**

Infants who die in the first year of life, expressed as a count and a rate per 1,000 live births. (Statistics Canada, Vital Statistics, Birth and Death Databases)

# Inpatient

An individual who has been officially admitted to a hospital for the purpose of receiving one or more health services. (Canadian Institute for Health Information: MIS Standards 2011)

## **Inpatient Separations (Seps)**

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice or transfer. The number of separations is the most commonly used measure of the utilization of hospital services. Separations, rather than admissions, are used because hospital abstracts for inpatient care are based on information gathered at the time of discharge.

#### **Low-income Cutoffs (LICOs)**

Represent an income threshold where a family is likely to spend 20% more of its income on food, shelter and clothing than the average family, leaving less income available for other expenses such as health, education, transportation and recreation. The LICOs are calculated for families and communities of different sizes. (Statistics Canada)

#### **Low Birth Weight**

Birth weight is the body weight of a baby at its birth. Live births less than 5.5 pounds or 2500 grams at birth are considered as babies with low birth weight. Low birth weight is a key determinant of infant survival, health, and development. (Statistics Canada, Vital Statistics, Birth Database)

# **Mortality Rate by Cause of Death**

The age-standardized mortality rate by cause of death is a measure of the frequency (rate) at which deaths occur in a given population due to a certain cause. The potential confounding effect of

different age structures (i.e. across geographic boundaries or years) is reduced when comparing rates that have been age-adjusted. (Interactive Health Data Application, Alberta Health)

# **Neoplasms**

An unusual new growth of tissue resulted by uncontrolled production of cells. These cells do not coordinate with normal cells and may appear abnormal compared to the normal cells. The term "tumor" is used to name a neoplasm that has formed a lump. Some neoplasms do not form lumps. The neoplasms that spread to the other parts of the body are commonly known as 'Cancers'. (http://www.cancer.gov/cancertopics/understandingcancer/cancer/AllPages)

# **Physical Activity**

Population aged 12 and over who reported a level of physical activity, based on their responses to questions about the frequency, nature and duration of their participation in leisure time physical activity. Respondents are classified as active, moderately active or inactive based on an index of average daily physical activity over the past 3 months.

For each leisure time physical activity engaged in by the respondent, an average daily energy expenditure is calculated by multiplying the number of times the activity was performed by the average duration of the activity by the energy cost (kilocalories per kilogram of body weight per hour) of the activity. The index is calculated as the sum of the average daily energy expenditures of all activities. Respondents are classified as follows: 3.0 kcal/kg/day or more = physically active; 1.5 to 2.9 kcal/kg/day = moderately active; less than 1.5 kcal per day = inactive. (Statistics Canada, Canadian Community Health Survey)

#### **Prevalence Rate**

Prevalence is a measure of disease that allows us to determine a person's likelihood of having a disease. Therefore, the number of prevalent cases is the total number of cases of disease existing in a population. A prevalence rate is the total number of cases of a disease existing in a population divided by the total population. (http://www.health.ny.gov/diseases/chronic/basicstat.htm)

#### **Primary Care**

The first point of contact that people have with the health care system for medical needs requiring treatment and referral to other services as needed and is usually provided by a family physician or other health care professional. (http://www.albertapci.ca/aboutpcns/primarycare/pages/default.aspx)

### **Primary Care Networks**

Primary Care Networks are groups of family doctors that work with Alberta Health Services and other health professionals to coordinate the delivery of primary health services for their patients.

#### **Private Household**

A person or a group of people occupying the same dwelling and who do not have a usual place of residence elsewhere in Canada or abroad. The household universe is divided into two sub-universes on the basis of whether the household is occupying a collective dwelling or a private dwelling. The latter is a private household. (Statistics Canada)

# **Qualifier (comparisons between indicator values)**

In comparing indicators across local geographic areas (LGAs) and the Province, this report uses qualifiers such as 'higher than', 'lower than', 'similar to', etc. These statements are based on a simple statistical comparison that determines how far apart the indicator values are on the full scale of values for the indicator. For each indicator, the standard deviation (SD) was used as the measuring stick for whether the values are "close" or "far apart". For each indicator, the distance between the LGA value and the provincial (AB) value was measured as number of SDs, and the direction of the difference (plus or minus). For example, if the LGA value is 2 SDs above the AB value, then the LGA value is said to be 'much higher' than the provincial value. The complete set of comparison criteria is given below.

Qualifier	Distance between values
Much Lower	below -1.5 SD
Lower	−1.5 SD <i>to</i> −0.25 SD
Similar/Comparable	-0.25 SD to +0.25 SD
Higher	+0.25 SD to +1.5 SD
Much Higher	+1.5 SD and higher

## **Separation Rate**

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice or transfer. The separation rate is the total number of inpatient separations divided by the total population.

# **Self-Perceived Mental Health**

Perceived mental health is a general indication of the number of people in the population suffering from some form of mental disorder, mental or emotional problems or distress, not necessarily reflected in self-perceived health. This data is usually collected through surveys where respondents are asked to rate their mental health as poor, fair, good, very good or excellent. (Statistics Canada, Canadian Community Health Survey).

#### **Smoker**

As defined by Statistics Canada, 'smokers' are members of the population aged 12 and older who report being a current smoker. A "daily smoker" is someone who reports smoking cigarettes every day (although it does not take into account the number of cigarettes smoked). 'Occasional smokers' refers to those who reported smoking cigarettes occasionally; this includes former daily smokers who now smoke occasionally. (Statistics Canada, Canadian Community Health Survey)

# **Sexually Transmitted Infection (STI)**

An infection that can be transferred from one person to another through sexual contact. (Public Health Agency of Canada)

#### **Teen Birth Rate**

The teenage live birth rate is the number of live births per 1,000 women aged 15 to 19. (E-STAT, Statistics Canada.

# Community Services

Appendix B

#### **ONLINE RESOURCES**

## 1. Aboriginal Affairs

Alberta First Nation Community Profiles:

http://pse5-esd5.ainc-inac.gc.ca/fnp/Main/Search/FNListGrid.aspx?lang=eng

This link provides a collection of information that describes individual First Nation communities across Canada. It also allows you to quickly locate First Nation communities by consulting the interactive map

Delegated First Nation Agencies:

http://humanservices.alberta.ca/family-community/15540.html

This link provides a list and contact details of delegated First Nation agencies and societies in Alberta.

Programs and Services for Aboriginal People:

http://www.programs.alberta.ca/Living/648.aspx?N=770+173

This link provides an online resource to programs and services, such as Online Services, Financial Resources, Licensing and Registration, and Publications relevant to Aboriginal people in Alberta.

- Local Resources:
  - Find a list and map of your local delegated First Nation Agencies <a href="http://humanservices.alberta.ca/family-community/15540.html">http://humanservices.alberta.ca/family-community/15540.html</a>

### 2. Education

Alberta Education and Training:

http://alberta.ca/educationtraining.cfm

This link provides resources for schooling in Alberta through primary years to postsecondary and life-long learning.

- Local Resources:
  - Find a directory of your local schools and school boards:

http://www.education.alberta.ca/apps/schoolsdir/

This link provides a list of school authorities and associated public, private, francophone and early childhood services – schools are listed in alphabetical order. It also provides contact information and links to school authority websites.

# 3. Employment

Employment resources: <a href="http://www.programs.alberta.ca/Living/5960.aspx?Ns=5246&N=770">http://www.programs.alberta.ca/Living/5960.aspx?Ns=5246&N=770</a>
 This link provides resources for finding a job, including career planning, training and development, job search and job postings. It also provides general career and employment resources for self-employed, youth, persons with disabilities, immigrants and aboriginal people.

## • Local resources:

Find your local employment resources:

http://humanservices.alberta.ca/services-near-you/11959.html

This link provides employment, training and career services by region. Each region links to a comprehensive list of office locations, job fairs and service directories.

# 4. Family and Children

Children and Family Services:

http://humanservices.alberta.ca/family-community.html

This link provides links to programs and services that support families and communities; it provides information on child care, parenting, women's issues, youth programs, safer communities, and family community support services.

Programs and Services for Children:

http://www.programs.alberta.ca/Living/650.aspx?N=770+759

This link provides links to featured programs and services such as *Kids Help Phone Online*, *Safe Kids Canada* and *Traffic Safety Just for Kids*. It also contains activity resources for children such as colouring books and cook books.

Programs and Services for Parents:

http://www.programs.alberta.ca/Living/9281.aspx?N=770+9252

This link provides resources for parents on childcare, finances and registration of birth.

Programs and Services for Youth:

http://www.programs.alberta.ca/Living/678.aspx?N=770+177

This link provides resources on youth programs and services (4-H Clubs of Alberta, B-Free - Stand Up and Stop Bullying, Get Web Wise and Young Workers); Online Services (high school transcripts), Financial Resources (scholarship, bursary and grant programs), Licensing and Registration (social insurance number, learner's permit, driver's licence).

## 5. Housing

Housing and Property:

http://www.programs.alberta.ca/Living/6345.aspx?N=770+599

This link provides information on housing and property in Alberta, including information for tenants and landlords.

- Local Resources:
  - Find your local housing programs and services:

http://www.programs.alberta.ca/Living/13810.aspx?Ns=13705+13711+13738&N=770

This link provides information and links to different local and regional Housing Management Bodies in Alberta. It also provides a link to housing information specific to seniors, persons with disabilities and homeless persons. Also includes information and tips for landlords and tenants.

Find your local homeless support resources:

http://humanservices.alberta.ca/homelessness/14633.html

This link provides information on support services provided in Edmonton, Fort McMurray, Grand Prairie, Lloydminster, Red Deer, Calgary, Medicine Hat and Lethbridge.

http://humanservices.alberta.ca/homelessness/16050.html

This link provides information on funding provided to the Outreach Support Services Initiative and the Addiction and Mental Health Strategy in the communities of Calgary, Edmonton, Grande Prairie, Fort McMurray, Red Deer, Lethbridge and Medicine Hat.

## 6. Seniors

Alberta Seniors:

http://www.health.alberta.ca/seniors.html

This link provides information and links to the different programs and services to support seniors in Alberta.

http://www.programs.alberta.ca/Living/13772.aspx?Ns=13705+13715&N=770

This link provides information on financial help, health benefits, housing and rent, fraud prevention and personal safety for senior Albertans. It also provides resources for professionals to help their senior clients.

- Local Resources:
  - Find your local seniors' resources:

http://www.health.alberta.ca/seniors/contact-seniors.html

This link provides contact information for Seniors' Programs and Services; and Seniors' Information Services Offices in various regions throughout Alberta.

#### 7. Social Services

Alberta Human Services:

http://humanservices.alberta.ca/programs-and-services.html

This link provides a portal to the variety of programs and services provided by Alberta Human Services.

• Services near you:

http://humanservices.alberta.ca/services.html

This link provides a link to help you locate your local Service delivery offices, Alberta Works Centres, Child and Family Services Authorities and Employment Services.

Alberta Food Bank Network Association:

http://www.afbna.ca/kitchens/

This links to the Alberta Food Banks website and a list of associated community kitchens in different areas and regions of Alberta.

Programs and Services for Low-Income Earners:

http://www.programs.alberta.ca/Living/9498.aspx?N=770+11437

This link contains information about Alberta Works and other social assistance programs for low-income earners.

## Local Services:

Find your local food bank:

http://www.afbna.ca/foodbanks/

This link provides a list and contact details of food banks that are members of the Alberta Food Banks Network Association and partner organizations.

Find your local community non-profit and voluntary organizations:
 http://www.programs.alberta.ca/Living/9293.aspx?N=770+9301

This link provides information on initiatives which support non-profit and voluntary organizations, grant programs and information on how to register a non-profit or charity organization.

\*\*\* To find other local community and social services in your area:

1. Find Services in Your Area:

http://www.programs.alberta.ca/Maps/

This link allows you to select your city or enter your postal code to find different types of services in and around your area.

2. Find local services through this province-wide service directory of community, health, social and government services:

http://www.informalberta.ca/public/common/index ClearSearch.do

# Appendix C

# Health Link Alberta Calls for Calgary Zone

The following listing shows the town/city, number of calls and percentage where the zone was coded as Calgary (including calls from the Mental Health Helpline). Records where the town/city is unknown or where the caller chose not to give demographic information are excluded. The listing is sorted alphabetically by Town/City in ascending order.

# Calls by Town/City for the Fiscal Year 2011/2012

Town/City	# of Calls	%
Airdrie	6,752	2.5%
Aldersyde	15	0.0%
Arrowwood	46	0.0%
Balzac	115	0.0%
Banff	507	0.2%
Bearspaw	1	0.0%
Beiseker	161	0.1%
Black Diamond	285	0.1%
Blackie	128	0.0%
Bragg Creek	285	0.1%
Brant	17	0.0%
Calgary	246,284	89.5%
Canmore	1,227	0.4%
Carmangay	39	0.0%
Carseland	120	0.0%
Carstairs	564	0.2%
Cayley	81	0.0%
Champion	76	0.0%
Chestermere	2,087	0.8%
Claresholm	276	0.1%
Cluny	155	0.1%
Cochrane	2,947	1.1%
Conrich	1	0.0%
Cremona	144	0.1%
Crossfield	571	0.2%
Dalemead	14	0.0%
De Winton	540	0.2%
Dead Man's Flats	1	0.0%
Delacour	21	0.0%
Didsbury	652	0.2%
Eden Valley 216	33	0.0%
Exshaw	25	0.0%
Gleichen	103	0.0%
Harvie Heights	7	0.0%
High River	1,767	0.6%

Town/City	# of Calls	%
Hussar	64	0.0%
Irricana	235	0.1%
Kananaskis	31	0.0%
Kathyrn	24	0.0%
Keoma	37	0.0%
Lac des Arcs	6	0.0%
Lake Louise	69	0.0%
Langdon	703	0.3%
Lomond	30	0.0%
Longview	55	0.0%
Lyalta	42	0.0%
Madden	15	0.0%
Millarville	121	0.0%
Milo	36	0.0%
Morley	289	0.1%
Mossleigh	18	0.0%
Namaka	1	0.0%
Nanton	268	0.1%
Okotoks	3,168	1.2%
Parkland	2	0.0%
Priddis	161	0.1%
Redwood Meadows	129	0.0%
Rocky View	138	0.1%
Rockyford	85	0.0%
Rosebud	18	0.0%
Siksika	742	0.3%
Springbank	2	0.0%
Standard	88	0.0%
Stavely	61	0.0%
Strathmore	1,810	0.7%
Tsuu T'ina	1	0.0%
Turner Valley	264	0.1%
Vulcan	186	0.1%
Water Valley	85	0.0%
Total	275,031	100.0%

Source: Health Link Alberta

# Select Health Services

# Appendix D

# **Local Geographic Area: Banff**

# **Active Treatment Hospitals**

Designated Service Type	Name	Address
Rural Community Hospital	Mineral Springs Hospital	305 Lynx Street, Banff, T1L1H7

#### Source:

Alberta Health, November 2012

#### Note:

Active Treatment Hospitals refer to Referral Tertiary Care Hospitals, Tertiary Pediatric Hospitals, Cancer Treatment Hospitals, Pediatric Hospitals, Psychiatric Facilities, Rehabilitation Hospitals, Regional & Urban Secondary Level Care Hospitals, Rural Community Hospitals, Small Rural Community Hospitals and Designated Ambulatory Care Hospitals

# **Community Ambulatory Care Centres**

There are no Community Ambulatory Care Centres in this Local Geographic Area

#### Source:

Alberta Health, November 2012

#### Note:

Community Ambulatory Care Centres refer to Advanced Ambulatory Care Clinics, Urgent Care Centres, Basic Community Ambulatory Care Clinics and Family Care Clinics

# **Diagnostic Imaging Centres**

Name	Address
Mineral Springs Hospital	Imaging Department 305 Lynx St, Banff, T1L1H7

#### Source:

Alberta Health, November 2012

# **Community Pharmacies**

Name	Address
Banff Avenue Pharmacy	115 Banff Ave, Banff, T1L1C2
Gourlay's Pharmacy	229 Bear St, Banff, T1L1B1
Rexall #7225	317 Banff Ave, Banff, T1L1C3
Safeway Pharmacy #208	318 Marten St, Banff, T1L1B4

#### Source:

Alberta Health, November 2012

# **Medical Laboratories**

Name	Address
Banff Mineral Springs Hospital	Laboratory 305 Lynx St, Banff, T1L1H7

#### Source:

Alberta Health, November 2012

# **Family Physician Offices**

Name	Address
Alpine Medical Clinic	211 Bear St Suite 201A, Banff, T1L1J8
Bear Street Family Physicians	220 Bear St Unit 302, Banff, T1L1H6
Lake Louise Medical Clinic	200 Hector, Lake Louise, T0L1E0
Sunshine Village Infirmary	Ski Patrol On The Mountain, Banff, T1L1C1

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Data, Alberta Health, November 2012 College of Physicians and Surgeons of Alberta, April 2013

#### Note:

The Family Physician Office information is based on available Alberta Health data and College of Physicians and Surgeons of Alberta (CPSA) information. The most current contact information for physicians can be found on the CPSA website at <a href="https://www.cpsa.ab.ca">www.cpsa.ab.ca</a>