

Alberta Health

Standards for Artificial Tanning Facility Signage

January 2018



Department	Alberta Health (AH)
Title	<i>Standards for Artificial Tanning Facility Signage</i>
Author	Public Health and Compliance
Authority	<i>Skin Cancer Prevention (Artificial Tanning) Act</i> <i>Artificial Tanning Regulation</i>
Effective Date	January 1, 2018
Superseded Documents	
Contact	The <i>Standards for Artificial Tanning Facility Signage</i> can be found on the Government of Alberta website: https://open.alberta.ca/publications/9781460136201 For general information, call AH Central Reception at 780-427-7164 and your call will be directed to the appropriate personnel.
ISBN	Online <978-1-4601-3620-1>

Required Signage and Dimensions

1.0 Entrance Sign

An entrance sign, referred to in section 4(2)(a) of the Regulation, must be exactly 12.7cm by 12.7cm (5 inches by 5 inches), be printed in colour, and have the same form, content and colour as the following:



2.0 Point of Sale Sign Facing Customers

A sign facing customers displayed at each point of sale, referred to in section 4(2)(b) of the Regulation, must be exactly 12.7cm by 12.7cm (5 inches by 5 inches), be printed in colour, and have the same form, content and colour as the following:



3.0 Point of Sale Sign Facing Employees

A sign facing employees displayed at each point of sale, referred to in section 4(2)(c) of the Regulation, must be exactly 12.7cm by 12.7cm (5 inches by 5 inches), be printed in colour, and have the same form, content and colour as the following:



4.0 Health Warning Sign

A health warning sign referred to in section 4(2)(d) of the Regulation must be exactly 21.6cm by 35.5cm (8.5 inches by 14 inches), be printed in colour, and have the same form, content and colour as the following:

