

SCHEDULE 1

**WATER CONSERVATION OBJECTIVE ("WCO")
(REACH 2: HIGHWOOD RIVER CONFLUENCE TO CARSELAND WEIR)**

For the purpose of Water Conservation Objective, the following procedure should be used to calculate the river flow in this reach:
(WSC Station 05BH Bow River at Calgary + 05BJ001 Elbow River Below Glenmore Dam + 05BK001 Fish Creek Near Priddis
- 05BM015 WID Canal Near Headgates + 05BL024 Highwood Near the Mouth)

Up-to-date water flow information is available most of the year at Alberta Environment's website:
<https://rivers.alberta.ca>

UNITS: CUBIC METRES PER SECOND (CMS)

WCO Values for Various Natural Flows for the Week Beginning On

Natural Flow	Jan 01	Jan 08	Jan 15	Jan 22	Jan 29	Feb 05	Feb 12	Feb 19	Feb 26	Mar 05	Mar 12	Mar 19	Mar 26
1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
5	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
15	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
20	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
25	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
30	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
35	35.0	35.0	34.5	34.4	34.3	34.2	34.4	35.0	35.0	35.0	35.0	35.0	35.0
40	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	40.0	40.0	40.0
45	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	41.0	43.6	45.0
50	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	41.0	43.6	46.3
55	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	41.0	43.6	46.3
60	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	41.0	43.6	46.3
65	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	41.0	43.6	46.3
70	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	41.0	43.6	46.3
75	36.2	35.2	34.5	34.4	34.3	34.2	34.4	36.0	37.6	39.3	41.0	43.6	46.3
80	36.2	36.0	36.0	36.0	36.0	36.0	36.0	36.0	37.6	39.3	41.0	43.6	46.3
85	38.3	38.3	38.3	38.3	38.3	38.3	38.3	38.3	38.3	39.3	41.0	43.6	46.3
90	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	41.0	43.6	46.3
95	42.8	42.8	42.8	42.8	42.8	42.8	42.8	42.8	42.8	42.8	42.8	43.6	46.3
100	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	46.3
110	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5
120	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
130	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5
140	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0
150	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5
160	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0
170	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
180	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0
190	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5
200	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0
220	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
240	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0
260	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0
280	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0
300	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0
320	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0
340	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0
360	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0
380	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0
400	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0
450	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5
500	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0
550	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5
600	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0
650	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5
700	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0
750	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5
800	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0
850	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5
900	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0

SCHEDULE 1

**WATER CONSERVATION OBJECTIVE ("WCO")
(REACH 2: HIGHWOOD RIVER CONFLUENCE TO CARSELAND WEIR)**

For the purpose of Water Conservation Objective, the following procedure should be used to calculate the river flow in this reach:
(WSC Station 05BH Bow River at Calgary + 05BJ001 Elbow River Below Glenmore Dam + 05BK001 Fish Creek Near Priddis
- 05BM01s WID Canal Near Headgates + 05BL024 Highwood Near the Mouth)

Up-to-date water flow information is available most of the year at Alberta Environment's website:
<https://rivers.alberta.ca>

UNITS: CUBIC METRES PER SECOND (CMS)

WCO Values for Various Natural Flows for the Week Beginning On																
Natural Flow	Apr 02	Apr 09	Apr 16	Apr 23	Apr 30	May 07	May 14	May 21	May 28	Jun 04	Jun 11	Jun 18	Jun 25	Jul 02	Jul 09	Jul 16
1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
5	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
15	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
20	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
25	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
30	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
40	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0
45	45.0	45.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
50	50.0	50.0	48.4	48.4	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
55	55.0	55.0	50.6	48.4	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
60	60.0	60.0	60.0	52.8	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
65	65.0	65.0	65.0	57.2	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
70	70.0	70.0	70.0	63.8	48.4	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
75	75.0	75.0	75.0	63.8	48.4	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
80	80.0	80.0	80.0	66.0	50.6	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
85	85.0	85.0	85.0	68.2	55.0	46.2	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
90	90.0	90.0	90.0	70.4	61.6	48.4	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
95	93.5	93.5	93.5	77.0	61.6	48.4	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
100	93.5	93.5	93.5	93.5	66.0	50.6	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
110	93.5	93.5	93.5	93.5	70.4	52.8	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5
120	93.5	93.5	93.5	93.5	88.0	57.2	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
130	93.5	93.5	93.5	93.5	93.5	61.6	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5
140	93.5	93.5	93.5	93.5	93.5	68.2	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0
150	93.5	93.5	93.5	93.5	93.5	70.4	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5
160	93.5	93.5	93.5	93.5	93.5	72.6	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0
170	93.5	93.5	93.5	93.5	93.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
180	93.5	93.5	93.5	93.5	93.5	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0
190	93.5	93.5	93.5	93.5	93.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5
200	93.5	93.5	93.5	93.5	93.5	93.5	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0
210	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5
220	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
230	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5
240	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0
250	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5	112.5
260	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0
270	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5
280	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0
290	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5	130.5
300	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0
310	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5	139.5
320	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0
330	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5	148.5
340	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0
350	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5
360	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0
370	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5	166.5
380	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0
390	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5	175.5
400	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0
425	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3	191.3
450	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5
475	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8	213.8
500	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0
525	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3	236.3
550	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5
575	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8	258.8
600	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0
650	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5
700	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0
750	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5
800	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0
850	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5
900	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0
950	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5	427.5
1000	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0	450.0
1100	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0	495.0
1200	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0	540.0
1300	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0	585.0
1400	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0	630.0
1500	675.0	675.0	675.0	675.0												

SCHEDULE 1

**WATER CONSERVATION OBJECTIVE ("WCO")
(REACH 2: HIGHWOOD RIVER CONFLUENCE TO CARSELAND WEIR)**

For the purpose of Water Conservation Objective, the following procedure should be used to calculate the river flow in this reach:
(WSC Station 05BH Bow River at Calgary + 05BJ001 Elbow River Below Glenmore Dam + 05BK001 Fish Creek Near Priddis
- 05BM015 WID Canal Near Headgates + 05BL024 Highwood Near the Mouth)

Up-to-date water flow information is available most of the year at Alberta Environment's website:
<https://rivers.alberta.ca>

UNITS: CUBIC METRES PER SECOND (CMS)

Natural Flow	WCO Values for Various Natural Flows for the Week Beginning On							
	Nov 05	Nov 12	Nov 19	Nov 26	Dec 03	Dec 10	Dec 17	Dec 24
1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
5	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
15	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
20	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
25	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
30	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
40	40.0	40.0	40.0	40.0	40.0	40.0	38.4	37.3
45	45.0	45.0	45.0	45.0	43.5	40.3	38.4	37.3
50	50.0	50.0	49.9	46.8	43.5	40.3	38.4	37.3
55	53.0	52.7	49.9	46.8	43.5	40.3	38.4	37.3
60	53.0	52.7	49.9	46.8	43.5	40.3	38.4	37.3
65	53.0	52.7	49.9	46.8	43.5	40.3	38.4	37.3
70	53.0	52.7	49.9	46.8	43.5	40.3	38.4	37.3
75	53.0	52.7	49.9	46.8	43.5	40.3	38.4	37.3
80	53.0	52.7	49.9	46.8	43.5	40.3	38.4	37.3
85	53.0	52.7	49.9	46.8	43.5	40.3	38.4	38.3
90	53.0	52.7	49.9	46.8	43.5	40.5	40.5	40.5
95	53.0	52.7	49.9	46.8	43.5	42.8	42.8	42.8
100	53.0	52.7	49.9	46.8	45.0	45.0	45.0	45.0
110	53.0	52.7	49.9	49.5	49.5	49.5	49.5	49.5
120	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
130	58.5	58.5	58.5	58.5	58.5	58.5	58.5	58.5
140	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0
150	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5
160	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0
170	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
180	81.0	81.0	81.0	81.0	81.0	81.0	81.0	81.0
190	85.5	85.5	85.5	85.5	85.5	85.5	85.5	85.5
200	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0
220	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
240	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0
260	117.0	117.0	117.0	117.0	117.0	117.0	117.0	117.0
280	126.0	126.0	126.0	126.0	126.0	126.0	126.0	126.0
300	135.0	135.0	135.0	135.0	135.0	135.0	135.0	135.0
320	144.0	144.0	144.0	144.0	144.0	144.0	144.0	144.0
340	153.0	153.0	153.0	153.0	153.0	153.0	153.0	153.0
360	162.0	162.0	162.0	162.0	162.0	162.0	162.0	162.0
380	171.0	171.0	171.0	171.0	171.0	171.0	171.0	171.0
400	180.0	180.0	180.0	180.0	180.0	180.0	180.0	180.0
450	202.5	202.5	202.5	202.5	202.5	202.5	202.5	202.5
500	225.0	225.0	225.0	225.0	225.0	225.0	225.0	225.0
550	247.5	247.5	247.5	247.5	247.5	247.5	247.5	247.5
600	270.0	270.0	270.0	270.0	270.0	270.0	270.0	270.0
650	292.5	292.5	292.5	292.5	292.5	292.5	292.5	292.5
700	315.0	315.0	315.0	315.0	315.0	315.0	315.0	315.0
750	337.5	337.5	337.5	337.5	337.5	337.5	337.5	337.5
800	360.0	360.0	360.0	360.0	360.0	360.0	360.0	360.0
850	382.5	382.5	382.5	382.5	382.5	382.5	382.5	382.5
900	405.0	405.0	405.0	405.0	405.0	405.0	405.0	405.0