

Change highlights: Overhead power lines and electrical utility workers – Parts 17 and 40 in the OHS Code

OHS information for work site parties

This bulletin introduces changes in Parts 17 and 40 of the [Occupational Health and Safety \(OHS\) Code](#).

IMPORTANT

This is an overview of updates effective March 31, 2023. Consult the law directly to make sure you comply with all applicable requirements.

KEY INFORMATION

- Part 17 addresses safe work procedures to prevent contact with overhead power lines. Part 40 contains provisions related to safety of electrical utility workers.
- The term “safe limit of approach distance” refers to a safe working distance from overhead power lines to prevent power line contacts.
- Requirements in Parts 17 and 40 have not changed. However, the provisions have been revised to clarify work site party responsibilities and be easier to understand.

Changes to Parts 17 and 40

Notification of work near overhead power lines

The requirement for employers to notify an overhead power line’s owner before work is done or equipment is operated near it remains unchanged. However, revised wording now clarifies that employers must notify the applicable “electric utility, rural electrification association, or industrial power producer.” Previous wording did not reflect the fact that not all power lines are owned by electrical utilities.

The definition of “rural electrification association” has been updated to clarify that it applies to Part 17 as well as Part 40.

Revised wording specifies that in addition to the employer, workers are also responsible for maintaining safe limit of approach distances listed in Schedule 4 of the OHS Code when working near an overhead power line. This change was made in alignment with the OHS Act’s stipulation that workers must take reasonable care to protect their health and safety.

For clarity, Part 17 now omits the word “energized” when describing overhead power lines and related legislative requirements that apply to them. All overhead power lines must be assumed to be energized, in accordance with the utility industry’s standards.

Updated standard reference

The reference to the Alberta Electrical and Communication Utility Code has been replaced. The new reference to CAN/ULC-S801-14, *Standard on Electric Utility Workplace Electrical Safety for Generation, Transmission, and Distribution* is referenced to align with the standard the electrical utility industry already follows.

Safe limit of approach distances exemption

The exemption to the provisions of Section 225 in Part 17 (relating to safe limit of approach distances) has been reworded to clarify that it applies to any utility worker who is working in accordance with the CAN/ULC-S801-14 standard (see above).

Contact us

OHS Contact Centre

Anywhere in Alberta

- 1-866-415-8690

Edmonton and surrounding area

- 780-415-8690

Deaf or hard of hearing (TTY)

- 1-800-232-7215 (Alberta)
- 780-427-9999 (Edmonton)

Notify OHS of health and safety concerns

alberta.ca/file-complaint-online.aspx

Call the OHS Contact Centre if you have concerns that involve immediate danger to a person on a work site.

Report a workplace incident to OHS

alberta.ca/ohs-complaints-incidents.aspx

Website

alberta.ca/ohs

Get copies of the OHS Act, Regulation and Code

Alberta King's Printer

alberta.ca/alberta-kings-printer.aspx

OHS

alberta.ca/ohs-act-regulation-code.aspx

For more information

CSA Standards (free account required)

community.csagroup.org/login.jspa

OHS Code review

alberta.ca/ohs-code-review.aspx

© 2023 Government of Alberta

This material is for information only. The information provided in this material is solely for the user's information and convenience and, while thought to be accurate and functional, it is provided without warranty of any kind. Neither the Crown, nor its agents, employees, or contractors, will be liable to you for any damages, direct or indirect, arising out of your use of the information contained in this material. If in doubt with respect to any information contained within this material, or for confirmation of legal requirements, please refer to the current edition of the *Occupational Health and Safety Act*, Regulation, and Code, or other applicable legislation. Further, if there is any inconsistency or conflict between any of the information contained in this material and the applicable legislative requirement, the legislative requirement shall prevail. This material is current to March 2023. The law is constantly changing with new legislation, amendments to existing legislation, and decisions from the courts. It is important that you keep yourself informed of the current law. This material, including copyright and marks under the *Trademarks Act* (Canada), is owned by the Government of Alberta and protected by law. This publication is issued under the Open Government Licence – Alberta. For details on the terms of this licence and commercial or non-commercial use of any materials in this publication, visit open.alberta.ca/licence. Note that the terms of this licence do not apply to any licensed third-party materials that may be included in this publication.

Change highlights: Overhead power lines and electrical utility workers – Parts 17 and 40 in the OHS Code

©2023 Government of Alberta | Updated March 31, 2023 | LH004

