# **Alberta Health Primary Care Network (PCN) Profiles**

# Calgary Foothills Primary Care Network

Version 1, September 2015



# **Table of Contents**

Introduction	1	.i
Primary Car	e Network (PCN) Information	1
Provincial N	ap of GP Services for the Primary Care Network2	2
Local Focus	ed Map of Select GP Services for the Primary Care Network	3
Demographi	ics	4
Table 1.1	Distribution of PCN Panel Population by Age and Gender as at March 31, 2014	4
Figure 1.1	Percentage Distribution of the PCN Panel versus All Alberta PCNs Population by Age Groups as at March 31, 2014	4
Figure 1.2	Primary Care Network Panel Population as at End of Fiscal Years 2010 – 2014	5
Socio-Econo	omic Indicators	6
Table 2.1	Population Percentage of First Nations with Treaty Status and Inuit as at March 31, 2014	6
Chronic Dise	ease Prevalence	7
Figure 3.1	PCN Panel Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2009/2010 – 2013/2014 (Chronic Obstructive Pulmonary Disease, Diabetes, Hypertension, Ischemic Heart Disease)	7
Figure 3.2	PCN Panel versus Alberta PCNs Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2013/2014 (Chronic Obstructive Pulmonary Disease, Diabetes, Hypertension, Ischemic Heart Disease)	8
Maternal and	d Child Health	Э
Table 4.1	PCN Panel Maternal and Child Health Indicators for Three-Year Period (Number of Births, Percent of Low/High Birth Weight, Birth Rate, Fertility Rate, Teen Birth Rate, Percent Maternal Prenatal Smoking)	9
Inpatient Se	rvice Utilization10	0
Table 5.1	Inpatient Separation Rates (per 1,000 population) for the PCN Panel versus Alberta PCNs Panel, Fiscal Years 2011/2012 – 2013/2014	0
Figure 5.1	PCN Panel Age-Standardized Inpatient Separation (IP Sep) Rates (per 100,000 population) for Selected Conditions, 2009/2010 – 2013/2014 (Asthma, Diabetes, Influenza, Ischemic Heart Diseases, Mental and Behavioural Disorders due to Psychoactive Substance Use, Pneumonia, Pulmonary Heart and Pulmonary Circulation Diseases)	0
Figure 5.2	PCN Panel versus Alberta PCNs Age-Standardized IP Sep Rates (per 100,000 population), for Selected Conditions, 2013/2014 (Asthma, Diabetes, Influenza, Ischemic Heart Diseases, Mental and Behavioural Disorders due to Psychoactive Substance Use, Pneumonia, Pulmonary Heart and Pulmonary Circulation Diseases)	1

Appendix A – Definitions	. 12
Appendix B – PCN Panel Distribution by Municipality (Top 30)	. 16

#### Note:

Qualifiers such as 'higher than', 'much lower than', 'similar to' etc. are used throughout the PCN profile to compare Primary Care Network (PCN) indicator values to the provincial PCN panel average. Note that the qualifiers 'similar' and 'comparable' are chosen to describe situations in which the PCN indicator value is either identical or very close to the provincial PCN average. For further details on these qualifiers please refer to Appendix A.

## Sugested Citation:

Alberta Health Primary Health Care – Primary Care Network (PCN) Profiles: [insert PCN name], Version 1, September 2015

#### INTRODUCTION

The Primary Health Care Strategy has three strategic directions: enhancing the delivery of care, cultural change, and building blocks for change. Primary health care services in Alberta are delivered in a variety of settings and by a range of providers. Current primary health care models in Alberta include: primary care networks, stand-alone physician clinics, community health centres, urgent-care centres, community ambulatory care centres, medicentres, and university health centres. Primary Care Networks (PCNs) provide an entry point into the health care system and link individuals to medical services and social and community supports.

To assist the PCNs with primary health care planning, Alberta Health has developed a series of reports to provide a broad range of demographic, socio-economic and population health statistics considered relevant to primary health care for communities across the province. There are 42 PCNs across the province and the Alberta Health "PCN Profile" reports provide information for each of the 42 PCNs in Alberta.

The PCN Profiles (Profiles) are intended to highlight areas of need and provide relevant information to support the consistent and sustainable planning of primary health care services. Each Profile offers an overview of the current health status of paneled patient in the PCN, indicators of the PCN's current and future health needs, and evidence as to which quality services are needed on a timely and efficient basis to address the PCN's needs.

Each report includes sections that present panel level information. In addition, the Profile includes Appendices containing definitions and the PCN panel patients' geographic distribution by Municipality.

For more information contact *primaryhealthcare@gov.ab.ca* 

© 2015 Government of Alberta i

Alberta Health, Primary Health Care Primary Care Network: Calgary Foothills Primary Care Network

#### Note:

Various data sources are used to compile the PCN Profiles. The Profiles are developed through the collaboration of Primary Health Care, Health Analytics in Alberta Health and Alberta Health Services.

#### **Contributors:**

Jennifer Bian, Health Analytics, Alberta Health Katherine Lyman, Health Analytics, Alberta Health Dan Metes, Health Analytics, Alberta Health Mengzhe Wang, Health Analytics, Alberta Health Ade A Davies, Primary Health Care, Alberta Health Candy Gregory, Primary Health Care, Alberta Health

Nicola Brooks, Alberta Health Services Nana Gyennin, Alberta Health Services Judith Krajnak, Alberta Health Services Caroline McAuley, Alberta Health Services Judy Seidel, Alberta Health Services

Erik Ellehoj, Geographer

© 2015 Government of Alberta ii

# Primary Care Network (PCN) Information


This section contains information (demographics, First Nations/Inuit population proportion, maternal and child health rates, chronic disease prevalence, and inpatient service utilization) presented at both the individual PCN Panel and the Provincial PCN Panel. As of 2013/2014 there are 42 active PCNs in Alberta. The population of these PCNs varies from very small (~4k) to very large (~360k).


# Map Descriptions:

**The provincial view map** depicts the distribution of PCN panel patient GP services by postal code at the level of the whole province. The hexagons capture GP services to panel patients residing at all postal codes within the hexagon area.

The local view map depicts the distribution of PCN panel patient GP services by postal code for the core service area near PCN facilities. The local view maps are calculated by drawing a 2 km circle around every postal code and aggregating the data for all postal codes that fall within each circle. In rural areas, the population of postal codes is aggregated to towns with post offices and therefore the circles represent the town and surrounding rural population together.

In both maps, PCN facilities (only those where GP services from panel patients were reported during the report timeframe) are represented through red dots. The number of patient panel GP services is captured though shades of grey or blue, where intensity of services increases from light grey (lowest) and dark grey, to lighter blue and darker blue (highest). Local geographic area boundaries (132 Alberta subdivisions identical to the ones used in the Community Profiles: <a href="http://www.health.alberta.ca/services/PHC-community-profiles.html">http://www.health.alberta.ca/services/PHC-community-profiles.html</a>) depicted with lines, municipality names (black text) and lakes (light blue) are also provided as reference features.





#### **DEMOGRAPHICS**


Table 1.1 shows the population distribution of the Primary Care Network (PCN) patient panel broken down by age group and gender, for the most recent fiscal year available. Specific age groups have been identified. Children under the age of one were defined as infants, while the pediatric age group includes all minors excluding infants. People with no age information available were categorized as unknown.

**TABLE 1.1** Distribution of PCN Panel<sup>1</sup> Population by Age and Gender As at March 31, 2014

Primary Care Network Panel Population						
Age Group	Female	Male	Total			
Infants: Under 1	2,204	2,235	4,439			
Pediatric: 1-17	35,105	36,720	71,825			
18-34	44,244	36,300	80,544			
35-64	82,923	75,033	157,956			
65-79	17,899	16,047	33,946			
80 & Older	7,637	5,017	12,654			
Unknown	1	1	2			
Total	190,013	171,353	361,366			

Figure 1.1 profiles the panel population distribution by age group for both the PCN and all PCNs in Alberta, for the most recent fiscal year available.


FIGURE 1.1 Percentage Distribution of the PCN Panel versus All Alberta PCNs Population



.

The population counts for each year between 2010 and the most recent fiscal year are provided in Figure 1.2.

FIGURE 1.2 Primary Care Network Panel Population<sup>2</sup> Covered as at End (i.e. Mar 31) of Fiscal Years 2010 - 2014



The population of Calgary Foothills Primary Care Network increased by 16.8% between 2010 and 2014. A low of 309,441 individuals was reported in 2010 and a peak of 361,366 people was reported in 2014.

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health Primary Care Network (PCN) Patient Panel File, Alberta Health

<sup>&</sup>lt;sup>1</sup> Patient panel derived based on four-cut methodology.

<sup>&</sup>lt;sup>2</sup> Population might be missing during early years due to some PCNs being established later on. See Appendix A for details.

Alberta Health, Primary Health Care Primary Care Network: Calgary Foothills Primary Care Network

Primary Care Network: Calgary Foothills Primary Care Network

#### **SOCIO-ECONOMIC INDICATORS**

Tables 2.1 present information regarding First Nation and Inuit populations for both the PCN panel as well as all PCNs in Alberta. This information is presented as percentages.

TABLE 2.1 Population Percentage of First Nations with Treaty Status<sup>1</sup> and Inuit as at March 31, 2014

First Nations with Treaty Status and Inuit Population				
	Calgary Foothills Primary Care Network	Alberta PCNs		
Percent of Population that is First Nations or Inuit	0.7%	2.8%		

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry Files, Alberta Health Primary Care Network (PCN) Patient Panel File, Alberta Health


<sup>&</sup>lt;sup>1</sup> See Appendix A for definition.

<sup>&</sup>lt;sup>2</sup> Patient panel derived based on four-cut methodology. See Appendix A for details.

#### **CHRONIC DISEASE PREVALENCE**

Figure 3.1 displays the rates per 100 population of the select chronic diseases in the PCN patient panel. The prevalence rates refer to the number of diagnosed individuals at a given time and have been standardized by age.


**FIGURE 3.1** PCN Panel Age-Standardized Chronic Disease Prevalence Rates<sup>1,2,3</sup> (per 100 population) 2009/2010 - 2013/2014



On average, the condition with the highest chronic disease prevalence rate reported for Calgary Foothills Primary Care Network during 2009/2010 to 2013/2014 was hypertension. In 2013/2014, Calgary Foothills Primary Care Network ranked number 40 in hypertension, number 39 in diabetes, number 42 in ischemic heart disease and number 40 in COPD among prevalence rates reported for the 42 Primary Care Networks (PCNs).

Figure 3.2 depicts the 2013/2014 age-standardized prevalence rate for select major chronic diseases, per 100 population, for both the PCN panel and Alberta PCNs.

FIGURE 3.2 PCN Panel versus Alberta PCNs Age-Standardized Chronic Disease Prevalence Rates (per 100 population), 2013/2014



Age-Standardized Prevalence Rates (per 100 population)

In 2013/2014, the Calgary Foothills Primary Care Network prevalence rate for hypertension per 100 population was 0.9 times lower than the corresponding rate reported for the provincial PCNs (14.5 vs. 15.8 AB PCNs). In addition, Calgary Foothills Primary Care Network showed prevalence rates higher than the provincial PCN rates for none of the 4 chronic diseases included above.

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Physician Claims Data, Alberta Health
Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health
Alberta Hospital Discharge Abstract Database (DAD), Alberta Health
Primary Care Network (PCN) Patient Panel File, Alberta Health
Census 1991 Population Data, Statistics Canada

<sup>&</sup>lt;sup>1</sup> Age-standardized prevalence rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

<sup>&</sup>lt;sup>2</sup> Patient panel derived based on four-cut methodology. See Appendix A for details.

<sup>&</sup>lt;sup>3</sup> Population might be missing during early years due to some PCNs being established later on. See Appendix A for details.

#### MATERNAL AND CHILD HEALTH

Table 4.1 highlights maternal and child health indicators such as birth weight, fertility rate, teen birth rate and prenatal smoking for the PCN panel and Alberta PCNs. The indicator information is presented as rates, percentages, or raw numbers, depending on the indicator.

TABLE 4.1 PCN Panel<sup>2</sup> Maternal and Child Health Indicators<sup>3</sup> for Three-Year Period

Maternal and Child Health Indicators	Period	Calgary Foothills Primary Care Network	Alberta PCNs
Number of Births		13,963	129,078
Percent Low Birth Weights (of Live Births) <sup>1</sup> , less than 2500 gm		6.9%	6.7%
Percent High Birth Weights (of Live Births) <sup>1</sup> , greater than 4000 gm		7.8%	9.8%
Birth Rate (per 1,000 population) <sup>1</sup>	2009/2010 - 2011/2012	25.4	28.6
Fertility Rate (per 1,000 Women 15 to 49 Years) <sup>1</sup>		50.7	56.5
Teen Birth Rate (per 1,000 Women 15 to 19 Years)		7.4	18.0
Percent of Deliveries with Maternal Prenatal Smoking		7.3%	14.9%

During 2009/2010 to 2011/2012, Calgary Foothills Primary Care Network 's birth rate of 25.4 per 1,000 women was lower than the provincial PCN rate, and the teen birth rate of 7.4 per 1,000 was lower than Alberta's PCN teen birth rate. In addition, a lower proportion of prenatal smoking cases were reported compared to the province (7.3% vs. 14.9% AB PCNs).

#### Sources:

Alberta Hospital Discharge Abstract Database (DAD), Alberta Health Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health Alberta Vital Statistics Births File

Primary Care Network (PCN) Patient Panel File, Alberta Health

<sup>&</sup>lt;sup>1</sup> See Appendix A for definition.

<sup>&</sup>lt;sup>2</sup> Patient panel derived based on four-cut methodology. See Appendix A for details.

<sup>&</sup>lt;sup>3</sup> Some PCNs do not have indicator values for this section due to the PCN being established after 2011/2012. See Appendix A for details.

#### INPATIENT SERVICE UTILIZATION

Table 5.1 describes inpatient separation<sup>1</sup> rates per 1,000 population for the PCN and Alberta PCNs patients accessing health facilities across all of Alberta. The rate of inpatient separations is the ratio between the total number of separations and the total panel population, for each year.


**TABLE 5.1** Inpatient Separation Rates (per 1,000 population) for the PCN Panel<sup>2</sup> vs. Alberta PCNs Panel 2011/2012 - 2013/2014

Inpatient Separation Rates (per 1,000 population) <sup>3</sup>				
Fiscal Years	Calgary Foothills Primary Care Network	Alberta PCNs		
2011/2012	77.5	95.6		
2012/2013	76.7	93.5		
2013/2014	78.9	92.8		

Calgary Foothills Primary Care Network 's inpatient separation rate for panel patients in this PCN varied between 76.7 in 2012/2013 and 78.9 in 2013/2014. In addition, in 2013/2014, the inpatient separation rate for patients in the Calgary Foothills Primary Care Network panel was 0.9 times lower than the provincial PCN rate (78.9 vs. 92.8 AB PCNs).

Figure 5.1 presents inpatient separation PCN panel rates for select health conditions (per 100,000 population), for the fiscal years 2009/2010 through 2011/2012. The rates have been standardized by age.


**FIGURE 5.1** PCN Panel Age-Standardized<sup>3,4</sup> Inpatient Separation (IP Sep) Rates (per 100,000 population) For Selected Conditions, 2009/2010 - 2013/2014



On average, the highest inpatient separation rates, among select health conditions, reported in Calgary Foothills Primary Care Network during 2009/2010 to 2013/2014 were due to ischemic heart diseases. These rates reached a high of 180.3 per 100,000 population in 2009/2010 and a low of 148.8 per 100,000 population in 2013/2014.

Figure 5.2 presents inpatient separation rates per 100,000 population for panel patients in the PCN, compared to provincial PCN rates, for the most recent fiscal year and select health conditions.

**FIGURE 5.2** PCN Panel versus Alberta PCNs Age-Standardized IP Sep Rates (per 100,000 population) For Select Conditions, 2013/2014



Age-Standardized IP Sep Rates (per 100,000 population)

In 2013/2014, the three highest inpatient separation rates were reported for ischemic heart diseases, pneumonia, and mental & behavioural disorders due to psychoactive substance use. The most common reason for inpatient separations in Calgary Foothills Primary Care Network panel was ischemic heart diseases, which had a much lower rate compared to the provincial PCN rate per 100,000 population (148.8 vs. 210.2 AB PCNs). Additionally, Calgary Foothills Primary Care Network 's inpatient separation rates were higher than the provincial rates for none of the 7 diagnoses.

#### Sources:

Alberta Hospital Discharge Abstract Database (DAD), Alberta Health

Alberta Health Care Insurance Plan (AHCIP) Quarterly Population Registry Files, Alberta Health Primary Care Network (PCN) Patient Panel File, Alberta Health

Census 1991 Population Data, Statistics Canada

**Notes:** <sup>1</sup> See Appendix A for definition.

- <sup>2</sup> Patient panel derived based on four-cut methodology. See Appendix A for details.
- <sup>3</sup> Population might be missing during early years due to some PCNs being established later on. See Appendix A for details.
- <sup>4</sup> Age-standardized rates are adjusted using the direct method of standardization, with weights from Statistics Canada's 1991 census population.

Definitions Appendix A

## **Age Standardization**

Age standardization is a technique applied to make rates comparable across groups with different age distributions. A simple rate is defined as the number of people with a particular condition divided by the whole population. An age-standardized rate is defined as the number of people with a condition divided by the population within each age group. Standardizing (adjusting) the rate across age groups allows a more accurate comparison between populations that have different age structures. Age standardization is typically done when comparing rates across time periods, different geographic areas, and or population sub-groups (e.g. ethnic group).

#### **Birth Rate**

The birth rate is the number of live births, of a given geographic area in a given year, per 1,000 population of the same geographic area in the same year. (Statistics Canada)

#### **Chronic Obstructive Pulmonary Disease (COPD)**

The population aged 35 and over who reported being diagnosed by a health professional with chronic bronchitis, emphysema or COPD. (Statistics Canada, Canadian Community Health Survey)

COPD is a progressive disease that makes it hard to breathe. It can cause coughing that produces large amounts of mucus, wheezing, shortness of breath, chest tightness, and other symptoms. Cigarette smoking is the leading cause of COPD. Most people who have COPD smoke or used to smoke. Long-term exposure to other lung irritants (such as air pollution, chemical fumes, or dust) also may contribute to COPD.

#### **Fertility Rate**

The fertility rate is the number of live births per 1,000 women of reproductive age (15 - 49 years) in a population per year. This is a more standardized way to measure fertility in a population than birth rate because it accounts for the percentage of women of reproductive age. (Statistics Canada)

#### **First Nations with Treaty Status**

First Nation is a term that came into common usage in the 1970s to replace the word "Indian". Although the term First Nation is widely used, no legal definition of it exists. Among its uses, the term "First Nations people" refers to the Indian people in Canada, both Status and non-Status.

Starting in 1701, the British Crown entered into solemn treaties to encourage peaceful relationships between First Nations and non-Aboriginal people. Over the next several centuries, treaties were signed to define, among other things, the respective rights of Aboriginal people and governments to use and enjoy lands that Aboriginal people traditionally occupied. The Government of Canada and the courts understand treaties between the Crown and Aboriginal people to be solemn agreements

that set out promises, obligations and benefits for both parties. (Aboriginal Affairs and Northern Development Canada)

#### **Four Cut Methodology**

The Four Cut Funding Methodology is a way of assigning patients to one primary care provider in the province. All patients who have visited a family physician (or pediatrician or nurse practitioner in select circumstances) are assigned to a patient list for that physician. These patients are called enrollees. The application of the Four Cut Funding Methodology only permits patients or enrollees to be counted once even if they have seen multiple physicians.

A patient is added to the physician list in the following manner:

- 1. Single physician A patient visiting a single physician is assigned to that physician.
- 2. Most visited physician The remaining patients who have seen more than one physician are assigned to the physician they visited most frequently.
- 3. Physical exam If the remaining patients have seen two physicians the same number of times, then they are assigned to the physician who completed the last physical exam.
- 4. Last physician If the remaining patients have seen two physicians the same number of times and have not received a physical exam, then they are assigned to the physician who saw them last.

These patient enrollee lists are calculated twice a year – April 1 and October 1 – and payments based on the calculations are sent to each PCN. Each PCN also receives a report twice a year after the calculation and data run are completed, providing specific information on the PCN's population.

#### **High Birth Weight**

Birth weight is the body weight of a baby at its birth. High birth weight is defined as live births with a weight of 4,500 grams or more, expressed as a percentage of all live births with known weight (Statistics Canada, Vital Statistics, Birth Database)

#### **Hospitalization Rate**

The hospitalization rate is the age-standardized rate of acute care hospitalization, per 100,000 population. (Canadian Institute for Health Information)

#### Inpatient

An inpatient is an individual who has been officially admitted to a hospital for the purpose of receiving one or more health services. (Canadian Institute for Health Information: MIS Standards 2011)

#### **Inpatient Separations (Seps)**

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice, or transfer. The number of separations is the most commonly used measure of the utilization of hospital services. Separations, rather than admissions, are used because hospital abstracts for inpatient care are based on information gathered at the time of discharge.

#### Inuit

Inuit are the Aboriginal people of Arctic Canada. As of Sept 2010, it is estimated that about 45,000 Inuit live in 53 communities in: Nunatsiavut (Labrador); Nunavik (Quebec); Nunavut; and the Inuvialuit Settlement Region of the Northwest Territories. Each of these four Inuit groups have settled land claims. These Inuit regions cover one-third of Canada's land mass. Please note that small numbers of Inuit people can be found in various other regions of Canada other than the four regions listed above.

The word "Inuit" means "the people" in the Inuit language called, Inuktitut and is the term by which Inuit refer to themselves. (Aboriginal Affairs and Northern Development Canada)

#### **Low Birth Weight**

Birth weight is the body weight of a baby at its birth. Live births less than 5.5 pounds or 2500 grams at birth are considered as babies with low birth weight. Low birth weight is a key determinant of infant survival, health, and development. (Statistics Canada, Vital Statistics, Birth Database)

#### **Prevalence Rate**

Prevalence is a measure of disease that allows us to determine a person's likelihood of having a disease. Therefore, the number of prevalent cases is the total number of cases of disease existing in a population. A prevalence rate is the total number of cases of a disease existing in a population divided by the total population. (<a href="http://www.health.ny.gov/diseases/chronic/basicstat.htm">http://www.health.ny.gov/diseases/chronic/basicstat.htm</a>)

#### **Primary Care**

Primary care is the first point of contact that people have with the health care system for medical needs requiring treatment and referral to other services as needed and is usually provided by a family physician or other health care professional.

(http://www.albertapci.ca/aboutpcns/primarycare/pages/default.aspx)

#### **Primary Care Networks (PCN) Launch Year**

The following PCNs were established after 2009/2010 which resulted in the data missing in some of the reported tables.

PCN Name	Established in the Year
Lloydminster Primary Care Network	2010/2011
Wainwright Primary Care Network	2010/2011
Peaks to Prairies Primary Care Network	2012/2013
Drayton Valley Primary Care Network	2013/2014
Grande Cache Primary Care Network	2013/2014

#### Qualifier (comparisons between indicator values)

In comparing indicators across Primary Care Network (PCN) and the Provincial PCN, this report uses qualifiers such as 'higher than', 'lower than', 'similar to', etc. These statements are based on a simple statistical comparison that determines how far apart the indicator values are on the full scale of values for the indicator. For each indicator, the standard deviation (SD) was used as the measuring stick for whether the values are "close" or "far apart". For each indicator, the distance between the PCN value and the provincial (AB) PCN value was measured as number of SDs, and the direction of the difference (plus or minus). For example, if the PCN value is two SDs above the AB PCN value, then the PCN value is said to be 'much higher' than the provincial value. The complete set of comparison criteria is given below.

Qualifier	Distance between values		
Much Lower	below -1.5 SD		
Lower	−1.5 SD <i>to</i> −0.25 SD		
Similar/Comparable	−0.25 SD <i>to</i> +0.25 SD		
Higher	+0.25 SD to +1.5 SD		
Much Higher	+1.5 SD and higher		

#### **Separation Rate**

A separation from a health care facility occurs anytime a patient (or resident) leaves because of death, discharge, sign-out against medical advice or transfer. The separation rate is the total number of inpatient separations divided by the total population.

#### **Teen Birth Rate**

The teenage live birth rate is the number of live births per 1,000 women aged 15 to 19. (E-STAT, Statistics Canada)

# Appendix B

# Calgary Foothills Primary Care Network Panel Patient Distribution by Municipality

The following listing shows the distribution of the PCN patient panel population by municipality (top 30 municipalities for the most recently available five fiscal years. The population counts might be missing during early fiscal years due to some PCNs established later on in the 5 fiscal year period examined.

MUNICIPALITY	2009/2010	2010/2011	2011/2012	2012/2013	2013/2014
CALGARY	276,247	296,654	311,844	320,501	321,779
	(89.3%)	(89.1%)	(88.6%)	(89.2%)	(89.0%)
COCHRANE	13,154	14,554	15,428	15,127	15,728
	(4.3%)	(4.4%)	(4.4%)	(4.2%)	(4.4%)
AIRDRIE	4,420	4,749	5,227	5,746	6,148
	(1.4%)	(1.4%)	(1.5%)	(1.6%)	(1.7%)
EDMONTON	1,144	1,390	1,789	1,828	1,857
	(0.4%)	(0.4%)	(0.5%)	(0.5%)	(0.5%)
CHESTERMERE	1,446	1,506	1,609	1,599	1,654
	(0.5%)	(0.5%)	(0.5%)	(0.4%)	(0.5%)
OKOTOKS	784	866	905	892	882
	(0.3%)	(0.3%)	(0.3%)	(0.2%)	(0.2%)
BRAGG CREEK	707	773	903	851	684
	(0.2%)	(0.2%)	(0.3%)	(0.2%)	(0.2%)
RED DEER	394	469	541	598	644
	(0.1%)	(0.1%)	(0.2%)	(0.2%)	(0.2%)
STRATHMORE	509	558	572	606	629
- TOTTIMOTE	(0.2%)	(0.2%)	(0.2%)	(0.2%)	(0.2%)
FORT MCMURRAY	269	321	376	467	529
	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
CROSSFIELD	488	483	519	521	514
	(0.2%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
LANGDON	456	479	430	417	429
LANOBON	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
LETHBRIDGE	1,125	1,077	627	400	423
	(0.4%)	(0.3%)	(0.2%)	(0.1%)	(0.1%)
WATER VALLEY	333	368	404	379	374
WATER VALLET	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
CARSTAIRS	335	356	362	359	367
CARSTAIRS	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
CREMONA	340	359	382	348	356
CREWIONA	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
HIGH RIVER	251	294	322	333	337
IIIGITAIVER	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
DE WINTON	261	289	300	305	329
DE WINTON	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
DOCKY MOUNTAIN HOUSE	116	110	192	259	329
ROCKY MOUNTAIN HOUSE	(0.0%)	(0.0%)	(0.1%)	(0.1%)	(0.1%)

MUNICIPALITY	2009/2010	2010/2011	2011/2012	2012/2013	2013/2014
MORLEY	536	545	468	387	323
	(0.2%)	(0.2%)	(0.1%)	(0.1%)	(0.1%)
REDWOOD MEADOWS	358	356	404	372	320
	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
CANMORE	154	187	202	228	279
	(0.0%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
MEDICINE HAT	196	231	267	286	274
	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
SUNDRE	148	169	625	393	230
	(0.0%)	(0.1%)	(0.2%)	(0.1%)	(0.1%)
GRANDE PRAIRIE	112	146	203	197	220
GRANDE PRAIRIE	(0.0%)	(0.0%)	(0.1%)	(0.1%)	(0.1%)
OL DO	139	168	203	219	220
OLDS	(0.0%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
DIDODLIDY	203	204	264	231	206
DIDSBURY	(0.1%)	(0.1%)	(0.1%)	(0.1%)	(0.1%)
DOOLOG VIEW COUNTY	81	81	139	165	204
ROCKY VIEW COUNTY	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.1%)
IDDICANA	176	166	191	202	203
IRRICANA	(0.1%)	(0.0%)	(0.1%)	(0.1%)	(0.1%)
OUEDWOOD DADK	100	135	236	191	185
SHERWOOD PARK	(0.0%)	(0.0%)	(0.1%)	(0.1%)	(0.1%)
ALL OTHER MUNICIPALITIES	4,459	4,829	5,859	4,863	4,710
ALL OTHER MUNICIPALITIES	(1.4%)	(1.5%)	(1.7%)	(1.4%)	(1.3%)
TOTAL BON BORULATION	309,441	332,872	351,793	359,270	360,926
TOTAL PCN POPULATION	(100.0%)	(100.0%)	(100.0%)	(100.0%)	(100.0%)

#### Sources:

Alberta Health Care Insurance Plan (AHCIP) Annual Population Registry File, Alberta Health Primary Care Network (PCN) Patient Panel File, Alberta Health