

2011

# Handbook of Occupational Hazards and Controls for Personnel in Continuing Care Facilities

Government  
of Alberta ■



### Credits

This document has been developed by the Government of Alberta and derived as a profession-specific summary of information contained in the five volumes of Best Practices in Occupational Health and Safety in the Health Care Industry. Full text of these documents can be found at <http://www.employment.alberta.ca/SFW/6311.html>

### Copyright and Terms of Use

This material, including copyright and marks under the Trade Marks Act (Canada) is owned by the Government of Alberta and protected by law. This material may be used, reproduced, stored or transmitted for noncommercial purpose. However, Crown copyright is to be acknowledged. If it to be used, reproduced, stored or transmitted for commercial purposes, written consent of the Minister is necessary.

### Disclaimer

Information in this document is provided solely for the user's information and is provided strictly on an "as is" basis and without any warranty of any kind. The Crown, its agents, employees or contractors will not be liable for any damages, direct or indirect, or lost profits arising out of use of information provided in this document or for information provided at any of the resource sites listed in this document.

## Table of Contents

Introduction .....	3
Hazard Assessment Process .....	4
Potential Hazards and Recommended Controls .....	4
Biological Hazards and Controls .....	5
Notes about controls for biological hazards .....	6
Chemical Hazards and Controls .....	17
Notes about controls for chemical hazards .....	25
Physical Hazards and Controls .....	31
Notes about controls for physical hazards .....	34
Psychological Hazards and Controls .....	43
Notes about controls for psychological hazards .....	47
APPENDIX 1 - OHS-related Competencies for Continuing Care Personnel.....	52
APPENDIX 2 - Additional Resources .....	56
APPENDIX 3 - Learning Objectives for this Module .....	59
APPENDIX 4 - Test Your Knowledge.....	60
INDEX.....	63

# Occupational Health and Safety Hazards and Controls for Continuing Care Staff

## Introduction

As part of the Alberta Healthcare Initiative, a series of Best Practice documents were produced by Alberta Employment and Immigration – Workplace Health and Safety to better acquaint healthcare workers (HCW) with workplace hazards and appropriate control measures. Five documents have been produced; each developed with the input of a multidisciplinary stakeholder group. The documents are available on the Alberta Employment and Immigration website <http://www.employment.alberta.ca/SFW/6311.html> as follows:

*Overview of Best Practices in Occupational Health and Safety in the Healthcare Industry Vol. 1*

[http://www.employment.alberta.ca/documents/WHS/WHS-PUB\\_bp009.pdf](http://www.employment.alberta.ca/documents/WHS/WHS-PUB_bp009.pdf)

*Best Practices for the Assessments and Control of Biological Hazards Vol. 2*

[http://www.employment.alberta.ca/documents/WHS/WHS-PUB\\_bp010.pdf](http://www.employment.alberta.ca/documents/WHS/WHS-PUB_bp010.pdf)

*Best Practices for the Assessments and Control of Chemical Hazards, Vol. 3*

[http://www.employment.alberta.ca/documents/WHS/WHS-PUB\\_bp011.pdf](http://www.employment.alberta.ca/documents/WHS/WHS-PUB_bp011.pdf)

*Best Practices for the Assessments and Control of Physical Hazards, Vol. 4*

*Best Practices for the Assessments and Control of Psychological Hazards, Vol. 5*

In an effort to focus the hazard assessment and control information for specific healthcare professions, a series of short summaries of relevant information have been produced using excerpts from the five best practice documents. Readers are directed to the original documents for more details and more comprehensive information. *Please note that hyperlinks are provided to reference documents for the convenience of the reader. These links are functional at the time of first availability of this document but, due to the changing nature of web information, may not be functional at a later date. The Government of Alberta does not assume responsibility for updating hyperlinks.*

This document focuses on hazards and controls for workers in Continuing Care facilities. Much of this information may also be useful for any workers providing direct resident care in other contexts.

## Hazard Assessment Process

Continuing care personnel may be exposed to a variety of workplace hazards in the course of performing their functions. The type and degree of exposure is dependent upon a variety of individual factors including resident-related factors as well as environmental issues. A key component of a health and safety program is to identify and assess hazards and determine appropriate controls. A systematic approach to hazard assessment includes the following steps:

1. List all work-related tasks and activities.
2. Identify potential biological, chemical, physical and psychological hazards associated with each task.
3. Assess the risk of the hazard by considering the severity of consequences of exposure, the probability that the exposure will occur and the frequency the task is done.
4. Identify the controls that will eliminate or reduce the risk. The hierarchy of controls should be followed. This means that engineering controls are the most effective, followed by administrative controls (such as training and rules), and followed by personal protective equipment (PPE).
5. Implement the controls for each hazard.
6. Communicate the hazard assessments and required controls to all workers who perform the tasks.
7. Evaluate the controls periodically to ensure they are effective.

## Potential Hazards and Recommended Controls

The following charts summarize potential hazards for workers in continuing care facilities and recommended controls to reduce the risk of exposure to the hazards.

## Biological Hazards and Controls

In this section the most commonly encountered biological hazards for personnel in continuing care facilities and methods to control them are presented. Employers should carefully evaluate the potential for exposure to biohazardous materials in all tasks and ensure that they have an effective hazard control plan in place. This information will be useful for inclusion into hazard assessments. Please note, this is not designed to be an exhaustive treatment of the subject, but is rather an overview summarizing the biological hazards most frequently encountered by continuing care workers.

### Note:

The following chart provides basic information about control strategies for commonly occurring biological hazards. Administrative controls are based on the risk assessment. Worker education and good communication processes are important administrative controls. Any PPE selected must be based upon the risk assessment of the task and the environment in which it is used. All legislation related to the selection and use of controls must be followed.

Potential Hazards	Summary of Major Control Strategies		
	Engineering	Administrative	PPE
<b>Exposure to bloodborne pathogens through needle stick injuries, contaminated items and surfaces, exposure to mucous membranes</b>	Engineered needle stick prevention devices. Availability of sharps containers for disposal. Vaccines.	Compliance with all infection prevention and control practices. Immunization program. Worker education.	Gloves, protective clothing, eye and face protection.
<b>Exposure to airborne biological agents through contact with secretions from infectious residents (coughing, sneezing, etc.) or air contaminated with infectious biological agents</b>	Early detection of infection status. Isolation. Vaccines.	Compliance with all infection prevention and control practices. Immunization program. Worker education.	PPE based on the risk assessment may include eye protection, respiratory protection and other protective clothing.
<b>Exposure to droplets containing infectious biological agents through contact with resident secretions or contaminated environmental surfaces or equipment</b>	Early detection of infection status. Isolation. Vaccines.	Good housekeeping practices. Compliance with all infection prevention and control practices. Immunization program. Worker education.	PPE based on the risk assessment may include eye protection, respiratory protection and other protective clothing.
<b>Exposure to environmental biological</b>	Maintenance of ventilation	Infection prevention and control	Use of proper PPE when

<b>contaminants from ventilation systems, water or food</b>	systems. Early spill clean-up. Preventive maintenance of ventilation systems and water supply systems with regular testing to ensure proper functioning. Early detection and remediation of mould.	practices related to building maintenance and food preparation. Protocols for construction and renovation projects that reduce contamination. Worker education.	cleaning contaminated environmental surfaces, including gloves, respiratory protection, and eye protection.
---	--	---	---

### Notes about controls for biological hazards

---

Exposure to biological hazards may occur for any continuing care personnel in contact with residents, their blood, body fluids, or contaminated items. Controls include any mechanisms to reduce the potential for exposure to infectious agents and the immunization of continuing care personnel against infectious diseases to which they may be exposed.

#### *Engineering Controls*

In the hierarchy of controls, the highest level of control is directed at the source. From an occupational health perspective, the highest level of control may be immunization of workers who may come in direct contact with infected residents. Good engineering controls such as proper design and maintenance of facilities, the use of needleless systems and engineered needle stick prevention devices, and effective biological waste containment also contribute to minimizing the transmission of infectious agents. Engineering controls, once designed and implemented, are not under the control of the worker, but are directed at the source of the hazard.

#### *Safe Needle Devices*

Safe needle devices have built-in engineering features that assist in preventing injuries during and after use of the device. Examples of safe needle devices that have built-in engineering features include:

- Needleless connectors for IV delivery systems
- Protected needle IV connectors
- Needles that retract into a syringe or vacuum tube holder
- Hinged or sliding shields attached to syringes
- Self-blunting phlebotomy and winged steel needles
- Blunt tip suture needles
- Retractable finger/heel-stick lancets

While some engineered safe needle devices have been available for some time, new engineered safe needle devices continue to be introduced for the healthcare industry. Sharps disposal containers assist in protecting HCWs from injuries when handling and transporting waste sharps. The CSA standard Z316.6-07 *Evaluation of Single-use and Reusable Medical Sharps Containers for Biohazardous and Cytotoxic Waste* should be consulted when selecting sharps containers.

### Isolation

In some continuing care facilities, residents with known or suspected infectious diseases are physically isolated from other residents to prevent transmission of infectious organisms.

### Decontamination<sup>1</sup> of facilities and materials

Decontamination is a term used to describe procedures that remove contamination by killing microorganisms, rendering the items safe for disposal or use. Sterilization refers to the complete destruction or removal of all microorganisms by chemical or physical means, usually to provide sterile items for use. All contaminated materials must be decontaminated before disposal or cleaning for reuse. The choice of method is determined by the nature of the material to be treated. Disinfection refers to the destruction of specific types of organisms but not all spores, usually by chemical means. Disinfection is a means of decontamination. Surfaces must be decontaminated after any spill of potentially infectious materials and at the end of the working day. Work areas, resident rooms, and pieces of equipment may also require decontamination (i.e., prior to servicing, maintenance, between residents, transfer to other settings or reassignment).

### General ventilation

General ventilation systems serving buildings must be maintained regularly and inspected for conditions that could adversely affect air quality provided to work spaces. Accumulations of water that could stagnate in humidification systems or drip trays are sources of potential biological contamination of air handling systems that need regular monitoring and inspection.

Biohazardous organisms may be carried through general ventilation systems, potentially distributing them to other workspaces in a facility. Ultraviolet germicidal irradiation units, and or HEPA filtration media incorporated into air handling systems may be warranted for special circumstances.

---

<sup>1</sup> This section was modified from Laboratory Safety: CSMLS Guidelines, sixth edition; Gene Shematek & Wayne Wood; Canadian Society for Medical Laboratory Science; 2006.

Mould growth in the indoor environment can be affected by relative humidity levels, which is a function of some general ventilation systems. High relative humidity levels may contribute to an increase in the growth of some moulds and lead to condensation developing on surfaces. Control of indoor relative humidity levels is an important factor in preventing mould growth.

### **Administrative Controls**

The next level of controls includes administrative controls. Because it is not always possible to eliminate or control the hazard at the source, administrative controls are frequently used for biological hazards in healthcare. Administrative controls focus on ensuring that the appropriate prevention steps are taken, that all proper work procedures are documented, that continuing care personnel are trained to use the proper procedures, and that their use is enforced. Administrative controls include policies and procedures that establish expectations of performance, codes of practice, staff placement, required orientation and training, work schedules, and occupational health programs in which baseline immune status is recorded and immunizations are provided.

A comprehensive management system considers the continuum of infection prevention and control (IPC) efforts across all sites and operations. It includes attention to resident, visitor, contractor, volunteer and health care worker (HCW) safety. A comprehensive system should include the following components:

- A process that ensures comprehensive hazard assessments are conducted for all sites and tasks and appropriate controls are identified
- An infection prevention and control plan with clear designation of roles and responsibilities
- Coordinated activities and policies related to IPC and OHS that ensure a consistent approach to infection prevention and control for residents, visitors, residents and HCWs
- Consistent standards for the cleaning, disinfection and sterilization of equipment, procedures, and policies including Routine Practices, Additional Precautions, hand hygiene policies and facilities, resident risk assessments, communication protocols, decontamination of clothing and dedicated clothing
- Outbreak prevention and management
- Adequate staffing to comply with OHS and IPC policies and procedures; work scheduling; plans to address surge capacity
- Required orientation and ongoing education
- Biomedical waste handling procedures and policies
- Guidelines for infrastructure requirements to support effective IPC and OHS; the use of technical standards to ensure IPC is incorporated into new or renovated facilities
- Supporting systems that include Engineering/Physical Plant, Housekeeping, Materials Management and Facilities Planning to ensure:

- Adequate housekeeping and waste management services
  - Appropriate processes for cleaning, decontamination, disinfection and sterilization of resident care equipment
  - Purchasing processes to include consideration of safety factors
- A comprehensive surveillance and monitoring plan
  - Record keeping and regular reporting of outcomes

*Routine practices and additional precautions*

Procedural controls may include procedures that relate to detection and follow-up of infectious diseases, the use of Routine Practices and Additional Precautions as directed, baseline health assessments and periodic screening of workers, hazard identification and control processes, and outbreak management procedures. Awareness of the infectious disease status of residents is another good control, though this is not always possible for continuing care staff. All work procedures should include the consideration and control of the risk of exposure to workers. Routine Practices and Additional Precautions (where required) greatly assist in reducing the transmission of infectious agents from both known and unknown resident sources by treating all contacts as potential risks.

**Infection Prevention and Control Definitions:**

- **Routine Practices** include a recommended pattern of behaviours to form the foundation of limiting the transmission of microorganisms in all health care settings and is generally accepted care for all clients. Elements of Routine Practices are: hand hygiene: risk assessment related to client symptoms, care and service delivery, including screening for infectious diseases; risk reduction strategies through the use of PPE, cleaning environment, laundry, disinfection and sterilization of equipment , waste management, safe sharps handling, client placement and healthy workplace practices; and education of healthcare providers, clients and families, and visitors.
- **Additional precautions** are practices used to prevent transmission of infectious agents that are spread by direct or indirect contact with the client or client’s environment that are necessary in addition to Routine Practices for certain pathogens or clinical presentations. These precautions include Contact Precautions, Droplet Precautions, and Airborne Precautions that are based on the method of transmission.

For more information: <http://www.health.alberta.ca/documents/IPC-MRSA-Standards-2008.pdf>

Routine Practices include being attentive to all routes of transmission. Awareness of routes of transmission has led to the development of a variety of transmission-route specific strategies. Most of these are well documented in infection prevention and control plans. In particular, hand hygiene is identified as the single most important administrative strategy in infection prevention and control. Other strategies include additional precautions designed to address infections transmitted through the “airborne” route, those transmitted through “droplets” and those transmitted through “contact”. It should be noted that though some infection

prevention and control plans appear to provide sharp demarcations as to what size of particle is transmitted by which route (particularly by airborne and droplet); it is highly likely that there is a continuum of particle sizes produced at any time and the determination of transmission route is more a probability than a certainty. For this reason, one must be careful in defining control strategies based solely on particle sizes.

In some circumstances, identification of the specific organism responsible for the infection may take considerable time, during which resident care is required. In these cases, it is prudent to apply the most stringent precautions until evidence indicates that less are required. In cases where the transmission route or organism has not yet been identified, it is prudent to assume all routes of transmission may be possible, as this would drive the highest level of precautions available and appropriate. Once more information is known about the organism, precautions can be revised to take that knowledge into account.

Administrative controls related to the prevention of exposure to biological hazards include the development and implementation of infection prevention and control (IPC) guidelines, including equipment decontamination and safe work procedures. Surfaces must be decontaminated after any spill of potentially infectious materials. Specific written protocols must be developed and followed for each decontamination process. Continuing care personnel must be trained in all decontamination procedures specific to their activities and should know the factors influencing the effectiveness of the treatment procedure.

### Chemical Disinfectants

Chemical disinfectants are used to decontaminate surfaces, reservoirs of infectious material, and to clean up spills of infectious material. The choice of chemical disinfectant must be made carefully based on:

- Types of organisms, suspected or known
- Items or surfaces to be decontaminated
- Hazards posed to the worker by the disinfectant
- Cost of disinfectant
- Corrosiveness of disinfectant
- Shelf life and required dilution of disinfectant
- Material which inactivates the disinfectant

In many cases, the choice of disinfectant for specific uses may be standardized in the organization and made after evaluation by IPC and OHS professionals.

#### Considerations in the use of chemical disinfectants

- As much as possible, know what the possible contaminants are.
- Choose the disinfectant carefully. More than one may be required. Keep in mind the items to be disinfected, and the properties and limitations of the various available disinfectants. If more than one disinfectant is required, ensure that those selected are chemically compatible.
- Follow the manufacturer's directions for making the proper dilutions of the disinfectants.
- The effective life of disinfectants can vary depending on the formulations and the conditions of usage. Follow the manufacturer's directions.
- The effective exposure time that the disinfectant must be in contact with the contaminant will also vary with conditions of usage. Often overnight exposure may be recommended to ensure effective decontamination.
- Understand the health and safety hazards that may be posed by a particular disinfectant and ensure appropriate precautions are taken. Wear disposable gloves when using any disinfectants. Wear other personal protective equipment or clothing as necessary, depending upon the disinfectants. Consult Material Safety Data Sheets for details.
- HCWs with particular sensitivities to specific disinfectants should avoid using those disinfectants.
- Perform tests of the disinfectants to ensure effective disinfection.

#### Spill response procedures

The efficient and effective control of a biological spill requires that all staff members are trained in and have practiced the established spill response techniques. The materials and supplies that are necessary for spill clean-up and decontamination must be readily available to ensure timely spill response. Written spill response procedures should outline spill response actions and roles. The actual procedure used will vary with the size of the spill and the location of spill (including materials, equipment or environmental surfaces affected). All spill responses should be documented as incidents.

#### A biological spill kit should contain:

- Biological liquid solidifying agent
- Disinfectant - small quantities, made fresh daily if phenolics or hypochlorites (such as bleach)
- Forceps for picking up broken glass
- Paper towels, swabs, disposable and heavy-duty gloves
- Metal or polypropylene (autoclavable) dust pan; heavy-duty polyethylene bags
- High efficiency particulate respirators, shoe covers or rubber boots and full protective clothing if large spills may occur

### Training

Training in biological hazards and controls should be provided to all health care workers (HCWs). Each HCW must understand the facility's IPC and OHS programs as they relate to their job duties. For newly hired HCWs all relevant IPC and OHS policies and procedures must be provided before they start work. To ensure that HCWs understand and apply this information to their jobs, specific training should also be provided to address job-specific biological hazards. Periodic refresher training to reinforce policies and procedures and introduce any new practices will benefit all HCWs. Competency assessments should be provided for all training, and training records should be maintained.

### HCW immunization and health surveillance

An immunization policy and program is a proactive mechanism to reduce risk of communicable diseases for HCWs. Each healthcare organization should have an immunization and health surveillance program in place that is appropriate to the size and type of workplace. Immunization and health surveillance programs should include:

- Education about vaccine-preventable diseases
- Risk assessment to determine the need for immunization or surveillance based on potential exposure
- Administration of immunizations (or referral for immunizations, as appropriate)
- Documentation and follow-up of any baseline health assessments, communicable disease status and immunizations

Ideally, the immunization and surveillance programs should provide easy, authorized access to HCW immune status records for follow up of exposure incidents and outbreaks. In some cases, immunizations or baseline testing may be required prior to commencement of work.

### Post-exposure follow-up management

Post-exposure management includes management of HCWs exposed to, colonized by, or infected with microorganisms; an outbreak management process for exposures and/or HCWs who are symptomatic or colonized with infectious disease; and access by Occupational Health professionals to utilize medical assessment and diagnostic services for timely follow-up for HCW exposures.

### Personal Protective Equipment (PPE)

Personal protective equipment such as gloves, respiratory protection and eye protection should be used based on the risk assessment. PPE is often used in conjunction with other controls (engineering and administrative) to provide additional protection to workers. The primary types of PPE are designed to protect the worker from infectious disease by breaking the chain of infection at the "portal of entry or exit" of the microorganisms. This means that all PPE is designed to reduce exposure via specific routes of

transmission. Gloves, gowns and other protective clothing reduce exposure through the dermal (skin) contact route and help contain the microorganisms to the work environment.

### Gloves

Gloves are the most common type of PPE used for continuing care tasks. Gloves are made from a variety of materials including latex, nitrile, neoprene, copolymer, and polyethylene and are available in various levels of thickness. When dealing with infectious materials, gloves must be waterproof. Most resident care activities require non-sterile gloves, whereas any invasive procedure should be performed using sterile surgical gloves. Latex gloves should be avoided due to the risk of latex allergy unless there is a demonstrated safety requirement for latex to be used. The Canadian General Standards Board (CGSB) certifies medical gloves, which is a key factor in selecting gloves for use in healthcare. The choice of gloves must often balance the needs for protection and dexterity. While thicker gloves (or double gloves) may appear to provide greater protection, it may make tasks more difficult and increase the exposure risk. In Recommendations for Canadian Health Care and Public Service Settings<sup>2</sup>, it is noted that the *“Selection of the best glove for a given task should be based on a risk analysis of the type of setting, type of procedure, likelihood of exposure to blood or fluid capable of transmitting bloodborne pathogens, length of use, amount of stress on the glove, presence of latex allergy, fit, comfort, cost, length of cuffs, thickness, flexibility, and elasticity.”*

#### **Safe Practices for Glove Use<sup>3</sup>**

- Wear medical gloves when there is a risk of contact with blood, body fluids or substances, mucous membranes, open wounds or skin lesions.
- Wear gloves that are certified by the CGSB.
- Wear gloves when handling items contaminated with blood, body fluids, secretions or excretions.
- Wear gloves if you have any cuts or lesions on your hands or if you have dermatitis affecting your hands.
- Avoid latex gloves and powdered gloves to reduce sensitization or allergic reactions.
- Ensure that the gloves fit properly.
- Inspect gloves for holes or tears, discarding any damaged gloves.

<sup>2</sup> Recommendations for Canadian Health Care and Public Service Settings; found at <http://www.phac-aspc.gc.ca/publicat/ccdr-rmtc/97vol23/23s3/index.html>

<sup>3</sup> Modified from information provided in Preventing the Transmission of Blood Borne Pathogens in Health Care and Public Service Settings. Found at <http://www.phac-aspc.gc.ca/publicat/ccdr-rmtc/97vol23/23s3/index.html> (See Supplement)

- Put gloves on just before beginning the task, and remove them promptly when finished and before touching any environmental surfaces.
- Work from “clean to dirty” (touching clean sites or surfaces before dirty or contaminated ones).
- Do not touch your face or adjust PPE with contaminated gloves and avoid touching uncontaminated items such as light switches, telephones, etc. while wearing gloves.
- Change gloves when they become soiled, during lengthy procedures, and between residents.
- Remove gloves carefully according to the IPC guidelines and dispose of them properly.
- Wash hands before using and after removing gloves.
- Never reuse or wash single-use disposable gloves.

PPE is required when there is the potential for exposure of the face to splashes or sprays of infectious material. The selection of eyewear depends upon the tasks being conducted. Types of eye protection include safety glasses, goggles, visors, and face shields. Regular prescription eyewear and contact lenses are not considered effective as PPE. Safety eyewear should fit the wearer, be clean and well maintained and stored. If necessary, goggles may be fitted with prescription lenses or worn over glasses. Face shields should cover the forehead, extend below the chin, and wrap around the side of the face. Masks protect the mucous membranes of the nose and mouth from exposure to large droplets that may contain infectious materials and are commonly used to contain droplets at the source (for example, the HCW or resident with a cough). Masks should fully cover the nose and mouth and fit snugly. Respirators worn by health care workers reduce exposure to the respiratory system.

The Difference between a Surgical or Procedure Mask and a Respirator (e.g. N95, etc.) \*Adapted from OSHA (2007) *Guidelines on Preparing Workplaces for an Influenza Pandemic*

Surgical or Procedural Masks	Respirators (i.e. NIOSH approved N95)
<ul style="list-style-type: none"> <li>• Surgical Masks are <u>not</u> designed to seal tightly against the HCW's face or certified to prevent inhalation of small droplets/particles.</li> <li>• When the HCW inhales, contaminated small droplets can pass through gaps between the face and surgical mask.</li> </ul>	<ul style="list-style-type: none"> <li>• A fit-tested NIOSH approved respirator provides a proper seal at the HCWs face, forcing inhaled air to be pulled through the filter material and not through gaps between the face and the respirator.</li> </ul>
<ul style="list-style-type: none"> <li>• Surgical masks provide a physical barrier for protection from splashes of large droplets of blood or body fluids.</li> <li>• Surgical masks are used for several purposes including:                             <ul style="list-style-type: none"> <li>○ Prevention of accidental contamination of residents wounds with pathogens normally present in mucus or saliva</li> <li>○ Placed on sick residents to limit spread of infectious respiratory secretions to others</li> <li>○ Protection from splashes or sprays of blood or body fluid</li> <li>○ Assist to keep HCWs contaminated hands from contacting their own mucous membranes.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Respirators are designed to reduce HCW's exposure to airborne contaminants.</li> <li>• Fit tested NIOSH approved respirators are used when required, based on hazard assessment.</li> </ul>

## Pertinent legislation related to respiratory protection

### **Respiratory Protective Equipment**

If a worker is or may be exposed to exposure to an airborne biohazardous material, the employer must assess the work site to determine if workers need to use respiratory protective equipment (RPE) and provide worker the appropriate RPE where indicated.

For more information refer to: [http://employment.alberta.ca/documents/WHS/WHS-LEG\\_ohsc\\_p18.pdf](http://employment.alberta.ca/documents/WHS/WHS-LEG_ohsc_p18.pdf)

OHS Code, Section 244

The employer must consider the nature and the exposure circumstances of any contaminants or biohazardous material. The employer must provide and ensure the availability of RPE appropriate to the worker's exposure circumstances. Where the hazard assessment identifies the need for RPE some of the requirements include:

### **Training**

- Employer must ensure all workers receive appropriate education, instruction or training with respect to hazards they may be exposed to and procedures and controls used to reduce exposure.

### **Code of Practice**

- If respiratory equipment is used at a work site, an employer must prepare a code of practice governing the selection, maintenance and use of the RPE. In the case of a health care worker who may be exposed to airborne biohazardous material, the code of practice includes training, done on at least an annual basis, on:

- information about the airborne biohazardous materials that workers may be exposed to including their potential health effects,
- the particular respiratory protective equipment used chosen, including information about its capabilities and limitations and how to test for a satisfactory fit, and
- how to properly put on and take off the RPE without contaminating oneself or other workers.

### **Approval of Equipment**

- Employer must ensure that RPE required at a work site is approved by NIOSH or another standard setting and equipment testing organization, or combination of organizations, approved by a Director of Occupational Hygiene.

### **Effective Face Seal**

- Employer must ensure that RPE that depends on an effective facial seal for its safe use is correctly fitted and tested in accordance with CSA standard (z94-4-02).

OHS Act, 33 and OHS Code, Part 18

## Chemical Hazards and Controls

This section will provide a brief overview of selected chemicals that continuing care personnel may come into contact with. **Note that this list is not extensive or all-inclusive.** In the control column, E, A and P are used to designate Engineering, Administrative and PPE controls. These controls are briefly summarized and the reader should link to the references provided for additional information. The proper choice of control measures must be based on a risk assessment for the specific tasks being performed. Safe work practices are administrative controls necessary for working with all harmful substances and educating workers in the practices is vital. Safe work procedures should be designed to:

- Limit the worker's exposure time
- Reduce contact with the substance through any route of exposure to the worker
- Ensure safe disposal of substances and disposable equipment that comes into contact with harmful substances
- Ensure safe handling and decontamination of reusable equipment
- Require the use of all designated controls

Worker education is critical for safely handling harmful substances.

### General Resources – Chemical Hazards

For more information about specific chemical hazards, consult the following resources:

NIOSH Pocket Guide to Chemical Hazards (<http://www.cdc.gov/niosh/npg/>).

CCOHS Cheminfo (<http://ccinfoweb.ccohs.ca/>).

Alberta Workplace Health and Safety Bulletins (<http://employment.alberta.ca/SFW/136.html>).

The following charts, taken from Volume 3 – Best Practices for the Assessment and Control of Chemical Hazards in Healthcare, summarize important information about some of the chemical hazards that may be encountered by continuing care personnel.

Chemicals used for cleaning and disinfection

Chemical (category or group)	Common Uses and Examples	Exposure and Health Effects Information	Controls	For more information:
<p>These are examples of chemicals, uses, health effects and controls. For each chemical used in the workplace, specific information MUST be consulted to determine controls based on what the product is used for, how it is used and the environment it is used in. This may be found on MSDSs, information provided by the manufacturer or supplier, or other sources. Individual reactions to chemicals must also be considered in determining appropriate controls.</p>				
<b>Alcohol hand sanitizers</b>	Hand hygiene when water is not available and hands are not visibly soiled	May cause skin dryness. Product is flammable.	<b>A-</b> Appropriate storage of product (away from ignition sources and incompatible products). Provision of hand cream to soothe hand dryness.	<p><a href="http://www.ottawa.ca/residents/health/emergencies/pandemic/hand/faq_gel_en.html">http://www.ottawa.ca/residents/health/emergencies/pandemic/hand/faq_gel_en.html</a></p> <p><a href="http://employment.alberta.ca/documents/WHS/WHS-PUB_fex002.pdf">http://employment.alberta.ca/documents/WHS/WHS-PUB_fex002.pdf</a></p> <p><a href="http://www.municipalaffairs.alberta.ca/documents/ss/STANDATA/fire/fcb/97fcb026.pdf">http://www.municipalaffairs.alberta.ca/documents/ss/STANDATA/fire/fcb/97fcb026.pdf</a></p>
<b>Bowl cleaners</b>	Cleaning toilet bowls & urinals	Many have acids and other toxic chemicals that are irritants and are corrosive to the eyes and skin. May react with other products to create hazardous products.	<b>E-</b> Substitution with less harmful product. <b>A-</b> Safe work procedures. WHMIS program and maintenance of MSDSs. Worker education. <b>P-</b> Gloves and eye protection.	<a href="http://www.hercenter.org/hazmat/cleaningchems.cfm">http://www.hercenter.org/hazmat/cleaningchems.cfm</a>
<b>Detergents</b>	Cleaning a variety of surfaces	Possible eye, skin, and respiratory irritants. Some products may cause allergic dermatitis or contain sensitizers such as nickel or limonene. May react with other products to create hazardous products.	<b>E-</b> Substitution with less harmful product. Properly designed and maintained ventilation systems. Automatic diluting machines. <b>A-</b> Practice to purchase products in ready to use concentrations to minimize handling. Safe work procedures. WHMIS program and maintenance of MSDSs. Worker education. Accommodation for sensitized workers or those with health issues, <b>P-</b> Gloves and eye protection.	<p><a href="http://www.hercenter.org/hazmat/cleaningchems.cfm">http://www.hercenter.org/hazmat/cleaningchems.cfm</a></p> <p><a href="http://www.museo.unimo.it/ov/fdrEdete.htm">http://www.museo.unimo.it/ov/fdrEdete.htm</a></p>
<b>Low Level</b>	Chlorine	Most are eye, skin, and	<b>E-</b> Substitution with less harmful product.	<a href="http://ehs.virginia.edu/biosafety/bio">http://ehs.virginia.edu/biosafety/bio</a> .

<b>Disinfectants</b>	compounds, alcohols, quaternary ammonium salts, iodophors, phenolic compounds, hydrogen peroxide used widely for disinfection; usually prepared and used in low concentrations.	respiratory irritants, particularly when concentrated. Some products may produce sensitization. Toxic effects depending on nature of chemical. May react with other products to create hazardous products.	Properly designed and maintained ventilation systems. Automatic diluting machines. Closed systems. <b>A-</b> Practice to purchase products in ready to use concentrations to minimize handling. Safe work procedures. WHMIS program and maintenance of MSDSs. Worker education. Accommodation for sensitized workers or those with health issues. <b>P-</b> Gloves and eye protection.	<a href="#">disinfection.html</a> <a href="http://www.cdc.gov/niosh/topics/chemical.html">http://www.cdc.gov/niosh/topics/chemical.html</a> <a href="http://cms.h2e-online.org/ee/hazmat/hazmatconcern/steril/">http://cms.h2e-online.org/ee/hazmat/hazmatconcern/steril/</a> <a href="http://www.mtpinnacle.com/pdfs/disinfectant-selection-guidelines.pdf">http://www.mtpinnacle.com/pdfs/disinfectant-selection-guidelines.pdf</a>
<b>Floor care products (polishes, strippers etc.)</b>	Floor maintenance	May cause skin, eye and respiratory irritation. May cause headaches and dizziness. Individuals with sensitivities may be more adversely affected. May react with other products to create hazardous products. May be flammable.	<b>E-</b> Elimination of some floor care activities. Substitution with less harmful product. Design and maintenance of ventilation systems. <b>A-</b> Practice to purchase products in ready to use concentrations to minimize handling. Safe work procedures. Floor care activities scheduled to reduce exposure to workers in the area, particularly those with sensitivities. WHMIS program and maintenance of MSDSs. Worker education. Appropriate storage of products to decrease exposure and minimize fire hazards <b>P-</b> Gloves (rubber or neoprene), eye protection and protective clothing when skin contact is possible.	<a href="http://www.hercenter.org/hazmat/cleaningchems.cfm">http://www.hercenter.org/hazmat/cleaningchems.cfm</a> <a href="http://www.ccohs.ca/oshanswers/chemicals/corrosive/corrosiv.html">http://www.ccohs.ca/oshanswers/chemicals/corrosive/corrosiv.html</a> <a href="http://www.ccohs.ca/oshanswers/prevention/corrosi1.html">http://www.ccohs.ca/oshanswers/prevention/corrosi1.html</a> <a href="http://employment.alberta.ca/documents/WHS/WHS-PUB_ch013.pdf">http://employment.alberta.ca/documents/WHS/WHS-PUB_ch013.pdf</a> <a href="http://www.sustainablehospitals.org/cgi-bin/DB_Index.cgi">http://www.sustainablehospitals.org/cgi-bin/DB_Index.cgi</a>
<b>Soaps and waxes</b>	General cleaning and floor maintenance	May cause skin and eye irritation. Some waxes may be a respiratory irritant if ventilation is insufficient. May react with other products to create hazardous products.	<b>E-</b> Elimination of waxes. Substitution with less harmful product. Design and maintenance of ventilation systems. <b>A-</b> Practice to purchase products in ready to use concentrations to minimize handling. Safe work procedures. Scheduling of floor care activities to reduce exposure to workers in the area, particularly those with sensitivities.	<a href="http://www.hercenter.org/hazmat/cleaningchems.cfm">http://www.hercenter.org/hazmat/cleaningchems.cfm</a>

			<p>WHMIS program and maintenance of MSDSs. Worker education.</p> <p><b>P-</b> Gloves and eye protection when skin or mucous membrane contact is possible.</p>
--	--	--	---

*Other chemicals and substances*

Chemical	Common Uses; Examples	Exposure and Health Effects Information	Controls	For more information:
<p>These are examples of chemicals, uses, health effects and controls. For each chemical used in the workplace, specific information MUST be consulted to determine controls based on what the product is used for, how it is used and the environment it is used in. This may be found on MSDSs, information provided by the manufacturer or supplier, or other sources. Individual reactions to chemicals must also be considered in determining appropriate controls.</p>				
<b>Compressed gases</b>	<p>Commonly used for resident treatment i.e. oxygen, nitrous oxide. Also commonly used in maintenance activities. Liquid nitrogen is used for tissue preservation and cryo-treatment (e.g. wart removal)</p>	<p>Asphyxiation, anaesthetic effects. Toxicity is dependant on chemical products. Other hazards include explosions, fire hazards, flying projectiles, and release of gas. Cryogenic gases may also cause skin damage through freezing.</p>	<p><b>E-</b> Substitution with less harmful product. Adequate ventilation. Proper storage of cylinders.</p> <p><b>A-</b> Appropriate store of products to decrease exposure and minimize fire and explosion hazards. Safe work procedures including transportation. WHMIS program and maintenance of MSDSs. Worker education. Good housekeeping.</p> <p><b>P-</b> PPE based on hazard assessment.</p>	<p><a href="http://www.ccohs.ca/oshanswers/chemicals/compressed/compress.html">http://www.ccohs.ca/oshanswers/chemicals/compressed/compress.html</a></p> <p><a href="http://www.ccohs.ca/oshanswers/prevention/comp_gas.html">http://www.ccohs.ca/oshanswers/prevention/comp_gas.html</a></p> <p><a href="http://www.chem.ubc.ca/safety/safety_manual/hazard_chem_gases.shtml">http://www.chem.ubc.ca/safety/safety_manual/hazard_chem_gases.shtml</a></p>
<b>Latex</b>	<p>Used in gloves, medical devices, some respirators, elastic bands, balloons, etc.</p>	<p>Exposure can produce irritant contact dermatitis, allergic contact dermatitis, and allergic responses including immediate hypersensitivity and</p>	<p><b>E-</b> Substitution with less harmful product. Properly designed and maintained ventilation systems.</p> <p><b>A-</b> Purchasing controls to limit latex containing materials from entering facility. Safe work procedures. Education of workers in the nature of the</p>	<p><a href="http://www.worksafebc.com/publications/health_and_safety/by_topic/asets/pdf/latex_allergies.pdf">http://www.worksafebc.com/publications/health_and_safety/by_topic/asets/pdf/latex_allergies.pdf</a></p> <p><a href="http://www.ccohs.ca/oshanswers/diseases/latex.html?print">http://www.ccohs.ca/oshanswers/diseases/latex.html?print</a></p>

		shock.	hazard, hand washing after glove removal, proper glove donning and removal. Work reassignment for workers with latex allergies to areas where latex is not present. As per hazard assessment.	
<b>Mercury</b>	Metallic mercury may be found in thermometers, pressure gauges (manometers), other medical devices and dental fillings, etc.	Exposure is through inhalation of vapours, ingestion and skin absorption. Skin sensitizer. Corrosive as liquid. Target effects to the nervous system, kidneys, cardiovascular and eyes.	<p><b>E-</b> Elimination of mercury containing equipment. Substitution with less harmful product. Enclosed mercury sources. Properly designed and maintained ventilation systems. Local exhaust ventilation may be required.</p> <p><b>A-</b> Safe work procedures including spill procedures. Education of workers in the nature of the hazard. Purchasing controls to restrict mercury containing materials from entering facility. Monitoring of the work environment following a spill. Good hygiene practices. Appropriate storage of products to decrease exposure.</p> <p><b>P-</b> Protective clothing, gloves, eye and face protection, and respiratory protection based on hazard assessment.</p>	<p><a href="http://employment.alberta.ca/documents/WHS/WHS-PUB_ch003.pdf">http://employment.alberta.ca/documents/WHS/WHS-PUB_ch003.pdf</a></p> <p><a href="http://www.cdc.gov/niosh/npg/npgd0383.html">http://www.cdc.gov/niosh/npg/npgd0383.html</a></p> <p><a href="http://www.mtpinnacle.com/pdfs/MERCURY-USE-%20HOSPITALS-AND-CLINICS.pdf">http://www.mtpinnacle.com/pdfs/MERCURY-USE-%20HOSPITALS-AND-CLINICS.pdf</a></p>
<b>Personal care products, scents and fragrances</b>	A wide range of products including personal care items such as shampoos, soaps, perfumes, creams, deodorants, etc. Also contained in, cleaning products.	May cause a variety of mild to severe symptoms. Allergic, asthmatic and sensitive workers may experience reactions.	<p><b>E-</b> Elimination of scented products. Substitution with less harmful products. Properly designed and maintained ventilation systems.</p> <p><b>A-</b> Development, implementation and enforcement of scent-free policies. Signage in work areas where affected workers work. Worker education.</p>	<a href="http://www.ccohs.ca/oshanswers/hsprograms/scent_free.html">http://www.ccohs.ca/oshanswers/hsprograms/scent_free.html</a>
<b>Second-hand tobacco smoke</b>	May be present in public places where smoking	Lung cancer and other cancers. Associated with heart disease,	<b>E-</b> Elimination of smoking within and around facilities. Properly designed and maintained ventilation systems. Isolation	<a href="http://www.lung.ca/protect-protegez/tobacco-tabagisme/second-">http://www.lung.ca/protect-protegez/tobacco-tabagisme/second-</a>

	is permitted. Also may be encountered in homes or establishments where home care workers or public health workers provide services.	respiratory irritation, aggravation of allergies and other pre-existing conditions. Impacts developing foetus.	of areas where smoking is permitted with dedicated ventilation systems. Substitution with smoking cessation aids. <b>A-</b> Development, implementation and enforcement of no smoking policies and policies related to worker exposure in homes. Substitution with smoking cessation aids. Smoking cessation programs. Collection of resident smoking information on resident intake forms in home or community settings. Worker education. Good housekeeping. Provision of services in an alternate location if client is uncooperative with no smoking policies.	<a href="http://secondaire/index_e.php">secondaire/index_e.php</a> <a href="http://www.ccohs.ca/oshanswers/psychosocial/ets_health.html">http://www.ccohs.ca/oshanswers/psychosocial/ets_health.html</a>
<b>Wood dust</b>	May be present in wood-working shops in maintenance areas, prosthetics, residences and long term care facilities.	Exposure may occur to workers in areas where wood-work is conducted, including construction areas. Hazards depend on the types of wood and may include a wide range of toxic effects. Some types of wood are carcinogens. May cause dermatitis, asthma, sensitization, respiratory effects and hypersensitivity reactions.	<b>E-</b> Substitution with less harmful woods or other products. Local exhaust ventilation on wood-working equipment. <b>A-</b> Education of workers in the nature of the hazard. Safe work procedures. Purchasing controls to include choosing alternatives. Good housekeeping including wetting procedures and dust suppression for dust clean up. Good hygiene practices. Equipment maintenance programs. <b>P-</b> Protective clothing, gloves, eye and face protection, and respirators based on hazard assessment.	<a href="http://employment.alberta.ca/documents/WHS/WHS-PUB_ch045.pdf">http://employment.alberta.ca/documents/WHS/WHS-PUB_ch045.pdf</a> <a href="http://www.cdc.gov/niosh/npg/npgd0667.html">http://www.cdc.gov/niosh/npg/npgd0667.html</a>

In this section the chemical exposure hazards most commonly encountered by continuing care personnel and methods to control them are presented. Employers should carefully evaluate the potential for exposure to chemical hazards in all continuing care tasks and ensure that they have an effective hazard control plan in place. This information will be useful for inclusion into hazard assessments. Please note, this is not designed to be an exhaustive treatment of the subject, but is rather an overview summarizing the chemical hazards most frequently encountered by continuing care personnel.

**Note:**

The following charts taken from Volume 3 – Best Practices for the Assessment and Control of Chemical Hazards in Healthcare provide basic information about control strategies for commonly occurring chemical hazards related to continuing care tasks. The selection of controls must be based on a risk assessment of the tasks and environment. Worker education and good communication processes are critical administrative controls. All legislation related to the assessment of hazards, selection and use of controls must be followed

Potential Chemical Hazards	Summary of Major Control Strategies		
	Engineering	Administrative	PPE
<b>Contact with mercury through broken mercury-containing devices</b>	Elimination of mercury containing equipment. Substitution with less harmful product. Enclose mercury sources. Maintain adequate general ventilation.	Safe work procedures including spill procedures. Educate workers in the nature of the hazard. Purchasing controls to restrict mercury containing materials from entering facility. Monitor work environment following a spill. Ensure good hygiene practices. Store products appropriately to decrease exposure.	Protective clothing, gloves, eye and eye protection, and respiratory protection.
<b>Exposure to hazardous drugs through administration, clean-up or spill response procedures</b>	Proper containment when preparing drugs. Engineered needle stick prevention devices. Maintain adequate ventilation in dedicated rooms when administering aerosolized drugs. Segregation of contaminated items.	Develop safe work procedures including spill procedures with consideration to the specific product and manufacturer's instructions. Develop waste handling procedures. Educate workers in the nature of the hazard. Maintain availability of appropriate equipment and PPE.	Eye protection and face shields when splashing is possible. Protective clothing (gowns) and gloves. Respirators, based on risk assessment, may be required for administration of aerosolized drugs, . unpacking of cytotoxic drugs, formulation, splitting and crushing, unit dose packaging, spill and waste cleanup, etc.
<b>Exposure to latex from contact with</b>	Substitution with less harmful	Purchasing controls to limit latex	

<b>latex gloves or components of medical devices</b>	product. Maintain adequate general ventilation.	containing materials from entering facility. Educate workers in the nature of the hazard, hand washing after glove removal, proper glove donning and removal. Periodic screening of workers.	
<b>Exposure to a variety of disinfecting and cleaning agents in routine cleaning activities related to resident care</b>	Maintain adequate general ventilation. Automatic diluting machines.	Purchase in ready to use concentrations to minimize handling. Worker education. Safe work procedures. WHMIS program and maintenance of MSDSs.	Gloves and eye protection.
<b>Exposure to scented products that may induce sensitization</b>	Elimination of scented products. Substitution with less harmful products. Maintain adequate general ventilation.	Develop scent-free policies. Educate worker in the nature of the hazard. Post signage in work areas where affected workers work.	
<b>Exposure to substances used in craft activities and shops</b>	Substitution with less harmful products. Local exhaust and dust collection systems. Enclose processes.	Regular medical monitoring of affected workers. Industrial hygiene monitoring of area. Develop safe work procedures. Educate workers in the nature of the hazard. Maintain good housekeeping. Maintain good hygiene practices. Equipment maintenance programs. Maintenance of MSDSs and compliance with all WHMIS requirements.	Protective clothing, gloves, eye and face protection, and respirators based on risk assessment.
<b>Exposure to wood dust in woodworking activities</b>	Substitution with less harmful woods or other products. Local exhaust ventilation on wood-working equipment.	Educate workers in the nature of the hazard. Develop safe work procedures. Purchasing controls to include choosing alternatives. , Maintain good housekeeping including wetting procedures and dust suppression for dust clean up. Maintain good hygiene practices. Equipment maintenance programs.	Protective clothing, gloves, eye and face protection, and respirators based on risk assessment.

## Notes about controls for chemical hazards

---

### *Engineering Controls*

Many engineering controls are available for controlling the hazard at the source and along the path of transmission. For chemical hazards, common engineering controls include:

- Elimination
- Substitution
- Local exhaust ventilation
- General ventilation (only appropriate for non-toxic chemicals)
- Isolation/enclosed processes
- Proper chemical storage
- Facility design

For continuing care personnel, chemical exposures may be limited by ensuring the facilities well designed, have effective ventilation, adequate storage for any chemicals used and have easily cleanable surfaces.

### Elimination

Elimination of a hazardous chemical from the healthcare workplace is always desirable but not always possible. For example, drugs must still be prepared and administered, disinfectants are required when biological hazards are present, and cleaning solutions are necessary to maintain hygienic conditions. In some cases, exposures can be eliminated by transferring specific processes or activities to another facility, or areas within a facility where better controls are available.

### Substitution

Some chemicals used in the continuing care environment are chosen based on tradition or cost. In recent years, efforts have been made to find less hazardous alternatives to some of the chemicals commonly used. Some examples of substitution of chemical hazards in healthcare:

- Replacing mercury-containing devices (manometers, thermometers) with non-mercury containing alternatives
- Using accelerated hydrogen peroxide-based disinfectants instead of glutaraldehyde
- Using hydrogen peroxide-based cleaners rather than chlorine- based cleaners

When substituting a chemical for one that is currently in use, it is critical to ensure that the new chemical does not have properties that may make it more toxic or more flammable, etc.

### Local Exhaust Ventilation

The most common engineering control used in healthcare to minimize exposure to chemicals in the air is local exhaust ventilation (LEV). LEV captures contaminants at the point where they are released or generated and mechanically removes them before workers can inhale them.

### **Administrative Controls**

#### Policies and procedures, training

As administrative controls, policies and procedures should be in place to ensure that there are safe work procedures for storing and using chemicals and discarding chemical wastes appropriately. Continuing care personnel may come into contact with a number of chemicals that may be used in treatment and disinfection procedures. Workplace Hazardous Materials Information System (WHMIS) training should be provided to all continuing care personnel. In addition, emergency call lines that provide expertise and advice regarding toxic chemicals should be made available.

#### WHMIS Program

A WHMIS program is an administrative control to reduce the risk of exposure to chemicals in the workplace and is a legal requirement for all employers who use controlled products in Alberta. To be effective, a WHMIS program must be relevant to the workplace, presenting information and training specific to the chemicals that are used in the workplace. The components of WHMIS include having current Material Safety Data Sheets for all products in the workplace, ensuring all products are appropriately labelled and ensuring that all workers are instructed on how to use the chemicals safely.

#### Exposure follow-up – emergency response equipment

Two types of exposure follow-up are considered as administrative controls. The first is the provision of appropriate emergency response equipment to reduce the impact of the exposure. The second is the medical follow-up for workers who have had a chemical exposure. In the first case, emergency response equipment for continuing care personnel usually refers to emergency eyewashes and showers that can provide sufficient water to dilute the contaminant before it can cause extensive damage. Wherever chemical exposure could pose a hazard to eyes and skin, emergency wash devices are required. Appropriate signage that is easily visible must be provided to indicate where the eyewashes are kept.

### Medical follow-up of the exposed worker

A worker who has had a chemical exposure may require medical follow-up. Guidelines are available to provide information on the treatment and monitoring of workers with exposure to specific chemicals.

### Health Surveillance and Medical Monitoring in the Workplace

The pre-placement assessment considers the worker's personal health status as it relates to potential workplace exposures. It is useful to identify if workers have any allergies or sensitivities to products that they may need to work with.

### Chemical Waste Handling and Disposal

Chemical wastes must be addressed with a good chemical waste management system. Municipal and or Provincial codes address appropriate disposal requirements and aim to reduce contamination, possible injuries, illness or reactions related to chemical exposures.

### Additional considerations for reducing risk of exposure

It is prudent to be aware of the need for modification of the work environment, conditions or required PPE for workers who may be medically vulnerable to the effects of some substances. Higher risk workers may include pregnant workers, workers with allergies or those who are sensitized to certain chemicals. Some common approaches to accommodate these workers include temporary reassignment to areas or tasks where the exposure potential is eliminated; work scheduling to reduce the amount of exposure, and changes to the PPE to accommodate limitations.

## **Personal Protective Equipment**

Personal protective equipment (PPE) is considered the lowest level of protection in the hierarchy of controls. This reflects the reliance on proper selection, fit, use and maintenance of the equipment by the organization and individual HCWs. PPE is often used in conjunction with other controls (engineering and administrative) to provide additional protection to workers. PPE is designed to protect the worker from exposure to chemicals by blocking access to the route of entry into the body. Gloves, aprons and other protective clothing reduce exposure through the dermal (skin) contact route. Eye and face protection reduce exposure through skin and mucous membrane contact. Respirators reduce exposure to the respiratory system.

### Gloves

The most frequently used PPE by HCWs to prevent exposure to chemicals is gloves. When choosing gloves, the following must be considered:

- The nature and concentration of the chemicals
- The amount of time the gloves will be exposed to the chemical
- Dexterity required to perform the task
- Extent of protection needed (to wrist or higher)
- Decontamination and disposal requirements

#### Rules for glove use for chemicals<sup>4,5</sup>

- Wear the appropriate gloves for the task when needed; for reusable gloves, follow the manufacturer's guidelines for care, decontamination and maintenance. Choose gloves resistant to holes and tears.
- Ensure gloves fit properly and are of the appropriate thickness to offer protection; ensure adequate supplies of gloves in appropriate sizes.
- Avoid using latex gloves (due to latex allergies).
- Do not use worn or defective gloves.
- Wash hands once gloves have been removed.
- Disposable gloves must be discarded once removed. Do not save for future use.
- Dispose of used gloves into the proper container. Have separate disposal locations for gloves contaminated with chemicals which pose a toxic hazard if mixed.
- Non-disposable/reusable gloves must be washed and dried, as needed, and then inspected for tears and holes prior to reuse.
- Remove gloves before touching personal items, such as phones, computers, pens and one's skin.
- Do not wear gloves into and out of areas. If gloves are needed to transport anything, wear one glove to handle the transported item. The free hand is then used to touch door knobs, elevator buttons, etc.
- Do not eat, drink, or smoke while wearing gloves. Gloves must be removed and hands washed before eating, drinking, or smoking.
- If for any reason a glove fails, and chemicals come into contact with skin, remove the gloves, wash hands thoroughly and obtain first aid or seek medical attention as appropriate.

---

<sup>4</sup> OSH Answers- Chemical Protective Clothing – Gloves; <http://www.ccohs.ca/oshanswers/prevention/ppe/gloves.html>

<sup>5</sup> Glove Use in Laboratories; University of Florida Chemical Hygiene Plan; <http://www.ehs.ufl.edu/Lab/CHP/gloves.htm>

### Eye and Face Protection

For most HCWs who use chemicals, goggles or face shields are necessary. In most cases, goggles are considered re-usable. All reusable PPE must be properly decontaminated and maintained. Selection of protective eyewear should take into account:

- Level of protection required
- Comfort of the wearer
- Secure fit that does not interfere with vision or movement
- Ease of cleaning and disinfection
- Durability
- Compatibility with prescription glasses and other PPE that must be worn at the same time (e.g. respirators)

### Respirators

According to the Alberta Occupational Health and Safety Code 2009<sup>6</sup>, there is a duty to provide and use respiratory protective equipment (RPE) when a hazard assessment indicates that a worker may be exposed to airborne contaminants or exposed to an oxygen deficient environment. Employers are required to use engineering and administrative controls before using RPE (respecting the hierarchy of controls). Respirators may be required to protect HCWs from exposure to chemicals by inhalation.

---

<sup>6</sup> Alberta OHS Code 2009, Part 18 – Personal Protective Equipment

### **Respiratory Protective Equipment (RPE)**

Employers must determine the degree of danger presented by respiratory hazards and whether workers need to wear RPE if workers are, or may be exposed to, an airborne harmful substance. The employer must consider the nature and the exposure circumstances of the harmful material. If a hazard assessment identifies the need for RPE, the specific legislated requirements are outlined in the *OHS Code, Part 18*.

Some of the requirements include:

#### **Training**

- Employers must ensure that all workers receive appropriate education, instruction or training with respect to hazards that they may be exposed to and procedures and controls used to reduce exposure.

#### **Code of Practice**

- If respiratory equipment is used at a work site, an employer must prepare a written code of practice governing the selection, maintenance and use of the RPE.

#### **Approval of Equipment**

- Employers must ensure that RPE required at a work site is approved by NIOSH or another standards setting and equipment testing organization, or combination of organizations, approved by a Director of Occupational Hygiene.

#### **Effective Face Seal**

- Employers must ensure that RPE that depends on an effective facial seal for its safe use is correctly fitted in accordance with CSA standard Z94.4-02 or a method approved by a Director of Occupational Hygiene.

*OHS Act, Section 33 and OHS Code, Part 18*

### **Protective Clothing**

Chemical protective clothing is available as gowns, aprons, uniforms, coveralls, and foot covers. The choice of protective clothing relies on an accurate hazard assessment. Should protective clothing become contaminated with a chemical or damaged, the clothing must be removed and handled according to organizational procedures (disposal or proper decontamination). Residual chemicals such as acids on clothing may continue to present an exposure hazard. Workers must not wear clothing that is contaminated with chemicals home, as this may pose a danger to themselves and others.

### **Worker Decontamination**

If a worker is contaminated by a harmful substance at the worksite, the employer must ensure that only those items that have been properly decontaminated or cleaned are taken from the worksite by the worker.

## Physical Hazards and Controls

There are many potential physical hazards to which continuing care personnel may be exposed. The nature of the work may pose ergonomic hazards, the potential for slips, trips and falls, exposure to environmental conditions, hazards related to the storage and use of compressed gas cylinders, cuts, and electrical hazards.

In this section the physical hazards most commonly encountered by continuing care personnel and methods to control them are presented. Employers should carefully evaluate the potential for exposure to hazards for all continuing care tasks and ensure that they have an effective hazard control plan in place. This information will be useful for inclusion into hazard assessments.

### Note:

The following chart provides basic information about control strategies for commonly occurring physical hazards in continuing care work. The selection of controls must be based on a risk assessment of the tasks and environment. Worker education and good communication processes are critical administrative controls. All legislation related to the assessment of hazards, selection and use of controls must be followed.

Potential Physical Hazards	Summary of Major Control Strategies		
	Engineering	Administrative	PPE
<b>Ergonomic hazards associated with resident handling</b>  <b>Refer to the “No Unsafe Lift Workbook” at <a href="http://employment.alberta.ca/documents/WHS/WHS-PUB_nounsafelift_workbook.pdf">http://employment.alberta.ca/documents/WHS/WHS-PUB_nounsafelift_workbook.pdf</a></b>	Availability of adequate sizes and types of resident handling equipment. Ergonomic criteria incorporated into facility design.	A comprehensive resident handling program that incorporates the principles of the “No Unsafe Lift Workbook”. Safe work procedures for resident handling activities. Worker education and awareness sessions. Risk assessment system for resident handling tasks. Early reporting of signs and symptoms of ergonomic concerns. Stretches and micro-breaks. Purchasing standards for resident handling	Appropriate footwear with gripping soles and good support.

		equipment. Maintenance of resident handling equipment.	
<b>Ergonomic hazards associated with computer use or workstation design</b>	Ergonomically designed workstations, chairs and equipment. Incorporate adjustable workstation to accommodate shared use by employees of various sizes.	Adjustment of workstation and chair to fit user. Worker education regarding ergonomic hazards and control strategies. Self assessment tools to assist workers in identifying and controlling risk factors. Safe work procedures. Early reporting of signs and symptoms of ergonomic concerns. Stretches and micro-breaks. Purchasing standards for ergonomically designed computer workstations, chairs and equipment. Ergonomic assessments. Maintenance of workstations, chairs and equipment.	
<b>Ergonomic hazards associated with material handling of equipment, furniture and supplies including lifting, carrying, pushing, pulling, etc.</b>	Ergonomically designed storage areas with adequate space. Ergonomically designed equipment and furniture with appropriate casters and handles. Provision of appropriate materials handling equipment such as carts, trolleys, etc.	Safe work procedures including proper lifting procedures. Worker education and awareness sessions. Early reporting of signs and symptoms of ergonomic concerns. Stretches and micro-breaks. Purchasing standards for ergonomically designed equipment, furniture and supplies. Purchasing standards for material handling equipment. Maintenance program for equipment and furniture.	
<b>Exposure to microwave radiation through the use of microwave ovens</b>	Ensure proper maintenance of equipment (including periodic verification of any leaks). Interlock systems to ensure	Worker education. Safe work procedures that incorporate ensuring the worker uses distance as a control measure.	Heat resistant gloves for removing items from the oven.

	microwaves not generated when oven doors are open.		
<b>Falling hazards associated with slips, trips and falls</b>	Install slip resistant flooring. Design stairwells according to accepted safety standards. Ensure adequate lighting.	Perform regular maintenance on flooring, stairwells, hallways, handrails, etc. Inspect ladders prior to use. Worker education. Implement a spill cleanup program that includes prompt spill cleanup, use of warning signs, etc. Maintain good housekeeping practices and minimize clutter and tripping hazards.	Appropriate footwear with gripping soles and good support.
<b>Cuts from sharp instruments, including medical instruments and scissors</b>	Elimination of sharps when not required. Proper storage of sharps.	Worker education. Safe work procedures.	
<b>Cuts or lacerations from using shop or crafts equipment and tools</b>	Machine guarding. Interlock systems on equipment. Work area design.	Worker education. Authorized personnel only in area. Safe work procedures.	Cut-resistant gloves if appropriate. Eye protection.
<b>Burns from handling hot equipment or materials</b>	Warning systems when surfaces are hot. Interlock systems that prevent opening of equipment when hot surface or steam may be present.	Worker education. Safe work procedures.	Insulated gloves.
<b>Fire, projectiles, or physical injury if Oxygen gas cylinders damaged, dropped or mishandled</b>	Install protective valve caps when cylinder is not in use if the cylinder is equipped with a means of attaching caps. Secure and restrain cylinders.	Safe work procedures that includes use, care, maintenance, storage and transport. Worker training.	
<b>Electrical hazards arising from use of electrical cords and appliances</b>	Ground fault circuit interrupters when used close to water sources.	Safe work procedures that include use of electrical cords, power bars and appliances that includes facility approval requirements. Worker training.	

## Notes about controls for physical hazards

---

### *Engineering Controls*

#### Ergonomic hazards

One of the most commonly encountered physical hazards for continuing care personnel is the use of awkward body positions when lifting and transferring or moving residents. Engineering controls include resident lifting devices appropriate to the required type of lift and the resident, the use of ramps where possible, and ergonomically designed work areas. Hazards of manually handling residents could be reduced by a program that includes:

- Policies for risk assessment and control
- Having adequate equipment
- Having adequate staffing
- Ongoing resident handling training
- Management commitment
- Staff involvement
- Incident investigation, follow-up and communication

According to the No Unsafe Lift! Workbook,<sup>7</sup> three key risk assessments are required to determine what procedures or equipment should be used for resident handling. These are a workplace assessment, a resident assessment and a task assessment. For workplaces, key considerations include:

- The staff to resident ratio
- Types of residents
- Special needs residents
- Equipment available and accessible
- The existence of resident care plans that include handling requirements
- Languages required for effective communication
- Workload issues
- Workers wearing appropriate clothing and footwear
- Communication protocols for resident status information

---

<sup>7</sup> No Unsafe Lift! Workbook, Alberta Employment and Immigration. Available at [http://employment.alberta.ca/documents/WHS/WHS-PUB\\_nounsafelift\\_workbook.pdf](http://employment.alberta.ca/documents/WHS/WHS-PUB_nounsafelift_workbook.pdf)

- Resident lifting and transfer plans
- Trained staff
- Preventive and reparative maintenance programs for equipment in place
- Sufficient space to perform tasks, including use of mechanical lifts
- Walkways free of clutter
- Floor surfaces in good order
- Stable, suitable furniture
- Electric, adjustable beds
- Adequate lighting for tasks

For residents, key factors include;

- Capability to bear weight, move normally, tolerate basic tasks
- Resident conditions that may impact risk such as history of falls, impaired movement, pain, loss of sensation, skin issues, communication issues, medical equipment used, surgical conditions, sensory deficiencies, mental state (confusion), aggression, etc.
- Types and frequency of transfers, lifts, repositioning required

For a task assessment, consideration should be given to whether the task needs to be done, as well as the risks associated with the tasks. These may include

- Static positions that may be required
- Duration of task
- Awkward postures for caregivers
- Task requiring extended reach
- Restrictions posed by protective equipment
- Inflexibility of time for task

Other engineering controls related to manual materials (non-resident) handling include:

- Eliminate the need to push/pull/carry.
- Automate pushing, pulling and carrying tasks (examples include using mechanical rollers/conveyors and gravity feed systems).
- Use mechanical aids such as carts, dollies, or lift trucks or pallet jacks.
- Avoid carrying wide or tall (bulky) loads; if possible redesign the load.

- Provide handles to objects to be lifted.
- Ensure that friction between the floor and the cart wheels is low.
- Minimize the distances over which objects are to be pushed, pulled, or carried (change the layout of the workplace if necessary).
- Utilize carts or wheeled devices designed for the specific application. Consider handle design, handle location, wheel construction, design and purpose (e.g. steering versus tracking).

### Non-ionizing Radiation

Interlock systems are mechanical systems that prevent the operation of the equipment or some facet of the equipment until an action or other system is engaged or completed. Interlock systems are used extensively in both ionizing and non-ionizing radiation equipment to ensure that the equipment cannot be accidentally activated. An example of an interlock system is the turning off of microwave generation in a microwave oven when the door is opened.

### Trips, Slips and falls

In order to prevent slips, trips and falls, adequate lighting should be available. Cords and other tripping hazards should not be in the path of traffic. Non-slip flooring should be provided. The following are common engineering controls used to reduce the risk of slips, trips and falls in resident care areas:

- Designing resident care areas and equipment layout to minimize cords and to accommodate equipment without creating tripping hazards
- Designing resident care areas with adequate space to accommodate portable equipment without creating tripping hazards
- Providing adequate storage space to minimize the storage of equipment in hallways
- Keeping hallways clear of obstructions
- Using cord covers over electrical cords, as necessary
- Ensuring stairways in new facilities are designed safely (see National Building Code and local jurisdictional building codes)
- Utilizing non-slippery surfaces on the whole steps or at least on the leading edges
- Performing regular maintenance to keep stairs in good repair. Ensure nothing is sticking out of surfaces on the stairs, handrails or banisters (e.g. nails or splinters).
- Maintaining lighting levels
- Using angular lighting and colour contrast to improve depth perception

### Cuts

The most effective controls to reduce cuts are engineering controls. Common engineering controls include

- Substitution of medical sharps with safety engineered medical devices (SEMDs)
- Substitution of a sharp instrument with a less sharp alternative (e.g. engineered sharps injury prevention devices)
- Safety cutters as bag and box openers
- Proper storage and disposal of sharps
- Transfer trays and magnetic drapes in operating rooms

### Burns

Heat-related burns may occur during flash sterilization or through contact with hot surfaces, fire, or steam. Engineering controls are aimed at reducing contact with hot surfaces or steam. These include effective workplace design (that limits traffic in hot areas, reduces proximity to hot surfaces, provides sufficient space to work and move around hot equipment, etc.), shielding, process changes, local exhaust ventilation for the removal of steam, interlock systems that prevent opening autoclaves or sterilizers until a cooler temperature is reached, mechanical devices (tongs, etc.) for manipulating hot items, temperature and pressure relief valves, and reducing hot water temperatures.

### Pressure

Compressed gas cylinders are designed to safely hold their contents during regular use and the demands expected to be placed on them. Regulators, fittings and delivery systems must likewise meet manufacturers' requirements. Oxygen cylinders should be stored away from any heat sources or combustible material; they should be stored upright and not be able to move freely or fall.

Protective valve caps are an engineering control to protect the valve head from damage when the cylinder is not in use. If the cylinder has a valve cap, the cap should always be placed on cylinders when the cylinder is not expected to be used for a period of time, such as for a work shift. All cylinders must be restrained from tipping by means of racks, chains, strap or other suitable means.

### Electrical Hazards

Insulation protects workers from contact with electricity. All equipment, wiring and cords must be maintained and used in a manner that keeps electrical insulation intact.

Electric appliances and equipment are protected from overloading by means of electric overloading devices such as fuses or circuit breakers. Although these devices will stop the flow of current when too much current flows through them, they are intended to protect equipment but not workers. All overloading devices must be of sufficient ratings. Replacing fuses or circuit breakers with overloading devices that trip at a higher current than specified is a dangerous practice as is replacing overloading devices with a

conductor. Ground fault circuit interrupters (GFCIs) are safety devices that will interrupt the flow of current by monitoring the flow of current to and from the device. GFCIs are important engineering controls that should be used in wet environments and to power tools and equipment outdoors.

Another important engineering control is grounding. Grounding of electrical equipment refers to creating an electrical path to earth (ground). Grounding provides some protection to equipment operators if there is a fault in the equipment or insulation that energizes the equipment housing; electricity would flow to ground rather than through the worker. Grounding for equipment that is plugged into electrical receptacles can be identified by the third prong on the electrical plug. Similarly electrical cords commonly have a third prong on the plug end. The third prong that facilitates grounding must not be removed or defeated. The housings of all equipment should be suitably grounded. Some electrical cords for tools or other equipment do not have a third grounding prong. This equipment is double insulated, meaning that it has been designed with additional insulating considerations to prevent the housing of the device from becoming energized. Such a device will be labelled with the term “double insulated” or with a symbol comprised of a square box within another square box.

## ***Administrative Controls***

### ***Ergonomic hazards***

Controls that focus on how work is performed and organized are administrative controls. Administrative controls include policies, procedures, work practices, rules, training, and work scheduling, including:

- Ensure all aspects of a No Unsafe Lift! Program<sup>8</sup> are implemented.
- Establish ergonomic purchasing standards for tools and equipment, including resident lifting devices and vehicles.
- Provide procedures for resident assessments.
- Conduct user trials to test new equipment and tools with input from workers.
- Maintain equipment, vehicles and tools to optimize their operation.
- Provide training programs to educate workers regarding biomechanical risk factors, signs and symptoms and safe work practices (including proper lifting methods and proper use of lifting devices).
- Provide self assessment tools to identify and control biomechanical hazards.
- Optimize work shift scheduling to minimize extended work hours and overtime.

---

<sup>8</sup> No Unsafe Lift! Workbook, Alberta Employment and Immigration. Available at [http://employment.alberta.ca/documents/WHS/WHS-PUB\\_nounsafelift\\_workbook.pdf](http://employment.alberta.ca/documents/WHS/WHS-PUB_nounsafelift_workbook.pdf)

- Design break schedules to reduce biomechanical hazards.
- Encourage monitoring and early reporting of the signs and symptoms of MSIs.

### Non-ionizing Radiation

Administrative controls include policies and procedures and on-going assessment of possible exposures to radiation. The policies and procedures are designed to ensure that workers are informed about the hazards of non-ionizing radiation and are trained in the safe work procedures necessary to prevent exposure.

### Trips, Slips and falls

Administrative controls to prevent slips, trips and falls include:

- Education of workers and enforcement of the use of proper footwear
- Timely clean-up of any spills
- Eliminate the use of extension cords that may pose tripping hazards
- Keep walkways free of clutter

### Cuts

Administrative controls widely used to reduce the potential for cuts include

- Worker education
- Safe work procedures
- Keeping sharp edges away from the body
- Use of tools correctly
- Engaging all machine guards
- Choice of appropriate tool
- Restricted access to work areas
- Signs and warnings in hazardous areas, and
- Safe disposal of all sharps, including broken glass.

### Temperature Extremes

To reduce the risk of burns, administrative controls include worker education, established safe work practices, assessment of work area to identify potential sources of burns, and equipment maintenance programs.

## Pressure

Compressed gas cylinders must be handled, maintained and stored carefully to prevent cylinders from falling or a gas release. Proper transportation of cylinders must also be considered whether it be by vehicle or within a work area by use of a hand cart or other means. A safe work procedure should be developed for the use, transport, storage and maintenance of compressed gas cylinders in the workplace. Some key compressed gas safe work practices are detailed below.

### **What are basic safe practices when working with compressed gases?<sup>9</sup>**

- Read the MSDSs and labels for all of the materials you work with.
- Know all of the hazards (fire/explosion, health, chemical reactivity, corrosivity, pressure) of the materials you work with.
- Know which of the materials you work with are compressed gases and check the label, not the cylinder colour, to identify the gas.
- Store compressed gas cylinders in cool, dry, well-ventilated areas, away from incompatible materials and ignition sources. Ensure that the storage temperature does not exceed 52°C (125°F).
- Store, handle and use compressed gas cylinders securely fastened in place in the upright position. Never roll, drag, or drop cylinders or permit them to strike each other.
- Move cylinders in handcarts or other devices designed for moving cylinders.
- Leave the cylinder valve protection cap in place until the cylinder is secured and ready for use.
- Discharge compressed gases safely using devices, such as pressure regulators, approved for the particular gas.
- Never force connections or use homemade adaptors.
- Ensure that equipment is compatible with cylinder pressure and contents.
- Carefully check all cylinder-to-equipment connections before use and periodically during use, to be sure they are tight, clean, in good condition and not leaking.
- Carefully open all valves, slowly, pointed away from you and others, using the proper tools.
- Close all valves when cylinders are not in use.
- Never tamper with safety devices in cylinders, valves or equipment.
- Do not allow flames to contact cylinders and do not strike an electric arc on cylinders.
- Always use cylinders in cool well-ventilated areas.
- Handle "empty" cylinders safely: leave a slight positive pressure in them, close cylinder valves, disassemble equipment properly, replace cylinder valve protection caps, mark cylinders "empty" and store them separately from full cylinders.
- Wear the proper personal protective equipment for each of the jobs you do.

<sup>9</sup> CCOHS; OSH Answers – How Do I Work Safely with Compressed Gasses?; July 8, 2008;

[http://www.ccohs.ca/oshanswers/prevention/comp\\_gas.html](http://www.ccohs.ca/oshanswers/prevention/comp_gas.html)

- Know how to handle emergencies such as fires, leaks or personal injury.
- Follow the health and safety rules that apply to your job.

### Electrical Hazards

A major component of an electrical safety program is worker training. Extension cords are used in many applications for temporarily supplying power. Considerations to follow when using extension cords include:

- Protect cords from damage; do not allow vehicles to drive over cords.
- Never keep an extension cord plugged in when it is not in use.
- Do not use a damaged extension cord.
- Extension cords and most appliances have polarized plugs (one blade wider than the other). These plugs are designed to prevent electric shock by properly aligning circuit conductors. Never file or cut the plug blades or grounding pin of an extension cord.
- Do not plug one extension cord into another. Use a single cord of sufficient length.

Hazard assessments should guide the development of work procedures to assess and control electrical hazards.

### ***Personal Protective Equipment Controls***

#### Ergonomic hazards

The most important personal protective equipment to control ergonomic hazards is appropriate footwear with gripping soles and good support.

#### Trips, Slips and falls

The use of appropriate footwear by continuing care personnel is essential to prevent trips, slips and falls. Workers should be required to wear flat shoes with non-slip soles that offer good support. (To prevent chemical exposure in the event of a spill, footwear should cover the entire foot and be of non-porous material.)

#### Cuts

Eye protection is important if there is any possibility that fragments of glass or other sharps may enter the eyes, and footwear must protect the wearer from accidental exposure to sharps to feet. Gloves are usually required as PPE to protect workers from cuts. The

selection of gloves depends on the nature of task. Cut-resistant gloves are available that are made from a variety of materials including Kevlar, Dyneema, HexArmor, stainless steel and wire mesh.

### Burns

PPE is often used to prevent burns. Insulated gloves, protective clothing, foot protection, and eye/face protection should be chosen based on the hazard assessment.

Current to January 2011

## Psychological Hazards and Controls

Each continuing care facility should systematically conduct hazard assessments for tasks performed by continuing care personnel and identify if and where the potential exists for psychological hazards. In this section, examples are provided of psychological hazards that may be encountered by continuing care personnel, and possible control measures will be suggested. This information will be useful for inclusion into hazard assessments. Please note, this is not designed to be an exhaustive treatment of the subject, but is rather an overview summarizing the some of the reported psychological hazards in healthcare settings.

### Note:

The following chart provides basic information about control strategies for commonly occurring psychological hazards. The selection of controls should be based on a risk assessment of the tasks and environment. Worker tolerance to stressors varies considerably. Most controls listed here relate to organizational controls, with some mention of personal controls that may be useful in controlling risk. Worker education and good communication processes are critical administrative controls. All legislation related to the assessment of hazards, selection and use of controls should be followed.

Potential Psychological Hazards or Effects of Workplace Stressors	Summary of Major Control Strategies		
	Engineering	Administrative	Personal
<b>Abuse by residents or members of the public</b>	Alarm systems and panic buttons. Video surveillance.	Management policies and procedures related to no tolerance of violence or abuse. Worker education in violence awareness, avoidance and de-escalation procedures. Liaison and response protocols with local police. Working alone policies. Reporting procedures for incidents and near misses.	Ability to request support. Use of counselling services.
<b>Abuse by co-workers</b>	Alarm systems and panic buttons. Video surveillance.	Management policies and procedures related to no tolerance of violence or abuse. Worker education in violence awareness, avoidance and de-escalation procedures. Working alone	Assertiveness training. Use of mediation and/or counselling services.

		<p>policies. Reporting and investigation procedures for incidents and near misses.</p>	
<p><b>Hazards related to working alone</b></p> <ul style="list-style-type: none"> <li>• Threat of violence</li> <li>• Medical emergencies when alone</li> </ul>	<p>Communication devices. Vehicle design considerations. Panic alarms. Bright lighting. Surveillance cameras.</p>	<p>Scheduling to avoid having workers work alone. Worker training. Working alone policies.</p>	
<p><b>Stress related to critical incidents</b></p>		<p>Training to increase awareness of signs and symptoms of critical incident stress. Critical incident stress team to respond to incidents. Communication and call procedures to mobilize team. Defusings and debriefings as appropriate.</p>	<p>Development of support systems to assist in dealing with stress. Use of counselling services.</p>
<p><b>“Technostress” related to the introduction of new technology</b></p>	<p>Design of instruments or equipment with user-friendly features.</p>	<p>Selection procedures to ensure user-friendly technology choices. Provision of sufficient training for workers. Worker participation in selection and implementation of new technology. Provision of problem solving resources and support workers. Back-up plans in the event of failures. Change management strategy for introduction of new technology. Realistic expectations regarding use of communication technology. Limit use of technological monitoring of worker productivity. Setting and communication of priorities.</p>	<p>Self-education concerning new technologies. Time management strategies. Open communication about stress related to change. Healthy lifestyles. Setting realistic goals. Limiting the need to multi-task. Technology “time outs”. E - vacations.</p>
<p><b>Substance abuse as a response to excessive workplace stressors</b></p>		<p>Worker involvement in substance abuse policy and procedures development. Worker education about substance abuse. Training workers and supervisors to recognize the signs of substance abuse. Procedures to limit individual access to narcotics. Provision of counselling services and return to work plans.</p>	<p>Increase awareness of substance abuse signs and symptoms. Communication with counsellors. Report to family physician. Participate in treatment programs and return to work programs.</p>
<p><b>Depression, anxiety, sleep</b></p>		<p>Worker education about the signs and</p>	<p>Programs to maintain or build</p>

<p><b>disorders, other mental illness as a response to excessive workplace stressors</b></p>		<p>symptoms of depression, anxiety, sleep disorders, other mental illness. Elimination of workplace risk factors for depression, anxiety, sleep disorders, other mental illness. Provision of support services and programs. Benefit plans provision. Effective return to work programs.</p>	<p>resilience or coping skills. Development of support system. Communication with family physician.</p>
<p><b>Hazards related to impacts of aging on workers</b></p>	<p>Mechanical devices and power equipment for lifting / moving. Storing objects at appropriate heights, packing in smaller quantities or containers. Supportive, adjustable seating and workstations. Cell phones and pagers that incorporate vibration. Proper lighting.</p>	<p>Management policies and procedures that ensure no age discrimination. Proactive policies to accommodate aging workers. Training opportunities for aging workers. Education for all workers on intergenerational communication. Aging workers as trainers/mentors. Flexible work arrangement. Job redesign to accommodate aging workers.</p>	<p>Healthy lifestyle. Use of client and material handling equipment. Adequate sleep. Awareness of potential side effects of medication.</p>
<p><b>Hazards related to shiftwork, excessive workload and hours of work</b></p>	<p>Appropriate lighting levels. Lighting levels that are adjustable by workers. Appropriate thermal environment.</p>	<p>Management policies and procedures to address working hours and shift design. Worker involved in design of shift schedule. Limit hours of work and overtime. Shifts designed so workers get enough rest between shifts. Split shifts are avoided, if possible. Train workers and management in fatigue and shift work issues. Work shift schedules designed to minimize fatigue (e.g. maximum number of consecutive night shifts, forward rotation, etc.). Quality breaks are in place. Policies to encourage the reporting of concerns associated with fatigue. Thorough investigation of incidents and near misses with fatigue as a possible cause.</p>	<p>Appropriate sleep schedule and sleep environment. Strategies in place to promote sleep. Diet adjusted to accommodate shift schedule. Healthy lifestyle. Physical exercise. Safe plan for commute to work. Plan for family and friends. Use of stimulants and sedatives are minimized.</p> <p>Alertness strategies are utilized (e.g. bright lighting levels, regular short breaks, communication with co-workers, etc.).</p>
<p><b>Stress related to work-life conflict</b></p>		<p>Management policies and procedures that support work-life balance (e.g. voluntary reduced hours, voluntary part-time work, phased in retirement,</p>	<p>Time log used to track time. Work-life balance programs are utilized. Work activities are isolated from home time.</p>

		<p>telecommuting, job sharing, paid and unpaid leaves, dependent care initiatives, etc.). Work designed to address workload and work demands issues. Reliance on paid and unpaid overtime is reduced. Supportive management culture. Work-life balance policies are communicated to workers. The use and impact of work-life balance policies is measured.</p>	<p>Time is effectively managed. Days off are protected. Appropriate sleep habits. Social support system is in place.</p>
<p><b>Exposure to nuisance or irritating noise levels that may induce stress</b></p>	<p>Any engineering controls required to abate noise to allowable levels, if over PEL. Sound absorber panels. Personal communication devices rather than overhead pagers. Maintenance and repair of facility equipment, including the ventilation system. Lubrication of equipment with moving parts. Design considerations related to noise reduction in new/renovated facilities. Padded chart holders and pneumatic tube systems. Sound-masking technology.</p>	<p>Lower rings on telephones. Encourage use of soft-soled shoes. Worker education on noise levels created by various activities. Posted reminders to reduce noise. Purchasing decisions that take into account noise levels of equipment. Location of noisy equipment to more isolated areas. Work organization at nursing stations to reduce noise.</p>	
<p><b>Exposure to poor indoor air quality that may induce stress</b></p>	<p>Proper ventilation system design. Ventilation system maintenance activities. Isolation/segregation of work processes that may create contaminants.</p>	<p>Contractor requirements to reduce air contamination. Selection of low-pollutant cleaning chemicals. Cleaning schedules. Infection prevention and controls standards. Rules regarding the use of personal appliances that may impact HVAC operations. Procedures to report and investigate indoor air quality complaints. Worker involvement in indoor air quality investigation. Communication to enable frank and timely discussion of IAQ issues and what is being done to resolve them.</p>	

## Notes about controls for psychological hazards

---

Potential psychological hazards and controls vary greatly in jobs, locations and organizations and are only briefly discussed here. Personal factors impact how stressors are viewed and addressed. A comprehensive discussion of causes and impacts of psychological stressors on workers and on the organization can be found in Best Practices for the Assessments and Control of Psychological Hazards – Vol. 5. Included in the discussion are the topics of environmental factors such as noise and indoor air quality and their impacts on personal health, as well as outcomes of workplace stress that may impact personal health such as substance abuse, depression, anxiety, sleep disorders and other mental illness, and age-related factors.

### Program elements for preventing or controlling violence and abuse towards workers in the workplace

Because the scope of abuse of workers is broad, with a wide range of potential internal and external perpetrators and a myriad of individual considerations, prevention of abuse of workers is multi-faceted. This list of prevention procedures and control techniques is not all-inclusive, but rather a sample of the complexities that should be considered in a program for continuing care personnel:

- Development, communication and enforcement of policies that indicate no tolerance for any form of violence, harassment, or abuse including bullying. Awareness sessions for all workers on abuse and violence in the workplace, reporting procedures and controls.
- Staff identification to reduce unauthorized access to areas – this includes a requirement of all workers to wear identification badges. It is suggested that information that is not necessary not be shown on the front to the badge to reduce risk to workers.
- Client guidelines and signage to emphasize that abuse will not be tolerated – this may include the preparation and dissemination of client information guidelines, in which client behaviour is discussed, the commitment to no tolerance for abuse against workers and the encouragement of mutual respect are covered.
- Working alone guidelines and communications protocols. Working alone guidelines are required by Alberta occupational health and safety legislation (OHS Code, Part 28), and must include a written hazard assessment as well as communication protocols for workers who must work alone.
- Alarm systems and emergency communication devices (panic buttons, etc.). Identification of workers or locations that should be provided with alarm systems and panic buttons should occur. Once any alarm systems are installed or provided, all workers should be trained on how to use them and how to respond to alarms.

- ❑ Identification and correction of high risk facility issues (e.g., isolated areas, parking lots, low lighting, no escape routes, etc.). There are many risk factors posed by the design of the facility. The continuing care facility should identify risk factors and work to reduce the risk in the areas. A checklist would be useful to help identify facility issues contributing to worker risk.
- ❑ Training programs that include non-violent crisis intervention and assault management techniques.

### Working alone

Working alone is addressed in the Alberta OHS Code 2009.

#### **Controls required**

Employers must, for any worker working alone, provide an effective communication system consisting of

- radio communication,
- and land line or cellular telephone communication, or
- some other effective means of electronic communication that includes regular contact by the employer or designate at intervals appropriate to the nature of the hazard associated with the worker's work.

If effective electronic communication is not practicable at the work site, the employer must ensure that

- the employer or designate visits the worker, or
- the worker contacts the employer or designate at intervals appropriate to the nature of the hazard associated with the worker's work.

Alberta OHS Code 2009, Part 28

### Work-Life balance, including reduction of excessive workloads

An employer should strive to develop policies and programs that support work-life balance. The following is a list of general work-life balance policies and programs to consider:

- Flexible time arrangements including alternative work schedules, compressed work week, voluntary reduced hours / part-time work and phased in retirement
- Flexible work locations through the use of technology such as telecommuting and satellite offices
- Flexible job design through job redesign, job sharing
- Wellness programs
- Flexible benefits including paid and unpaid leaves for maternity, parental care giving, educational and sabbatical leaves

- Employer sponsored childcare and eldercare practice and referral services

A work-life conflict issue recognized in healthcare is often brought on by workload and work demands. Some strategies to reduce the impact of increased workloads and work demands include the following:

- Identify methods to reduce worker workloads. According to research, special attention is required for managers and professionals.
- Track the costs associated with understaffing and overwork (paid and unpaid overtime, increased turnover, employee assistance program use, increased absenteeism).
- Strive to reduce the amount of time workers spend in job-related travel.
- Reduce reliance on paid and unpaid overtime.
- Consider a “time in lieu” system to compensate for overtime.
- Develop norms regarding the use of technology (e.g. cell phones, PDA, laptops, email) outside of work time.
- Allow workers to say “no” to overtime without repercussions.
- Provide a limited number of days of paid leave per year for caregiver responsibilities (childcare and eldercare) and personal problems.
- Measure the use of work-life practices (e.g. job sharing, compressed work week, etc.) and reward sections of the organization with high usage. Investigate sections where usage is low.
- Increase supportive management. Specifically, organizations should increase the extent to which managers are effective at planning the work to be done, make themselves available to answer worker questions, set clear expectations, listen to worker concerns and give recognition for a job well done.

#### *Technostress (stress resulting from the introduction of new technologies)*

The primary controls an organization employs to reduce the potential of technostress are administrative controls. While major engineering control opportunities exist in the design and development of technology to make it easier to use, an employer’s choice of technology is an administrative control.

Administrative controls an organization can use to reduce the risk of technostress include:

- Selection of technology that is designed to be easy for the user
- Worker participation in selection, trial and implementation of technology and the provision of feedback as to its use

- Sufficient worker training to ensure that workers feel confident and competent to use the technology
- Provision of problem-solving resources and support to workers
- Back-up plans in the event of technology failure
- Influential, credible supporter for the introduction of the new technology (executive support)
- Use of a change management strategy for organization-wide technology change
- Setting of realistic expectations for the use of communication technology
- Reduced use of technological monitoring of worker productivity
- Setting and communicating priorities to relieve stress in multi-tasking
- Updates of hazard assessments each time new technology is introduced.

Personal controls for reducing the risk of technostress include:

- Self-education concerning new technologies
- Open communication about stress related to change
- Time management
- Setting priorities
- Healthy lifestyle including good nutrition, exercise and getting enough sleep
- Setting realistic goals
- Limit the need to multi-task
- Technology “time-outs” (avoiding being “plugged in” continually)
- Relaxation, meditation and taking vacations (especially e-vacations)

### Shiftwork

The following guidelines will assist in reducing the psychological impacts of shift work.

### Good Practice Guideline for Shift Work Schedule Design<sup>10</sup>

- Plan a workload that is appropriate to the length and timing of the shift.
- Strive to schedule a variety of tasks to be completed during the shift to allow workers some choice about the order they need to be done in.
- Avoid scheduling demanding, dangerous, safety-critical or monotonous tasks during the night shift, particularly during the early morning hours when alertness is at its lowest.
- Engage workers in the design and planning of shift schedules.
- Avoid scheduling workers on permanent night shifts.
- When possible, offer workers a choice between permanent and rotating shifts.
- Use a forward-rotating schedule for rotating shifts, when possible.
- Avoid early morning shift starts before 7 AM, if possible.
- Arrange shift start/end times to correspond to public transportation or consider providing transport for workers on particular shifts.
- Limit shifts to a maximum of 12 hours (including overtime) and consider the needs of vulnerable workers.
- Limit night shift to 8 hours for work that is demanding, dangerous, safety critical or monotonous.
- Avoid split shifts unless absolutely necessary.
- Encourage and promote the benefit of regular breaks away from the workstation.
- Where possible, allow workers some discretion over the timing of breaks but discourage workers from saving up break time for the end of the workday.
- In general, limit consecutive working days to a maximum of 5-7 days.
- For long work shifts (>8 hours), for night shifts and for shifts with early morning starts, consider limiting consecutive shifts to 2-3 days.
- Design shift schedules to ensure adequate rest time between successive shifts.
- When switching from day to night shifts (or vice versa), allow workers a minimum of 2 nights' full sleep.
- Build regular free weekends into the shift schedule.

For a more detailed discussion of controls to prevent or reduce psychological hazards, please consult Best Practices for the Assessments and Control of Psychological Hazards – Vol. 5.

<sup>10</sup> Adapted from Government of the U.K; Health and Safety Executive; Managing shift work HSG256; 2006; [www.hse.gov.uk/pubns/priced/hsg256.pdf](http://www.hse.gov.uk/pubns/priced/hsg256.pdf)

## APPENDIX 1 - OHS-related Competencies for Continuing Care Personnel

### **OHS – related Competencies for Registered Nurses**

The College and Association of Registered Nurses of Alberta provides these Entry to Practice Competencies related to OHS for Registered Nurses. For more details, please see <http://www.nurses.ab.ca/Carna-Admin/Uploads/Entry-to-Practice%20Competencies.pdf>

Competency
<b>Professional Accountability and Responsibility</b> 11. Uses basic conflict resolution strategies in which situations of conflict are transformed into healthier interpersonal interactions.
13. Protects clients through recognizing and reporting unsafe practices when client or staff safety and well-being are potentially or actually compromised.
16. Identifies, reports and takes action on actual and potential safety risks to clients, themselves or others.
<b>Specialized Body of Knowledge</b> 23. Has a knowledge base about workplace health and safety including body mechanics, safe work practices, prevention and management of aggressive or violent behaviour.
30. Knows how and where to find evidence to ensure personal safety and safety of colleagues in the workplace.
<b>Collaborates with Clients to Develop Plans of Care</b> 50. Anticipates potential staff safety concerns and initiates appropriate action.
<b>Provides Registered Nursing Care</b> 71. Consistently applies safety principles, evidence-informed practices and appropriate protective devices when providing nursing care to prevent injury to clients, self and other health-care workers.
72. Implements preventive strategies related to the safe and appropriate use and administration of medication.
73. Implements preventive and therapeutic interventions safely (e.g., positioning, managing intravenous therapies, drainage tubes, skin and wound care).
<b>Service to the Public</b> 104. Uses safety measures to protect self and colleagues from injury or potentially abusive situations (e.g., aggressive clients, appropriate disposal of sharps, lifting devices, low staffing levels, increasing workload and acuity of care).
106. Uses health-care resources appropriately to ensure a culture of safety (e.g., resident lifting devices, safer sharps).

Professional Self-Regulation

115. Understands the significance of the concept of fitness to practice in the context of individual self-regulation and public protection.

**OHS – related Competencies for Licensed Practical Nurses**

The College of Licensed Practical Nurses of Alberta provides these competencies related to OHS in the Competency Profile for Licensed Practical Nurses. For more details, please consult

<http://www.clpna.com/Members/ContinuingCompetencyProgram/CompetencyProfileforLPNs2ndEdition/tabid/149/Default.aspx>

<b>Competency</b>
C-1-1 Demonstrate ability to apply critical thinking and clinical judgment in response to a fire emergency.
C-1-2 Demonstrate knowledge of fire safety policy, procedures, and staff responsibilities in the event of a fire in the health care setting.
C-1-2 Demonstrate knowledge of fire safety policy, procedures, and staff responsibilities in the event of a fire in the health care setting.
C-1-4 Demonstrate knowledge and ability to respond to a fire situation, e.g., (REACT)
C-2-1 Demonstrate ability to apply critical thinking and clinical judgment in response to a disaster emergency.
C-2-3 Demonstrate knowledge to initiate the appropriate response to the emergency.
C-2-6 Demonstrate knowledge of policy, procedures, and staff responsibilities in the event of a disaster in the health care setting.
C-2-11 Demonstrate ability to recognize that personnel directly involved in facility response may require critical incident stress debriefing.
C-3-2 Demonstrate knowledge and ability to adhere to agency policy regarding a bomb threat.
C-5-1 Demonstrate knowledge and ability to properly use personal protection devices while interacting and providing care to clients, visitors, and families.
C-5-2 Demonstrate the knowledge and ability to properly remove, clean and / or dispose of contaminated personal protection devices.

C-5-3 Demonstrate knowledge and ability to use protective / safety equipment
C-6-1 Demonstrate knowledge and ability to demonstrate the application of the principles of standard precautions:
C-8-1 Demonstrate knowledge of the facility / organization policy for disposal of sharps.
C-8-3 Demonstrate knowledge and ability to use precautions in handling of sharps and follow agency protocol regarding: <ul style="list-style-type: none"> <li>• disposal of needles</li> <li>• removal of needles from disposable syringes</li> <li>• removal of scalpel blades from handle.</li> </ul>
C-8-4 Demonstrate knowledge and ability to immediately report needlestick injury to appropriate personnel as per agency protocol.
C-9-1 Demonstrate knowledge and ability to apply Workplace Hazardous Materials Information System (WHMIS) guidelines and regulations
C-10-2 Demonstrate knowledge of agency policies regarding handling of bio-medical waste.
C-13-1 Demonstrate the knowledge and ability to comply with workplace policies regarding Occupational Health and Safety.
C-13-4 Demonstrate knowledge and ability to apply self protection / prevention techniques.
C-13-7 Demonstrate knowledge and ability to apply the principles of non-violent crisis intervention.

### **OHS – related Competencies for Health Care Aides**

Alberta Health and Wellness provides these competencies related to OHS in the Competency Profile for Health Care Aides. For more details, please consult <http://www.health.alberta.ca/documents/HC-Aides-Competency-2001.pdf>

Competency
A-3-1 Recognize the importance of personal wellness:
A-3-2 Understand stress management techniques
B-2-1 Demonstrate appropriate conflict management skills
D-1-1 Demonstrate proper body mechanics:
D-2-1 Use equipment safely

D-3-1 Recognize safety hazards and dangerous conditions in the work environment
D-4-1 Comply with infection control practices
D-4-2 Recognize preventative initiatives and follow-up procedures of occupational hazards
D-5-1 Dispose of hazardous wastes safely
D-6-1 Follow guidelines for the prevention of fire and electrical accidents
D-7-1 Respond appropriately to emergency situations:
D-8-1 Report incidents and accidents
<p>H-3-1 Assist with positioning</p> <ul style="list-style-type: none"> <li>• Take relevant safety precautions to minimize risks to client, self and other staff members (e.g., apply principles of good body mechanics).</li> </ul>
<p>H-5-1 Assist client with lifts and transfers</p> <ul style="list-style-type: none"> <li>• Take safety precautions to protect self during lifts and transfers, including:</li> <li>• applying principles of good body mechanics</li> <li>• requesting assistance when activity required is beyond one's ability or job description.</li> </ul>
<p>I-11-1 Practice safe household waste disposal</p> <ul style="list-style-type: none"> <li>• Identify and observe relevant safety techniques (e.g., WHMIS &amp; Standard Practice)</li> </ul>

## APPENDIX 2 - Additional Resources

The following are useful references and links to relevant resource materials. For complete reference lists, please consult the Best Practice documents developed by Alberta Employment and Immigration available at <http://www.employment.alberta.ca/SFW/6311.html>

Alberta Employment and Immigration – Workplace Health and Safety Health Effects from Exposure to Wood Dust  
[http://employment.alberta.ca/documents/WHS/WHS-PUB\\_ch045.pdf](http://employment.alberta.ca/documents/WHS/WHS-PUB_ch045.pdf)

Alberta Employment and Immigration; No Unsafe Lift! Workbook; 2008 [http://employment.alberta.ca/documents/WHS/WHS-PUB\\_nounsafelift\\_workbook.pdf](http://employment.alberta.ca/documents/WHS/WHS-PUB_nounsafelift_workbook.pdf)

Alberta Government legislation related to chemicals in the workplace may be accessed through the Government website at <http://employment.alberta.ca/SFW/307.html>

Alberta OHS Code 2009, Part 18 – Personal Protective Equipment

Alberta Workplace Health and Safety *Preventing Violence and Harassment at the Workplace*, Bulletin VAH001, 2006, retrieved from <http://www.employment.alberta.ca/documents/WHS/WHS-PUB-VAH001.pdf>

American College of Surgeons; Statement by the American College of Surgeons – *Statement on Sharps Safety; October 2007*  
[http://www.facs.org/fellows\\_info/statements/st-58.html](http://www.facs.org/fellows_info/statements/st-58.html)

BC Centre for Disease Control – A Guide for the Selection and Use of Disinfectants <http://www.mtpinnacle.com/pdfs/disinfectant-selection-guidelines.pdf>

Bilsker, D., Gilbert, M., Myette, T.L., and Stewart-Patterson, C. *Depression & Work Function: Bridging the gap between mental health care & the workplace*; Retrieved from [www.comh.ca/publications/resources/dwf/Work\\_Depression.pdf](http://www.comh.ca/publications/resources/dwf/Work_Depression.pdf)

Canadian Centre for Occupational Health and Safety (CCOHS), *OHS Answers: Fatigue* July 2007; Retrieved from [www.ccohs.ca/oshanswers/psychosocial/fatigue.html](http://www.ccohs.ca/oshanswers/psychosocial/fatigue.html)

Canadian Centre for Occupational Health and Safety (CCOHS), *OSH Answers – Safety Glasses and Face Protectors*;  
<http://www.ccohs.ca/oshanswers/prevention/ppe/glasses.html>

Canadian Centre for Occupational Health and Safety (CCOHS), *OSH Answers- Chemical Protective Clothing – Gloves*;  
<http://www.ccohs.ca/oshanswers/prevention/ppe/gloves.html>

Canadian Centre for Occupational Health and Safety (CCOHS), *OSH Answers: Substance Abuse in the Workplace*, Retrieved from [www.ccohs.ca/oshanswers/psychosocial/substance.html](http://www.ccohs.ca/oshanswers/psychosocial/substance.html)

Canadian Centre for Occupational Health and Safety (CCOHS), *OSH Answers – How Do I Work Safely with Compressed Gasses?* Updated July 8, 2008; [http://www.ccohs.ca/oshanswers/prevention/comp\\_gas.html](http://www.ccohs.ca/oshanswers/prevention/comp_gas.html)

Canadian Centre for Occupational Health and Safety (CCOHS), *OSH Answers – Electrical Safety Basic Information*; updated June 1, 2000; [http://www.ccohs.ca/oshanswers/safety\\_haz/electrical.html](http://www.ccohs.ca/oshanswers/safety_haz/electrical.html)

Canadian Centre for Occupational Health and Safety (CCOHS), *OSH Answers – OHS Legislation in Canada; Basic Responsibilities*: <http://www.ccohs.ca/oshanswers/legisl/responsi.html>

Canadian Centre for Occupational Health and Safety (CCOHS), *OSH Answers – OHS Legislation in Canada; Due Diligence*: <http://www.ccohs.ca/oshanswers/legisl/diligence.html>

Canadian Centre for Occupational Health and Safety (CCOHS) *OSH Answers: Substance Abuse in the Workplace*, Retrieved from [www.ccohs.ca/oshanswers/psychosocial/substance.html](http://www.ccohs.ca/oshanswers/psychosocial/substance.html)

Canadian Centre for Occupational Health and Safety; *OSH Answers – Microwave Ovens*; last updated November 2, 2004; [http://www.ccohs.ca/oshanswers/phys\\_agents/microwave\\_ovens.html](http://www.ccohs.ca/oshanswers/phys_agents/microwave_ovens.html)

Centers for Disease Control and Prevention, USA; *Guideline for infection control in health care personnel*; [http://www.cdc.gov/ncidod/dhqp/gl\\_hcpersonnel.html](http://www.cdc.gov/ncidod/dhqp/gl_hcpersonnel.html)

Government of the U.K, Health and Safety Executive; *HSE Information Sheet; Slips and trips in the health services*; 09/03; <http://www.hse.gov.uk/pubns/hsis2.pdf>

Health Canada *Best Advice on Stress Management in the Workplace, Part 1*;, 2001; retrieved from [www.hc-sc.gc.ca/ewh-semt/pubs/occup-travail/stress-part-1/index-eng.php](http://www.hc-sc.gc.ca/ewh-semt/pubs/occup-travail/stress-part-1/index-eng.php)

Health Canada, *Best Advice on Stress Management in the Workplace, Part 2*, 2000 retrieved from [www.mentalhealthpromotion.net/?i=promenpol.en.toolkit.162](http://www.mentalhealthpromotion.net/?i=promenpol.en.toolkit.162)

NIOSH; *Alert Preventing Needlestick Injuries in Healthcare Settings*; 2000-108, November, 1999. <http://www.cdc.gov/niosh/docs/2000-108/>

NIOSH; NIOSH Pocket Guide to Chemical Hazards – Wood Dust <http://www.cdc.gov/niosh/npg/npgd0667.html>

Veterans Health Administration and the Patient Safety Center of Inquiry in Tampa, Florida The Patient Care Ergonomics Resource Guide Safe Patient Handling and Movement. . <http://www.visn8.va.gov/PatientSafetyCenter/safePtHandling/default.asp>

WCB of BC Worksafe. Handle with Care: Patient Care and the Application of Ergonomics (MSI) Requirements. July 2003; [http://www.healthandsafetycentre.org/pdfs/healthcare/HWC/HWC\\_L.pdf](http://www.healthandsafetycentre.org/pdfs/healthcare/HWC/HWC_L.pdf)

WorkSafeBC; *Understanding the Risks of Musculoskeletal Injury (MSI)*; 2008; [http://www.worksafebc.com/publications/Health\\_and\\_Safety/by\\_topic/assets/pdf/msi\\_workers.pdf](http://www.worksafebc.com/publications/Health_and_Safety/by_topic/assets/pdf/msi_workers.pdf)

current to January 2017

## APPENDIX 3 - Learning Objectives for this Module

1. Understand the need for and the procedure for conducting hazard assessments and risk evaluations.
2. Identify significant biological hazards that may impact continuing care personnel.
3. Identify significant chemical hazards that may impact continuing care personnel.
4. Identify significant physical hazards that may impact continuing care personnel.
5. Identify potential psychological hazards that may impact continuing care personnel.
6. Identify the hierarchy of controls that should be implemented to control hazards in the workplace.
7. Identify engineering controls and describe how they work.
8. Provide examples of administrative controls.
9. Describe the important considerations when selecting personal protective equipment.
10. For each type of hazards, identify possible engineering, administrative and personal protective equipment controls.

## APPENDIX 4 - Test Your Knowledge

1. In what way can continuing care personnel be exposed to biological hazards?
2. What is meant by the “hierarchy of controls”?
3. Give three examples of engineering controls.
4. Give three examples of administrative controls.
5. Give three examples of personal protective equipment.
6. What are the major physical hazards that continuing care personnel may be exposed to?
7. List at least five factors that should be considered in risk assessments related to resident lifts and transfers.
8. Name the five criteria for choosing the proper gloves to use.
9. Name the six criteria for selecting appropriate eye protection.
10. What administrative controls can be put in place to reduce the risk of exposure to hazardous chemicals?

### **Test Your Knowledge - Answers**

1. Continuing care personnel may be exposed to biological hazards through contact with residents, members of the public or through contaminated products or contaminated ventilation systems.
2. The hierarchy of controls refers to a preferred order of controls for implementation. The highest level is engineering controls, because these control the exposure at the source. The next level is administrative controls, which relies on worker compliance. The least effective and lowest level of control is personal protective equipment, because if the equipment fails the worker is likely to be exposed.
3. Preventive maintenance of equipment, safety engineered medical devices, segregated areas, automated procedures, ergonomically designed work stations, machine guarding, etc.
4. Training, policies, safe work procedures, restricted access, appropriate staffing, purchasing diluted solutions, signage, purchasing standards, etc.
5. Protective eyewear, gloves, lab coats, respirators, etc.
6. Ergonomic, slips, trips, falls, temperature extreme, motor vehicle collisions
7. Any of the following
  - a. Workplace factors including:
    - i. The staff to resident ratio
    - ii. Types of residents
    - iii. Special needs residents
    - iv. Equipment available and accessible
    - v. The existence of resident care plans that include handling requirements
    - vi. Languages required for effective communication
    - vii. Workload issues
    - viii. Workers wearing appropriate clothing and footwear
    - ix. Communication protocols for resident status information
    - x. Resident lifting and transfer plans
    - xi. Trained staff
    - xii. Preventive and reparative maintenance programs for equipment in place
    - xiii. Sufficient space to perform tasks, including use of mechanical lifts
    - xiv. Walkways free of clutter
    - xv. Floor surfaces in good order
    - xvi. Stable, suitable furniture
    - xvii. Electric, adjustable beds

- xviii. Adequate lighting for tasks
- b. Resident factors including:
  - i. Capability to bear weight, move normally, tolerate basic tasks
  - ii. Resident conditions that may impact risk such as history of falls, impaired movement, pain, loss of sensation, skin issues, communication issues, medical equipment used, surgical conditions, sensory deficiencies, mental state (confusion), aggression, etc.
  - iii. Types and frequency of transfers, lifts, repositioning required
- c. Task factors including
  - i. Static positions that may be required
  - ii. Duration of task
  - iii. Awkward postures for caregivers
  - iv. Task requiring extended reach
  - v. Restrictions posed by protective equipment
  - vi. Inflexibility of time for task
- 8. Criteria for glove selection include:
  - a. The nature and concentration of the chemicals.
  - b. The amount of time the gloves will be exposed to the chemical.
  - c. Dexterity required performing the task.
  - d. Extent of protection needed (to wrist or higher).
  - e. Decontamination and disposal requirements.
- 9. Criteria for the selection of eye protection include:
  - a. Level of protection required.
  - b. Comfort of the wearer.
  - c. Secure fit that does not interfere with vision or movement.
  - d. Ease of cleaning and disinfection.
  - e. Durability.
  - f. Compatibility with prescription glasses and other PPE that must be worn at the same time (e.g. respirators).
- 10. Administrative controls may include safe work procedures including spill procedures with consideration to the specific product and manufacturer's instructions; waste handling procedures; education of workers in the nature of the hazard; availability of appropriate equipment and PPE; accommodation for workers with special needs (pregnant workers, persons with sensitivities or other health issues).

## INDEX

### A

Abuse 43, 47  
Accommodation 18-19, 62  
Airborne biohazardous materials 16  
Alarm systems 43, 47  
Allergies 22, 27  
Anxiety 44-5, 47

### B

Biological hazards 2, 5-6, 8, 10, 12, 25, 59-61  
Blood 6, 13, 15  
Body fluids 6, 13, 15  
Body mechanics, good 55  
Burns 33, 37, 39, 42

### C

Carts 32, 35  
Chairs 32  
Chemical Common 20  
Chemical hazards 2-3, 17, 22-3, 25, 57, 59  
Chemical wastes 26-7  
Chemicals 18, 20, 25-9, 56, 62  
Circuit breakers 37

Compressed gas cylinders 31, 37, 39-40  
Contaminants 6, 11, 16, 26, 46  
Control, highest level of 6  
Control biomechanical hazards □ 38  
Control ergonomic hazards 41  
Control plans, effective hazard 5, 22, 31  
Cords, electrical 33, 36-8  
Cut-resistant gloves 33, 41  
Cuts 33, 36, 39, 41  
Cylinders 20, 33, 37, 39-40

### D

De-escalation procedures 43  
Decontamination 7-9, 11, 17, 28, 30, 62  
Depression 44-5, 47  
Designed equipment 32  
Devices, engineered needle stick prevention 5-6, 23  
Disinfectants 10-11, 19, 25, 56  
Disinfection 7-9, 18-19, 29, 62

### E

Effects of Workplace Stressors 43  
Electrical Safety Basic Information 57  
Elimination of scented products 21, 24

Emergency response equipment 26  
Enforcement 21-2, 39, 47  
Equipment maintenance programs 22, 24, 39  
Ergonomic 31-2, 38, 58, 61  
Ergonomic hazards 31-3, 38, 41  
Eye protection 5-6, 12, 14, 18-20, 23-4, 33, 41, 62

## F

Fatigue 45, 56  
Footwear, appropriate 31-2, 41

## G

General ventilation, adequate 23-4  
GFCIs (Ground fault circuit interrupters) 33, 37  
Gloves 5-6, 12-14, 18-24, 27-8, 41, 56, 60-2  
Grounding 37-8

## H

Hallways 32, 36  
Hand hygiene 9, 18  
Hazard assessments 3-5, 15-16, 20-3, 29-31, 41-3, 47, 50, 59  
Hazardous wastes 55  
Heat resistant gloves 32  
Hierarchy 4, 6, 27, 29, 59, 61

## I

Illness, mental 45, 47

Immunizations 6, 8, 12  
Indoor air quality 46-7  
Infection prevention 5, 8-10, 46  
Infectious diseases 6, 9, 12  
Infectious materials 7, 10, 13-14  
Insulated gloves 33, 42  
Interlock systems 32-3, 36-7

## L

Latex allergies 13, 21, 28  
Lifting 32-3, 45  
    resident status information, 34, 61  
Lighting, adequate 33, 35-6, 62  
Loads 35

## M

Maintenance 6-7, 16, 27-8, 30, 32-3, 39, 46  
Masks, Surgical 15  
Mercury 21, 23  
MSDSs 18, 20, 24, 40  
Musculoskeletal Injury (MSIs) 38, 58

## N

Needles 54  
New technologies 44, 49-50

## O

Orientation, required 8

Overtime 38, 45, 49, 51

## **P**

Panic buttons 43, 47

Policies 8, 12, 22, 26, 38, 43-5, 47-8, 53, 61

PPE (personal protective equipment) 4-5, 9, 11-14, 17, 20, 23, 27, 29, 31, 40-2, 56, 60-2

## **R**

Resident care areas, □ Designing 36

Respirators 14-15, 20, 22-4, 27, 29, 61-2

Routine Practices and Additional Precautions 9

## **S**

Safe needle devices 6

Scented products 21, 24

Sensitivities 11, 19, 27, 62

Sensitization 13, 19, 22, 24

Sharps 33, 36, 39, 41, 52, 54

Shift schedule 45, 51

Sleep disorders 44-5, 47

Smoking policies 22

Spill 7, 10-11, 21, 23, 41

Stress 13, 44-6, 49-50

Stressors, excessive workplace 44-5

Substance abuse 44, 47, 57

Substance abuse signs 44

Surfaces, hot 33, 37

Symptoms 21, 38, 44-5

Symptoms of ergonomic 31-2

## **T**

Technostress 44, 49-50

Training 4, 8, 12, 16, 26, 30, 38, 44-5, 61

Tripping hazards 39

## **U**

Unsafe Lift 34, 38, 56

## **V**

Violence 44, 47

Visitors 8-9, 53

## **W**

WHMIS program 18-20, 24, 26

Wood 22

Wood dust 22, 24, 56-7

Work-life balance policies 46

Workers

aging 45

pregnant 27, 62

sensitized 18-19