

Landscape Analysis Tool (LAT) User Guide

January 28, 2014

Revision History

Version Date	Author	Description
August 25, 2010	Vendor	First version
August 27, 2010	Vendor	Updates to screenshots
November 23, 2010 May 30, 2011	Vendor	 Appendix A - Introduction Shapefile extensions must be in lowercase Appendix A - Proposed Activity Size Limitations Specified the area/length limitations Appendix A - Table 1 Resized table Appendix A - Table 2 Updated Disposition/Activity Type Codes Updated Appendix A to include "Using Multipart Features" Section 4.4 – "Edit Project Information" lists permissible characters in the "Industry Company Name" and "Industry Contact Name"
		 Change "Activity Type" to "Purpose Type"
August 30, 2011	Vendor	Add in two new MSL Purpose Types in Appendix A – Table 2
February 28 2012	Vendor	Add in new road allowance types and LAT News Panel
January 16, 2013	Vendor	Correct images and tables
March 25, 2013	Vendor	LAT Changes Include - MSL Sump and Table 2 Purpose Types Renamed
November 29, 2013	Vendor	Updated screenshots for AER changesUpdate Appendix A, Table 1, Table 2
December 9, 2013	Vendor	Remove MSL Sump from Table 2

Table of Contents

1.0	Quick Start: How do I get LAT Reports for Proposed Activities?	.6
	The LAT Report Workflow	6
	Step 1 - Enter the LAT login URL in your internet browser	7
	Step 2 - Login into SecureXNET and launch the LAT Tool User Interface	8
	Step 3 - Entering Proposed Activities into the LAT:	9
	Step 3A - How to upload a shapefile:	.9
	Step 3B - Entering project information:	10
	Step 3C - How to create a Proposed Activity Layer from scratch.	
	Step 3D - Entering new Proposed Activities into the LAT by using the Editor T 13	iols:
	Step 4 - Generating my LAT Report(s) and associated returns:	17
	Step 5 - Receiving and viewing my LAT Report(s) and other returns:	19
2.0	Getting Started	29
	2.1 Logging into the LAT	29
3.0	The LAT User Interface	
	3.1 LAT Map Layers	33
	3.2 Showing and Hiding Map Layers	
	3.3 Making Map Layers Active	
	3.4 Viewing the Map Legend	
	3.5 Using Layer Actions	
	3.5.1 Viewing Layer Metadata	
	3.5.2 Zoom to the Full Extent of a Layer	
	3.5.3 Hiding Labels	35
	3.6 Viewing the Attributes of Features	35
4.0	The LAT Toolbars	36
	4.1 Map Navigation Floating Panel Tools	36
	Zoom Out	36
	Pan Pan	36
		50
	Zoom to Full Extent	36
	Back Map Back	37
		77
	Map Forward	37
	Identify Features	37
	Identify Visible Features	37

4?» Measure
Magnify
4.2 General Toolbar
Pmt Generate Map Report
Zoom to ATS
Zoom to Projected Co-ordinate
Zoom to Geographic Co-ordinate
Bring up the LAT News Panel
4.3 Markup Toolbar
Point Markup
Polyline Markup
Polygon Markup
Rectangle Markup
Oval Markup
Circle Markup
Text Markup
Butter Buffer Markup
Erase Erase Markup
Clear All Markups
Swipe Markup Layer
4.4 LAT Tasks Toolbar
angete Upload Shapefile
Create a New Proposed Activity Layer
Edit Project information
Edit Proposed Activities
4.4.1 Selecting, Unselecting and Clearing Selection of Proposed Activities55
4.4.2 Moving a Proposed Activity:
4.4.3 Editing the shape (vertex) of a Proposed Activity:
4.4.4 Rotating a Proposed Activity:

	4.4.5 Deleting a Proposed Activity:	 58
	Generate LAT Report	 59
Appendix	A – LAT Shapefile Specification for Proposed Activities	
	Introduction:	
	File naming:	 73
	Map Projection and Datum:	 73
	Geo-referencing:	 73
	Proposed Activity Size Limitations:	 73
	Using Multipart Features:	 74
	Shapefile Attributes and Attribute Values:	 75

Acknowledgement:


Portions of the LAT were constructed using licensed GeoCortex Essentials technology, developed by Latitude Geographics Group Ltd. Portions of this LAT User Guide made liberal use of the contents of the GeoCortex Essentials On-line Help and Tutorial System for content. We greatly appreciate the ability to use this information and acknowledge their contribution to this document.

1.0 Quick Start: How do I get LAT Reports for Proposed Activities?

The LAT Report Workflow

The workflow for generating LAT Reports is shown in the diagram below and includes the following basic steps:

- Logging into the LAT web site;
- Entering Proposed Activity locations into the LAT using the "Upload Shapefile" tool, or by adding new activities interactively in the LAT;
- Entering Project Information;
- Editing the locations of Proposed Activities (add, move, modify, or delete);
- Generating LAT Report(s);
- Receiving the LAT Report(s) and associated returns by email.



The following sections provide detail on a step by step approach for getting LAT Reports from the LAT.

Step 1 - Enter the LAT login URL in your internet browser.

https://securexnet.env.gov.ab.ca/lat_login.html

You will be directed to the SRD Applications SecureXNET login page for the Landscape Analysis Tool. All existing EDS (Electronic Disposition System) users will automatically be able to access the LAT. If you are an EDS user and are unable to access the LAT, please contact the EDS Help Desk at the following:

EDS central number 780-427-3570 and the following email address, eds.support@gov.ab.ca

If logging in for a new session –

Select the following option:

1 - Please proceed to ... the Landscape Analysis Tool

If you are not logged in to SecureXNET, you will be redirected to log in.



Step 2 - Login into SecureXNET and launch the LAT Tool User Interface.


Enter in your **GOA user id**, **Password** and **Account Type**. If successful, you will be directed to the LAT user interface. If you are unable to login, please contact your system or network administrator.

Cred Lingeld in Headland Interest Payment		COLOR OF COL
the diff them for them them the		
and the state of t	B10-6	
	SECUREXNET	-
	Von are not logged in to SecureXNET,	
	Date Same Joss Statistic	
	Account Type BULLATURE	
	(inse)	

On some IE browsers, when the LAT Tool is loading, you will be prompted by your browser whether to display unsecure items. Please select "Yes".

Classific apt Analysis Tani (LAT)	And the second s			Sid)
2 0 1 · [] - m · 12ap	NAME AND ADDRESS OF TAXABLE PARTY.			
Albertan	Alberta Energy Regulator	Landscape Analy	sis Tool (LAT)	Site Centect Us
Laper Las	. 20 800	99999999		
 Base Hapt. Sensitive and Base Fostures 	E e	\cap		
Hay Revigation	1.2			
1				
Statis	Ter mar seen	82 Henre bohr server and merrinestan In dipley the sourcestane dess." No Mare love		
An instance on controls which is not an an out-instance of a second back				
	Solit 1		1 <u>8</u> 80	
1.	Alberta	Benerinant I	Contact Us: Using the Site M Anisthes Advence Bund Ministers Government of Adventa: Copyright ar	Office Expenses In

This will launch the LAT Tool within your browser and will display the provincial base map.



Step 3 - Entering Proposed Activities into the LAT:

There are **two methods** to enter Proposed Activity data into LAT. Data can be entered in by:

- a. Uploading a shapefile containing proposed activities;
- b. Adding proposed activities in the LAT using the editor tool.

Step 3A - How to upload a shapefile:

*****Note:** The LAT requires all shapefiles to be uploaded to conform with the specifications contained within **Appendix A – LAT Shapefile Specification for Proposed Activities**. Please refer to this specification to ensure that your shapefile will be processed. Failure to comply with this specification will result in incomplete and invalid LAT Reports.


From the LAT Toolbox Dropdown at the top of the Toolbox menu bar – Select the "LAT Tasks" Toolbox:



Select "**Upload Shapefile**" Tool from the LAT Tasks Toolbox:



On the Upload Shapefile form, enter the name of your Proposed Activity Layer. Browse to the location on your workstation of the shapefile containing proposed activities. Enter in the location of the shapefile .dbf, .shp, .shx, .prj components.



Select "**Submit**" on the "Upload Shapefile" form. You will then be prompted to enter project information and render the colour of the proposed activity layer, if you do not like the default rendering chosen by the software.

Step 3B - Entering project information:

Enter project information into Project Information data entry form. The required fields (**marked with a ***) are used within the LAT Report and are used to email the LAT Report and other returns to the user. Once the required and optional fields are entered, select **"Submit"**.

Project information entry		\bigtriangleup
* Industry Company Name	Acme Resources	
* Industry Contact Name	Derek	
* Email	eds.support@gov.ab.ca	
* Re-enter Email	eds.support@gov.ab.ca	
Project Name	2013 Exploration	
Project Description		*
Submit	* required fields	

At any time, Project Information can be modified using the "Edit Project Information" tool contained in the LAT Tasks toolbar.

LAT Tasks	÷	Shapefie	*.7	ŧ.	Editor	M	B
					5		

1

Zoom to the extent of the Proposed Activity Layer (Upload Shapefile), to view it:

In the Layer List box, **click on the small triangle** next to your Proposed Activity layer name (Project1, in the example below), and select "**Zoom to Full Extent**" from the layer actions.

🔲 Base I	laps	
Sensit	ive and Base Features	
🛄 Image	ry	
🔁 Propo	sed Activity	5
Project	1 -	😮 🛩
	Q Zoom to full extent	0
	Symbolize	

The map display will zoom to the full extent of the shapefile uploaded.




Step 3C - How to create a Proposed Activity Layer from scratch.

Select "Create a new Proposed Activity Layer" from the LAT Tasks Toolbox:



You will then be prompted to enter the name of a new Proposed Activity layer. Select "Submit" once you have entered the name.




You will then be prompted to enter Project Information. Refer to Section 4.4 "Edit Project Information" for instructions on how to enter Project Information. Once the required and optional Project Information fields are entered, select "**Submit**".

Once successfully submitted, the name of the Proposed Activity layer will appear as a layer in the Proposed Activity folder contained in the Layer List box. Navigate to the area of interest to enter in Proposed Activities using any of the zoom, pan, zoom to ATS, or zoom to co-ordinate tools provided by the LAT.

Step 3D - Entering new Proposed Activities into the LAT by using the Editor Tools:

Zoom into the area of interest where you wish to add new proposed activities using any of the zoom, pan, zoom to ATS, or zoom to co-ordinate tools provided by the LAT.

To add a new proposed activity, make the layer active, by highlighting the Proposed Activity layer in the Layer List. Select the **O** icon next to the layer and it will be highlighted in blue. This indicated that the Proposed Activity layer is now available for editing.



From the LAT Tasks toolbar, select the "Editor" tool.




You will be presented with the "**Editor**" tool form. This form provides the capability to add Proposed Activities by adding either a point, line or polygon feature that represents a Proposed Activity. To add a new activity, select the Disposition Type and Purpose Type from the drop-downs in the Editor.

Editor	
Disposition Type Purpose	Mineral Surface Lease
type	PNG or OS Facility-Oil/Bitumen Battery site
<i>.</i>	PNG or OS Facility-Compressor Site PNG or OS Facility-Gas Processing Plant PNG or OS Facility-Gas Processing Plant- Sulphur Recovery PNG or OS Facility-Custom Treating Facility PNG or OS-Satellite site Drilling Waste Disposal-Remote Sump Wellsite-Injection Wellsite-PNG Production (MW) Wellsite-PNG Production (SW)


In the case of a MSL or Mineral Surface Lease activity (point feature), select the MSL dimensions from the drop-down box, as well as the rotation angle, if necessary.

Editor		riangle
Disposition Type	Mineral Surface Lease	
Purpose type	PNG or OS Facility-Oil/Bitumen Battery site	
1	+ + + R 🔼 🖉	
1.		
Buffer 1	10 x 110 🔻	
Rotation 5	0	

Place a point on the map display by clicking in the desired location for the centre of the MSL. A polygon representing the proposed MSL will be created in the map display.



To place a Pipeline Agreement activity (line feature), select the disposition and activity sites, proposed right of way buffer distance, angle of rotation (if required) in the Editor menu box. Position the mouse cursor within the map display and draw the proposed activity by clicking the start point, and vertices (bends) of the proposed activity using single mouse clicks. Double click the mouse to draw the end point of the activity.



The Editor menu also provides functions to select/unselect a proposed activity, move an activity, modify a vertex point of a proposed activity, rotate the proposed activity and to delete the shape. Refer to Section 4.4 "Edit Proposed Activities" of this document for details on how to select, move, modify or delete a Proposed Activity.

Step 4 - Generating my LAT Report(s) and associated returns:

Once you have completed adding your Proposed Activity(ies) to the LAT, you can generate LAT Reports and associated returns for all activities in your Proposed Activity Layer. To generate a LAT Report and returns, do the following:

From the LAT Tasks toolbar, select the "Generate LAT Report" tool.



You will then be prompted to select the Proposed Activity Layer that you wish to generate LAT Reports for. Select the required Proposed Activity data layer from the drop-down list in the form, and select **"Run"**.

Report	△ ⊗
LAT Reports will be ge each of the Proposed /	
Project1	
Run	

When the LAT Report Generator has successfully run, you will receive a notification to indicate that your activities were received and that your results are being e-mailed to the e-mail address entered into the Project Information form. Please check your e-mail to receive your results. "Exit" the Report notice form to receive your results.

Report	400
Propoed activities rece E-mail and downoad t	

You will also receive an e-mail notification from the system indicating that your LAT Report request has been submitted. An example of the email is shown below:

Step 5 - Receiving and viewing my LAT Report(s) and other returns:

Upon completion of the LAT Report generation, an e-mail confirmation in the format below will be sent to you.

The e-mail confirmation contains hyperlinks to:

- The location of a zipped file containing your LAT Report(s).
- The location of a zipped file containing the LAT Report data in a CSV (comma separated values) format. This format can be used to enter and analyse the LAT Report data in a spreadsheet, access database or software that accepts this format.
- The location of a zipped file containing a shapefile of the proposed activities used to generate the LAT Report (s).

From:	SRD LAT-SMTP	
To:	Derek Yee	
Cc		
Subject:	LAT Report - Results Available for Download (ref: akeofmukkk0lle45jaetiwjs)	
*****	** System Generated Email - DO NOT REPLY ******	
Dear De		
Below a	are links to your LAT Report results as requested on 2013-11-22	
Please n	note: LAT Reports with any noted errors are a result of the data you submitted.	
LAT Rep	port results are automatically purged from the system 30 business days after they are gener	ated.
Please d	download and save your reports immediately:	
LAT Rep	port PDF files (zipped):	
http://e	edmoxpap10/LATOutput/akeofmukkk0lle45jaetiwjs/Submission 2/LATReportPDFs 2.zip	
LAT Rep	port CSV files (zipped):	
http://e	edmoxpap10/LATOutput/akeofmukkk0lle45jaetiwjs/Submission 2/LATReportCSVs 2.zip	
LAT Rep	port Shapefile (zipped):	
http://e	edmoxpap10/LATOutput/akeofmukkk0lle45jaetiwjs/Submission 2/asc 2.zip	
Sincerel	ely,	
Alberta	Environment and Sustainable Resource Development and the Alberta Energy Regulator	
eds.sup	pport@gov.ab.ca	
780-427-	7-3570	

Select the appropriate hyperlink(s) to download the zip file(s) and unzip files using your unzip file utility of choice.

The following screen shots show samples of the LAT Report and associated returns:

		rtPDFs[1].dp									- 🗆 🗡	
THE ACCOM		ubs Options		-	1000	-		-	194	1005		
Ven	Com	Favortas	Att	Extract		Daryst	View	CheckOut	Weard	View Style		
Nime		Type	Mudified		504	- HOVER	Packed [P	Contraction of the	1.3507/5		 	
Latkaport	0000		8/12/201	1.2:35 PM	175,300		151,202					
Latikeport		Adobe Acro	8/12/201	2:35 PM	187,322	12%	164.285					
		Adobe Aoro	8/12/201	12:35 PM	179,681	13%	195,525					
Lakeport		Adobe Acro	8/12/201	2:35 PM	176,989	13%	153,979					
Lankeport		Adobe Acro	8/12/201	2:35 PM	173,414	13%	150,201					
Latikeport		Adobe Acro	8/12/201	2:35 PM	170,176	24%	145,848					
LatReport	t_0000	Adobe Aoro	8/12/201	1 2:35 PM	171,387	14%	147,116					
LatReport		Adobe Acro	8/12/201	12:06 PM	170,870		146,931					
LabReport		Adobe Acro	8/12/201	2:06 PM	178,203		153,800					
Lathepor	t_0000	Adobe Acro	8/12/201	1 2:36 PM	171,954	14%	148,032					
ielected 0 file	s, Ditutes						Total 10 files,	1.76568			00	

The LAT Report is in a .pdf file format and can be viewed and save within a .pdf viewer such as Adobe Acrobat Viewer.

The LAT Report cover page presents the LAT number, date, time, project information, disposition and purpose type.



Landscape Ana	alvsis To	ol Report

Mineral Surface Lease (MSL)

00000002AA Page 1 of 15

	Time: 08:59 18 AM	
LAT Number:	0000002AA	
LAT Date:	2013-11-27	
Project Name:		
Project Description:		
Disposition Type:	Mineral Surface Lease (MSL)	
Purpose Type:	PNG or OS Facility-Gas Processing Plant- Sulphur Recovery (FACGPLTSU)	

Note to Applicants:

It is the applicant's responsibility to determine if an EAP application will be submitted to the regulating body as "Standard" or "Non-Standard". Applicants should complete a thorough review of EAP processes, IS&G documents and LAT Reports generated prior to making this determination.


• "Standard" EAP application submissions are those where the applicant chooses to meet all of the associated Approval Standards identified in the LAT Report submitted as part of the application and aligns those standards to the associated supplements and the application plan.

 "Non-Standard" EAP application submissions are those where the applicant chooses not to meet, or is not able to meet, one or more of the associated Approval Standards identified in the LAT Report submitted as part of the application, or the requirements of Reservations identified within the application supplement. Non-standard interim application submissions require the inclusion of a completed Non-standard Mitigation Supplement.

The information provided within the LAT Tool is a spatial representation of features provided for land use planning. The accuracy of these layers varies depending on the resource value being represented. Site visits, wildlife surveys and ground-truthing is required to ensure that the applicant will meet the applicable Pre-Application requirements, Approval Standards, Operating Conditions and Best Management Practices of the Integrated Standards and Guidelines.

The listing of the Geo-administrative Base Features upon which the Proposed Activity is located appears as follows:

Alberta Energy Regulator



The listing of the Sensitive Features upon which the Proposed Activity is located appears as follows:

	Mineral	Surface Lease (MSL)
dscape Analysis To	ol Report	00000002AA Page 3 of 15
ve Features		
dlife		
Burrowing Owl Range:	No Other Sensitive Endangered Spe	No
Caribou Zones:	Yes Piping Plover Waterbo	odies: No
Colonial Nesting Birds:	No Sensitive Amphi Rar	bians No
ern Short-horned Lizard Range:	No Sensitive Raptor R	ange: No
Endangered and reatened Plants Ranges:	No Sensitive Snake S R	ange: No
Greater Sage Grouse Habitat and Buffer:	No Sharp-tailed Grouse and E	e Leks No
Greater Sage Grouse Leks and Buffer:	No Sharp-tailed Grouse Su	irvey: No
Grizzly Bear Zone:	Yes Special Access	Area: No
Key Wildlife and Biodiversity Areas:	No Swift Fox R	
ountain Goat and Sheep Areas:	No Waterbodies/Watero	
d's Kangaroo Rat Range:	No	
ter		
Proximity to conditions as d Waterbody: followed. To e	nsure that the Watercourse/Waterb efined within the Integrated Stand nsure these setbacks and buffers a is recommended that a pre-site ass	ards and Guidelines are re addressed and
assland and Parkland Natural R	legion:	

The listing of Quarter Sections in which the Proposed Activity is located appears as follows:

Alberta Energy Regulator


	Mineral Surface Lease (MSL)
Landscape Analysis Tool Repor	t 00000002AF Page 4 of 15
Quarter Section Township Range Meridian Road	Allow. Sensitive Features by Quarter Section
NE 11 59 26 5	Caribou Range,Grizzly Bear Zone
SE 11 59 26 5	Caribou Range,Grizzly Bear Zone

* The Road Allow.column indicates there is a Road Allowance that may have one of the following values:

- 1. RS=South
- 2. RW=West
- 3. RI=Intersection (SW segment)
- 4. A blank value indicates no Road Allowance.

A map image of the Proposed Activity appears as follows:

Alberta Energy Regulator



The listing of applicable Provincial Approval Standards and Operating Conditions for the disposition appears as follows:



Mineral Surface Lease (MSL)

Landscape Analysis Tool Report

00000002AF Page 6 of 15

Provincial Section Approval Standards and Operating Conditions

Approval Standards

100.1.1.

Location of proposed developments shall be sited as follows, unless alternative siting can be supported by Regulated Industry Standards:

- c. New well sites and pipeline installations shall:
 - i. Use existing, unoccupied, disturbances, regardless of quarter or section lines, that are within 250 metres of the proposed disposition boundary, or;
 - ii. Adjoin to all existing occupied industrial dispositions and/or existing linear disturbances that are within 250 metres of the proposed disposition boundary, regardless of quarter or section lines, unless doing so results in greater disturbance (i.e., footprint hectares), and/or negative environmental impacts (e.g., impacting sensitivities)

100.1.3

Locate wellsites and roads outside of natural forest openings (> 10 hectares) such as meadows when planning development activities, unless justifiable extra-ordinary conditions require alternative siting and are supported by Regulated Industry Standards.

100.1.4

The following wellsite sizes shall apply, unless alternative sizing can be supported by Regulated Industry Standards:

- Single rig sites shall not exceed 110 metres x 100 metres or equivalent area (1.10 hectares), except stratigraphic test wells which shall not exceed 80 metres x 100 metres or equivalent area (0.8 hectares).
- b. Double/Triple rig sites with less than 5 metres of elevation difference from any corner to the well centre shall not exceed 120 x 120 metres or equivalent area (1.44 hectares).
- c. Double/Triple rig sites with greater than 5 metres of elevation difference from any comer to well centre shall not exceed 130 x 130 metres or equivalent area (1.69 hectares).
- d. Horizontal well pad sites shall not exceed 130 metres x 130 metres or equivalent area (1.69 hectares).
- e. Multi-well pad sites shall not exceed 130 metres x 130 metres or equivalent area (1.69 hectares) for the first well, up to 0.72 hectares for the second well centre; and up to 0.20 hectares for each additional well centre. Total site size shall not exceed 3.5 ha of equivalent area.
- f. Single-well pads (with existing facilities) may be upgraded to a multi-well pad providing it is only extended up to 0.72 hectares to accommodate the second well centre; and up to 0.20 hectares for each additional well centre. Approval is required for these upgrades. Total site size shall not exceed 3.5 ha of equivalent area.

100.1.5

The difference in elevation from well centre to any corner of the wellsite shall not exceed 10 metres of cut/fill, unless alternatives can be supported by Regulated Industry Standards. The listing of the applicable Approval Standards and Operating Conditions based upon sensitive features affected by the proposed activity appears as follows:



Mineral Surface Lease (MSL)

Landscape Analysis Tool Report

00000002AF Page 14 of 15

Sensitivity Section Approval Standards and Operating Conditions

Caribou Range

Approval Standards

100.9.2.1

Initiate activity as early as possible in the winter to limit late winter activities. New site preparation or construction shall not be initiated between February 15th and July 15th, with the following exceptions:

- a. Site preparation or construction initiated on a disposition before February 15th can continue until adverse ground conditions are encountered. Site preparation must be at least 50% completed.
- prior to February 15th. b. Well tie-in activities commenced before February 15th can continue until adverse ground
- Well tie-in activities commenced before February 15th can continue until adverse ground conditions are encountered.
- c. All wellsites or pipeline installations accessed using Class V routes can be initiated at any time (including after February 15th) provided ground conditions are favourable, and may continue until adverse ground conditions are encountered.
- d. All activities planned within 100 metres of existing arterial all-weather roads can be initiated at any time (including after February 15th) provided ground conditions are favourable, and may continue until adverse ground conditions are encountered.

100.9.2.5

Sites (e.g. plant sites, sumps) shall be constructed within 100 metres of an existing arterial all-weather permanent access.

Operating Conditions

200.9.2.1 No legumes are to be seeded for any re-vegetation.

Grizzly Bear Zone

Approval Conditions

100.9.3.6 Sites (e.g. plant sites, sumps) shall be constructed within 100 metres of an existing arterial all-weather permanent access.

Operating Conditions

200.9.3.1 No legumes are to be seeded for any re-vegetation.

200.9.3.2

CSV File(s) containing LAT Report data:

This is a zipped file containing the LAT Report data in a CSV – (comma separated values) format. This format can be used to enter and analyse the LAT Report data in a spreadsheet, access database or software that accepts this format.

Type Modified Tipe Modified State State	Hew Open	Favorites	400	ENTIN	Hul	(D) Encript	Ven	Creditul	Willowd	Vew Style	
LafSaport_0000 Microaft C.M. 01/12/0010/2:25:994 1,344 54% 617 LafSaport_0000 Microaft C.M. 01/12/0010/2:35:994 1,554 95% 600 LafSaport_0000 Microaft C.M. 01/12/0010/2:35:994 2,557 01% 607 LafSaport_0000 Microaft C.M. 01/12/0010/2:35:994 2,171 60% 642 LafSaport_0000 Microaft C.M. 01/12/0010/2:35:994 2,113 60% 642 LafSaport_0000 Microaft C.M. 01/12/0010/2:35:994 2,113 60% 642 LafSaport_0000 Microaft C.M. 01/12/0010/2:35:994 1,161 60% 640 LafSaport_0000 Microaft C.M. 01/12/0010/2:35:994 1,618 60% 640	ane :				301	Ratio:	Paded P	17			
LaMaport_0000. Microsoft Cf., 01.2(2010.2:35 FM 1, 199 wT% 6.23 LaMaport_0000. Microsoft Cf. 01.2(2010.2:35 FM 1, 159 wF% 600 LaMaport_0000. Microsoft Cf. 01.2(2010.2:35 FM 1, 1712 wT% 6.27 LaMaport_0000. Microsoft Cf. 01.2(2010.2:35 FM 1, 1712 wT% 6.22 LaMaport_0000. Microsoft Cf. 01.2(2010.2:35 FM 1, 1712 wT% 6.22 LaMaport_0000. Microsoft Cf. 01.2(2010.2:35 FM 1, 116 wT% 6.17 LaMaport_0000. Microsoft Cf. 01.2(2010.2:35 FM 1, 1618 60% 640											
affegort_0000. Microaft 0F., 01/20010/2/95.944 1,159 40% 600 #Report_0000. Microaft 6F., 01/20010/2/95.944 1,712 6/% 6/01 affegort_0000. Microaft 0F., 01/20010/2/95.944 1,712 6/% 6/02 Affegort_0000. Microaft 0F., 01/20010/2/95.944 1,418 40% 6/7 affegort_0000. Microaft 0F., 01/20010/2/95.944 1,618 60% 640											
LakSapart_0000. Marcouft 6#0112/2010/2:25 FM 2,2647 81% 657 LakSapart_0000. Marcouft 6#012/2010/2:25 FM 2,112 60% 662 LakSapart_0000. Marcouft 6#812/2010/2:26 FM 2,113 60% 662 LakSapart_0000. Marcouft 6#812/2010/2:26 FM 1,188 40% 617 LakSapart_00000 Marcouft 6#812/2010/2:36 FM 1,618 60% 640											
Lafeport_0000Microsoft 0f01120102:05 PM 1,712 K07% 620 Lafeport_0000Microsoft 0f01120102:05 PM 2,146 69% 662 Lafeport_0000Microsoft 0f01120102:05 PM 1,115 40% 617 Lafeport_0000Microsoft 0f01120102:05 PM 1,616 60% 640											
LafReport_0000. Microsoft 0f., 8/12/2010/2:05 PM 2,146 69% 662 LafReport_0000. Microsoft 0f., 8/12/2010/2:05 PM 2,113 69% 652 LafReport_0000. Microsoft 0f., 8/12/2010/2:05 PM 1,618 60% 640						81%					
AddReport_0000 Microsoft 0/L 91/12/2010 2/36 FM 2,112 60% 652 AddReport_0000 Microsoft 0/L 91/12/2010 2/36 FM 1,185 40% 617 ExsNervort_0000 Microsoft 0/L 91/12/2010 2/36 FM 1,618 60% 640											
SubSect 0000 Microsoft 07 01120210 2:36 99 1,185 40% 617											
Moresult 07001 #01210010.2196 #M 1,618 60% 6H0											
	Latheuort_0000	Microsoft Of	8/12/201	0.2:36 PM	1,618	60%	640				

LAT Report CSV file opened within an Excel spreadsheet:

	A	В	С	D	E	F	G	Н
1	LATNumber	DateStr	TimeStr	Company	ContactNa	EmailAddress	ProjectName	ProjectDesc
2	000000232D	5/18/2011	13:07:55 PM	Company	Derek	eds.support@dov.ab.ca		

Zip file of the Proposed Activity Layer associated with the LAT Report(s):

WinZip layer1									لعليا
He Actions Wew	: 0	Add Extract	al Mal	Encrypt		ChedOut	Weard	Ven 3tyle	
Vanie	Type	Modified	Size	Flatic	Packed P				
ayer1.dbf	DEF File	8/23/2010 8:47 AM	569	67%	183	N2			
layer1.sbn	SEN File	B/23/2010 8:47 AM	132	46%	68				
ayer1.sbx	SBX File	8/23/2010 8:47 AM	116	40%	60				
layer1.shp	SHP file	6/23/2010 6:47 AM	236	67%	78				
a layer1.stor	Sex File	6/23/2010 8:47 AM	100	47%	57				
Nected 0 files, 0 by	tes			Y	otal 5 files, 2KB	1	_		00

2.0 Getting Started

2.1 Logging into the LAT

To start the Landscape Analysis Tool (LAT), you must first log into the Alberta Sustainable Resource Development (ASRD) Secure XNET login page. To login, you will require a:

- GOA user id;
- Password;
- Account Type.

You must also be a member of the LAT user group to be authenticated by Secure XNET. Please contact your system or network administrator if you do not have the necessary permission to access the LAT. All existing EDS (Electronic Disposition System) users will automatically be able to access the LAT. If you an EDS user and are unable to access the LAT, please contact the EDS Help Desk at the following:

EDS central number 780-427-3570 and the following email address, eds.support@gov.ab.ca

To access the LAT, type the following URL into your browser: <u>https://securexnet.env.gov.ab.ca/lat_login.html</u>

You will be directed to the SRD Applications SecureXNET login page for the Landscape Analysis Tool. If logging in for a new session –

Select the following option:

1 – Please proceed to... the Landscape Analysis Tool If you are not logged in to SecureXNET, you will be redirected to log in.




Enter in your **GOA user id**, **Password** and **Account Type**. If successful, you will be directed to the LAT user interface. If you are unable to login, please contact your system or network administrator.

Cred Laught in Station Interest Partners		E HILE	
the data inter formation from the			
and the second s			
	SECUREXNET	-	
	SECURE VALET		
	SPECCICEMENT		
	and the second second		
	You are not logged in to SecureXNET,		
	The Same Second		
	Pauroard Internet		
	Account Type DMINGTON		
	(inter)		
	(Trans		

On some IE browsers, when the LAT Tool is loading, you will be prompted by your browser whether to display unsecure items. Please select "**Yes**".

Landscape Analysis Tast ().	AD Windows Informati Copi	<i>in</i>				SID!X
18	Tank Help	Stage 🖬 🖽				
👙 🖉 • 🖾 • 🖷 •	Fapr + 🗍 Taoli + 😥+	3 22				
Alberta			Landscape	Analysis Tool (LAT) Using this Site	Centect Us
Layer Lat	0.2	Section 1	0 0 0 0	B B		
 Base Hape. Genetive and Base Fourth 						
Tay Reviget						
Q		-				
Startion Market and a second a second at the	The face shall be deep to a	T here	a both secure and management page the transmission fermit [®] No State betw			
		Scele 1/ Process		3	<u>10 66 cu</u>	<u>tin j</u> ar ini
		Albertan		ione Boach Cortait Us 18 Sevenines Ministres Albeit 2 1995-2015 Government of A	or Bund Minister's Office	Expenses In clemer Proc


This will launch the LAT Tool within your browser and will display the provincial base map.



Note that if your session is in-active for a significant period of time, you session will be ended by the system. You will then be required to re-login to the LAT through Secure XNET.

3.0 The LAT User Interface

When you open the LAT Viewer in your Internet browser, you should see something that looks like the image shown below.



The LAT Viewer contains the following components:

- 1. The Map Window this displays the mapping information;
- 2. The Information Panel this displays information about the map and lets you interact with the map;
- 3. The Layer List this provides a listing of all Base Features and Sensitive Features data layers that can be viewed within the LAT;
- 4. The selections and interfaces for various LAT Tools;
- 5. The Toolbars, located at the top of the viewer. There are three static toolbars (General, Markup and LAT Tasks) at the top of the viewer and one floating panel toolbar (Map Navigation) used for navigating around the map. These tools allow you to navigate around the map, ask questions of the map, upload, create and edit Proposed Activities on the map and to perform the workflow required to generate LAT Reports.

At the bottom of the viewer are:


- 6. The scale box and
- 7. The scale bar.

The scale bar changes dynamically with the value shown in the scale box. The scale box provides of zooming by keying in scale values. To change the scale, type the desired ratio and click the **Arrow**. This is a quick way to zoom directly to the scale you need.

Note that the Scale Box and Scale Bar are for map navigation only, and may not be perfectly accurate. Without information about the size of your monitor or display device, it is impossible to accurately provide a ratio scale. An error will be most pronounced if you are operating a large monitor or a projection device running at a very low resolution, or if you are running a small monitor at a very high resolution. A 17" monitor running at a resolution of 800x600 or 1024x768 represents the scale more accurately. Some maps have limits on the scales at which you can view the data, and some layers and map labels may only appear at certain scales. If the layer you need is unavailable at your current map scale zoom in until the layer becomes available.

3.1 LAT Map Layers

The LAT has many map layers. Map layers are organized into folders and group layers in the Layer List. (If you don't see the Layer List, click the tab in the Information Panel).



The LAT contains map layers grouped according to the following data categories:

- 1. Base Maps these data layers are contained in a cached map service showing Provincial Base Mapping data provided by the Resource Information Branch (RIMB) of ASRD. Base Map data is viewable in the Map Window from the Provincial extent, down to a scale of 1:500,000.
- 2. Sensitive Features these are dynamic data layers used in the generation of the LAT Report for a Proposed Activity (e.g. sensitive caribou, grizzly bear habitat) Many of the Sensitive Feature layers have guidelines associated with them as contained in the Integrated Guidelines Package (IGP). Other Sensitive Feature layers are provided for information only. Sensitive Feature data layers are grouped according to ISO data categories.
- 3. Base Features these are data layers that comprise the Provincial Government Base Features data, such as Alberta Township System (ATS), Access, Geo-Administrative boundaries, elevation contours etc. Certain Base Features data layers are used for the LAT Report (such as FMA, First Nation Reserves, Provincial Parks, etc.), while others are available to provide context and a way to reference yourself. (for example, Digital Integrated Dispositions, Access, etc.). Base Feature data layers are grouped according to ISO data categories.
- 4. Imagery the LAT provides several imagery data layers that can be used for visualization and referencing. They are 2009 SPOT5 fiver meter resolution satellite imagery, the Provincial Hillshade and the Provincial Painted Relief.

When you first open a map, some folders and group layers may be open while others are closed. Similarly, some layers may be visible on the map while others are not. To open a folder, click the folder icon. A list of the layers contained in the folder will display. To close the folder, click the icon again. To open and close a group layer, click the group layer icon. Notice that opening and closing folders and group layers doesn't change which layers are visible on the map; it simply helps you stay organized.

3.2 Showing and Hiding Map Layers

Beside every layer in the Layer List, you will see a check box. Folders and group layers also have a check box beside them. In order for a layer to be visible on the map, both check boxes must be selected: the layer's check box and the check box of its folder or group layer.

Folders and group layers work differently. When you select or clear a folder's check box, the check boxes of all its layers also become selected or cleared. Selecting and clearing a group layer's check box never changes the check boxes of its sub-layers.

When you select a group layer's check box, every sub-layer whose check box is already selected becomes visible on the map, provided they're visible at the current scale. You can also change layer check boxes individually.

3.3 Making Map Layers Active

Some layers are only available at certain scales. Layers that are available at your current scale are shown with an Available icon next to the layer name, while layers that are unavailable at the current scale are shown with an Unavailable icon. A layer can be made active by clicking its Available icon.

¹ Active ⁽¹⁾Inactive

An active layer is represented by an Active icon and its name is highlighted in blue in the Layer List. Making a layer active is your way of telling the LAT software that you want to work with the layer. For example, when a layer is active, you can search for points of interest on the layer. You can have multiple layers active at one time

3.4 Viewing the Map Legend

In addition to the functions previously described, the Layer List can also display a Map Legend. To make the legend visible, click the Show Legend button at the bottom of the Layer List. To hide the legend, click the Hide Legend button. Legend symbols are shown for available layers only.



3.5 Using Layer Actions

This section describes the operations, or *actions*, that you can perform on layers. To perform a layer action, click the layer's name or its down arrow (**the small triangle**) in the Layer List and select the action from the menu.

Wilderness Area *	V (i)
🔁 Federal Land	
National Park	(i) [v]
🔁 First Nations 🖹 Metadata	
Indian Reserve Q Zoom to full	extent
Metis Settlemen 🎦 Hide Labels	
Treatu Brundaru 🔻	(1)

The following layer actions are available in the LAT:

3.5.1 Viewing Layer Metadata

The Metadata action displays Metadata for the layer in a browser window. The layer metadata provides information on the source, currency and accuracy of the data layer. The layer metadata provided in the LAT is compatible with the metadata standard established for GeoDiscover Alberta (GDA).

3.5.2 Zoom to the Full Extent of a Layer

The Zoom to Full Extent layer action zooms directly to the extent that is just large enough to show all the layer's features.

3.5.3 Hiding Labels

The Hide Labels layer action removes a visible layer's labels from the map display. For example, selecting Hide Labels for the National Parks layer turns the National Park name labels off for the layer.

3.6 Viewing the Attributes of Features

Features have attributes associated with them in Geographic Information Systems (GIS). Suppose you are interested in the attributes associated with a Sensitive Feature. To see a Sensitive Features attribute information, make the Sensitive Feature data layer active, click the Identify tool and then click the Sensitive Feature on the map. Use the Identify tool whenever you want to examine the attributes of features on the map.

4.0 The LAT Toolbars

There are three static toolbars (General, Markup and LAT Tasks) at the top of the viewer and one floating panel toolbar (Map Navigation) used for navigating around the map. The following sections provide details on the various tools available with the LAT.



Static Toolbars



4.1 Map Navigation Floating Panel Tools

The Map Navigation Floating Panel is accessible at all times throughout the LAT session. The Map Navigation tools contained in the floating panel are:



The Zoom In tool allows you to zoom in on any part of the map. To zoom in, click the Zoom In tool and then click the map location that you want to zoom in on. Alternatively, click and hold the mouse button to drag a box that defines the area that you want to zoom in on.



The Zoom Out tool allows you to zoom away from the map. To zoom out, click the Zoom Out tool and then click the map location that you want to zoom out from. Alternatively, click and hold the mouse button to drag a box that defines the area that you want to zoom out from.



The Pan tool lets you navigate around the map. Use the Pan tool by clicking and dragging the mouse on the map. The area of the map that you grab will end up wherever you release the mouse button. For example, if you want to move north (up the map), click and hold near the top and drag the map down.




The Zoom to Full Extent tool is a quick and easy way to zoom out as far as possible. Click the tool and the map will zoom out to its maximum extent. This is especially useful when you want to make a fresh start without losing the changes you made to the map.

Back Map Back

Clicking the Map Back tool will return your map to the previous extent that you viewed. For example, if you are currently viewing the map extent at a scale of 1:250,000 and you zoom to 1:100,000, clicking the Map Back button will return the map to the previous scale (1:250,000).



If you have used the Map Back button, clicking the Map Forward tool will return the map to the next extent.



Use this tool to see a list of a feature's attributes. First make the feature's layer active and then click the feature whose information you want to see.



Identify Visible Features

The Identify Visible Features tool identifies features from all the layers that are currently visible. Click the tool and then click a location on the map to see the attributes of all the features that are visible at that location.

Measure Measure

The Measure tool allows you to measure areas (polygons), distances (lines), and coordinates (points) on the map. Click the Measure tool to open the Measure window.

Measure		0
	NS	
	\mathcal{N}	

Measure Coordinates

To view the coordinates of a particular location, click the Measure Coordinates tool in the Measure window, and then click the location on the map.

The coordinates for that location will display in the Measure window. You can view the coordinates in map units, decimal degrees, or degrees, minutes and seconds.

	N	\diamond		
Latitude	i		 	.90022
Longitud	le:		-114	.74297

Measure Distance


Distance is measured as a sequence of line segments that you draw on the map. To measure a distance, click the Measure Distance tool), click one end of the path you want to measure, and then click the first point where the path changes direction. Continue clicking points until there is one point left. You can undo points by right-clicking if you make a mistake. Double-click the last point to end the measurement.

The results of the measurement are shown in the Measure window. To change the unit of measurement, select the unit from the drop-down list.

To save the measurements to a CSV file, click the Export Measurement button.

Measure Area

Area is measured as the area within a polygon that you draw on the map. To measure an area, click the Measure Area tool and draw the polygon just as you would draw a polyline. Double-clicking closes the polygon and ends the measurement. The results will be shown in the Measure window.



5	
Magnity	Magnify

When you click the Magnify tool, the Magnifier window appears on the map. To magnify an area, click and hold the grey bar at the top of the Magnifier to drag the window on top of the desired location. You can change the degree of magnification using the drop-down list at the bottom of the window.

Magnifier		
NE 23 54 20 5 NW 24 5 Es 83F10 Foothills Yellowhead Count	and the second	ireek
West Fraser Mills Ltd. SW 245	(Hinton) 54 20 5	
5x 👻		

Note that when you increase the magnification, the current map is not simply enlarged. Rather, new map data are displayed, often showing additional features that are not visible at a smaller scale.

4.2 General Toolbar

The General Tool bar contains the Generate Map Report, Zoom to ATS, Zoom to Projected Co-ordinate and Zoom to Geographic Co-ordinate and LAT News Panel Tools.



Generate Map Report

The Generate Map Report Tool is a WYSIWYG ("what you see is what you get") report generator that allows you to export a printable map of the data that is currently viewable within the map display window.

** Note: at map scales less than 1:400,000 (eg. 1:250,000 1:50,000 etc.) you must ensure that the cached Base Maps layers are not viewable. To do this, simply "**un-check**" the check box next to the Base Maps folder as shown in the figure below.

Layer List	△ 80
😁 Base Maps	
🔁 BaseMaps	
	1/25


By selecting the Generate Map Report Tool, the Print Template form is initialized that allows you to select a pre-defined LAT map template, output format (pdf), map legend, map title and map notes.

int Template		0	
Select a Template:	E fir11 Landscies	*	
Select an Output Format:	Pdf		
Legend shows layers with:	Intersecting Extent		
Tèle			
Landscape Analysis Tools (I	AT) Release 1		
Notes			
Projecti			
	View		

To download your Map Report, select "View" from the Print Template, and then select download. This will generate a pdf map report that you can download.

rint Template	e.
Your report download is ready. It will be available for a short time only. Click Download to begin.	
It will be available for a short time only. Click Download to begin,	

A sample Map Report is shown below:



Zoom to ATS

The Zoom to ATS Tool provides the user with the capability to quickly zoom the map display to an area of interest defined by and ATS (Alberta Township System) Township or Quarter Section. Selecting the Zoom to ATS Tool initiates the Zoom to ATS menu.

To zoom to a Township extent, select **"Township"** from the drop-down list, and key in the Township, Range and Meridian values.

Zoom To	ATS	48
Select:	Township	
Township	55	
Range	21	
Meridian	5 🗸	
Apply	Erase	

To zoom the map display to the selected township, select "**Apply**". This will change to view extent of the map display to the selected township polygon which will be outlined in yellow. The yellow outline will remain until the "**Erase**" button is selected.

M			Hap Navigation	
1	225 3225	98 2H S	Q Q 2 2 2	
	#3F14		#3F15	
0	West Franker AMMa Last, physically 35 Oktimus Creak ap 22 5 Frontfullin	Tytow head County	10 20 5	
	er Athabasca Abatasca Roor	Unte Sonte	Sorte ce Lee a	
	ADETT		83F10	
125		54215	la de la della d	

To zoom to a Quarter Section extent, select "Quarter Section" from the drop-down list, select the Quarter Section value from the drop-down (NE,NW,SE,SW) and key in the Section, Township, Range and Meridian values.

Zoom To	ATS				01
Select:	Qua	rter	Section	•	
Quarter	NE	•	ľ.		
Section	17	_			
Township	54				
Range	20				
Meridian	5	s.			
Apply	Era	se			

To zoom the map display to the selected quarter section, select "**Apply**". This will change to view extent of the map display to the selected quarter section polygon which will be outlined in yellow. The yellow outline will remain until the "**Erase**" button is selected.



Zoom to Projected Co-ordinate

The Zoom to Projected Co-ordinate Tool provides the user with the capability to quickly zoom the map display to an area of interest centred on a specific projected map co-ordinate. Supported projections are 10TM Forest (500,000 false easting), 1-TM Resource, and UTM Zones 11 and 12. Selecting the Zoom to

Projected Co-ordinate Tool initiates the Zoom to Projected Co-ordinate System menu form. From the menu form, select the co-ordinate system of choice and enter in the x value (easting) and y value (northing).

UTM 12N	-	
X Value:	339861	
Y Value:	5934711]


To zoom the map display to the co-ordinate entered, select **"Apply".** This will change to view extent of the map display to an area centered on the co-ordinate entered. The location will be identified with a gold star, with the easting and northing co-ordinates annotated on the map display. The annotation will remain in the map display until the **"Erase**" button is selected.

13	4	\mathbf{O}
NW 36-52-24-4	NE 36 52 24 4	
	34711.00000 (UTM 12N)	
12		

Zoom to Geographic Co-ordinate

The Zoom to Geographic Co-ordinate Tool provides the user with the capability to quickly zoom the map display to an area of interest centred on a specific geographic (latitude, longitude) map co-ordinate. Supported formats are decimal degrees and degrees, minutes and seconds (DMS).

Selecting the Zoom to Geographic Co-ordinate Tool initiates the Zoom to Geographic Co-ordinate System menu form. From the menu form, select the format (decimal degrees or DMS) and enter in the appropriate values. West longitude values (for Alberta) must be entered in as a negative value. See the example below:



To zoom the map display to the co-ordinate entered, select **"Apply".** This will change to view extent of the map display to an area centred on the co-ordinate entered. The location will be identified with a gold star, with the Latitude and Longitude co-ordinates annotated on the map display. The annotation will remain in the map display until the **"Erase**" button is selected.



Bring up the LAT News Panel...

The LAT News Panel provides a way to keep the user informed of changes to LAT and to the Enhanced Approval Process

 $\triangle (X)$

To see the LAT News Panel simply click on the icon.

Latest LAT News and Updates

Enhanced Approvals Process What is changing?

EAP supplements are being updated as noted below. Site and Installations, Access, and Pipeline supplements changes:

 These supplements will no longer form part of the disposition document, but will be retained within the electronic file. This change will enable information tracking, and information updates without administrative burden to both the disposition holder and SRD.

4.3 Markup Toolbar

The Markup Toolbar provides tools to add points, lines, areas and text to your map. Each tool has many options for changing the attributes of your markup, such as fill type, color, transparency and line width. Markup tools are used only to draw lines and annotate features on the map display. The features created using these tools are **Not** Proposed Activity features. Tools to create and modify Proposed Activity features are provided in the LAT Tasks Toolbar. Mark-ups are visible on the Map Report that results from initiating the LAT Generate Map Report Tool.

Foint Markup

To add points to your map, click the Point Markup tool and then select the attributes of your point in the Point Markup area of the Information panel.

Point Markup		△ 30 ⊗
Туре:	Circle	
Color:		
Outline Color:		
Transparency:	30	•
Width:	7	•
Pr	eview:	

Click the map at the desired locations to add points.

Polyline Markup

Use the Polyline Markup tool to draw lines on your map. Select the attributes of your line from the dropdown lists in the Polyline Markup area, then click the map where you want your line to start.

Туре	: Solid	÷
Color	: Solid : 	
Width	: 1	
I	Preview:	

Move the mouse to begin drawing and click wherever you want your line to change direction. Double-click to complete your line.



To draw a polygon, select the Polygon Markup tool and choose the attributes of your polygon from the Polygon Markup area.

ygos Markup		0.00.00
Boundary Type:	Solid	
Boundary Color:	-	
Boundary Transparency:	0	
Boundary Width:	1	
Color:	-	
FillType:	Sold	
Transparency:	30	÷
P	review:	

Click the map to mark a starting point for your polygon. Next, add at least two more points by clicking the map in the desired locations. Double-click to close the polygon.



To add a rectangle to your map, select the Rectangle Markup tool and choose the attributes in the Rectangle Markup area.

lectangle Markup	0.00 (3)
Boundary Type:	Solid •
Boundary Color:	-
Boundary Transparency:	•
Boundary Width:	1 +
Color:	
Hill Type:	Sold 🔹
Transparency:	30 ·
P	review:

Click and hold the mouse button down on the desired location on the map. Drag the mouse to size the rectangle and release the mouse button to complete it.

Oval Markup

Draw an oval on your map using the Oval Markup tool. Select the tool and choose the attributes in the Oval Markup area.

Ival Markup		A 10 8
Boundary Type:	Solid	
Boundary Color:		
Boundary Transparency:	0	
Boundary Width:	1	
Color:		
Fil Type:	Solid	20
Transparency:	30	20
P	eview:	

Click the map to position the corner of your oval and drag the mouse in any direction until the oval is the desired size. Click again to complete the oval.

Circle Markup

To create a circle, choose the Circle Markup tool and select attributes in the Oval Markup area.



Next, click the map where you want the center of your circle. Move the mouse away from the center to enlarge the circle and back towards the center to shrink it. To complete the circle, click the mouse button again.

Text Markup

The Text Markup tool allows you to place text on the map, optionally contained in a callout. Specify a format for the text and callout using the options in the Text Markup panel and then click the location on the map that you want to place the markup.


Text		
Font Name:	Tahoma	*
Font Color:		
Font Size:	14	800
Transparency:	30	85
Outline Color: Shadow Color:		
Angle:	0	
Draw Text Inside Callout		

Type your text in the window that opens. Use the buttons to insert the location's coordinates or attributes of features that are visible at the markup location.

🖬 Wep X1 🖬 La(Lon OMS 🖬 Lables DD 🔯 Resture Label	
Project 1	
Submit Cancel	

Buffer Markup

Use the Buffer Markup tool to create buffers around any of your markup, including points and polyline. Click the Buffer Markup tool, and then click the map and drag your mouse to draw a rectangle around any geometries you want to use for creating buffers.



Specify the attributes of your buffers (including buffer distance and unit of measurement) in the Markup Buffer panel. You can choose to have the original geometries displayed or removed after the buffer is created by selecting or clearing the Remove Selected Geometry check box in the Markup Buffer panel.

Landscape Analysis Tool (LAT) User Guide

Markup Buffer	a 20 (8)	1971) Etd. Biefge
Eoundary Type: Sold		Lake Gray
Boundary Color:		
Boundary Transparancy: 0		67 2 5 67 1 5 67 27 4 67 26 4
Boundary Width: 1	(14)	
Color:		iver ALPAC Fo
Fill Type: Sold	C 40	
Transparency: 30		
Buffer Distance: 500		M.D. of Lesser Slave River No. 124
Buffer Unit: materia	-	
Remove Selected IV Geosetry:		66 1 5 66 27 4 66
Preview Buffer	OK Cancel	
	Change Concerning	embina River Flatbush
Preview:		
0		
Markup Buffer Panel		Buffer of selected graphic
Jurnup Durier I uner		Build of Beleeven Grupine



The Erase Markup tool allows you to selectively delete markup that you have made. To erase markup, select the tool and then click once on any added text or graphic. To erase multiple graphics at once, click and drag the mouse to create a box around added text or graphics. Release the mouse when the box encloses the markup you want to erase. Note that when a portion of a graphic is enclosed within the eraser box, the entire shape is deleted.

Clear All Markups

To quickly erase all of the existing markups from the map, select the Clear All Markups tool. Before the markup is deleted, you will be asked to confirm or cancel the operation.

wwwww.swipe Markup Layer

The Swipe Markup Layer tool allows you to interactively clear the contents of the Markup layer from the map, like pulling a blind. When you click the Swipe Markup Layer tool, the map redraws with a swipe window overlaying the Map Window. To swipe the layer, drag one of the overlay window's borders.

You can swipe vertically or horizontally. To close the overlay window, click in the window's upper right corner.



4.4 LAT Tasks Toolbar

The LAT Tasks toolbar contains custom tasks developed following the LAT workflow required to enter Proposed Activities into the system and to generate an LAT Report and other deliverables. The LAT Tasks Toolbar is show below, and contains the Upload Shapefile, Create Proposed Activity Layer, Edit Project Information, Edit Proposed Activities, Generate LAT Report and Download Shapefile Tools.



Upload Shapefile

The Upload Shapefile Tool is one method of entering Proposed Activities into the LAT. You can upload one or many shapefiles representing Proposed Activities in the LAT. The LAT requires all shapefiles to be uploaded to conform with the specifications contained within **Appendix A – LAT Shapefile Specification for Proposed Activities**.

Please refer to this specification to ensure that your shapefile will be processed. Failure to comply with this specification will result in incomplete and invalid LAT Reports.

Selecting the Upload Shapefille Tool will initiate the Upload Shapefile Form. On the Upload Shapefile form, enter the name of your Proposed Activity Layer. Browse to the location on your workstation of the shapefile containing proposed activities. Enter in the location of the shapefile .dbf, .shp, .shx, .prj components.

Albertan Alberta Energy Regulator	Landscape Analysis Tool (LAT)	ESRD Home LAT. User Guide Conta
wer tot I Ar Take + Ar Tak	**************************************	
Upload Shapelile	Chocue File to Uploant	• + +
lifer the raws of the local to crain, and the location of the time mained Shaper the second and the option of the start in the second the local time second and the second second 2007/151 Second second 2007/	Cryptics New fieldet Image: Computer Image: Computer Image: Computer Image: Computer	Image Image Image Data modified Type D1/26/0023-055 PMA DBP PL D1/26/0023-055 PMA DBP PL
	File nome	All Files (*.1) Open Cencel

Select "**Submit**" on the "Upload Shapefile" form. You will then be prompted to enter project information and render the color of the proposed activity layer, if you do not like the default rendering chosen by the software.

Enter project information into Project Information data entry form. The required fields (**marked with a ***) are used within the LAT Report and are used to email the LAT Report and other returns to the user. Once the required and optional fields are entered, select **"Submit"**.

Project information entry	,		00
* Industry Company Name	Acme Resources]	
* Industry Contact Name	Derek]	
* Email	eds.support@gov.ab.ca]	
* Re-enter Email	eds.support@gov.ab.ca]	
Project Name	2013 Exploration]	
Project Description		*	
Submit	* required fields		

Optionally, you can render the Proposed Activity layer a different colour than the default. Select "Apply" to apply the new rendering to the data layer. Select "OK" to cancel the form, once you are satisfied with the type of rendering.

ject1				
Гуре:	Solid	¥		
lor:		110304		
arency	0	•		
ary Type:	Solid	*		
ary Join Type:	Round			
ary Width:	1	*		
dary Color:				
	Dark Red	<u> </u>		
	Brown			
	Firebrick Indian Red			
	Snow	-		
undary Transparency:				


Create a New Proposed Activity Layer

The "Create a New Proposed Activity Layer" is the other method of entering Proposed Activities into the LAT. Once you select this Tool, you will be prompted to enter the name of a new Proposed Activity layer. Select "Submit" once you have entered the name.

Create a new proposed act	vity layer	$\bigtriangleup \otimes$
Layer name		
Submit		

You will then be prompted to enter Project Information. The same Project Information Form available in the Upload Shapefile Tool is initiated. Once the required and optional Project Information fields are entered, select **"Submit"**.

Once successfully submitted, the name of the Proposed Activity layer will appear as a layer in the Proposed Activity folder contained in the Layer List box. Navigate to the area of interest to enter in Proposed Activities using any of the zoom, pan, zoom to ATS, or zoom to co-ordinate tools provided by the LAT.



Edit Project Information

At any time, Project Information can be modified using the **"Edit Project Information**" tool contained in the LAT Tasks toolbar. This will initiate the Project Information entry form, where any of the values can be edited at any time during the session.

Project information entry		\bigtriangleup	
* Industry Company Name	Acme Resources		
* Industry Contact Name	Derek		
* Email	eds.support@gov.ab.ca		
* Re-enter Email	eds.support@gov.ab.ca		
Project Name	2013 Exploration		
Project Description		^	
Submit	* required fields		

N.B. The "Industry Company Name" and "Industry Contact Name" textboxes only permit the following characters:

a-z A-Z 0-9 ! @ # \$ % ^ * . , _ -

Edit Proposed Activities

To add a new proposed activity, make the layer active, by highlighting the Proposed Activity layer in the Layer List. Select the ¹ icon next to the layer and it will be highlighted in blue. This indicated that the Proposed Activity layer is now available for editing.

Layer List	63 △
Base Maps	
Sensitive and Base Features	
🔁 Imagery	
C Proposed Activity	5
Project1 *	😧 🗹 🕄

From the LAT Tasks toolbar, select the "Editor" tool.

You will be presented with the "**Editor**" tool form. This form provides the capability to add Proposed Activities by adding either a point, line or polygon feature that represents a Proposed Activity. To add a new activity, select the Disposition Type and Purpose Type from the drop-downs in the Editor.


U

Editor	\$ X
Disposition Type	Mineral Surface Lease
Purpose type	PNG or OS Facility-Oil/Bitumen Battery site
ø	PNG or OS Facility-Oil/Bitumen Battery site PNG or OS Facility-Compressor Site PNG or OS Facility-Gas Processing Plant PNG or OS Facility-Gas Processing Plant- Sulphur Recovery PNG or OS Facility-Custom Treating Facility PNG or OS-Satellite site Drilling Waste Disposal-Remote Sump
	Wellsite-Injection Wellsite-PNG Production (MW) Wellsite-PNG Production (SW)


In the case of a MSL or Mineral Surface Lease activity (point feature), select the MSL dimensions from the drop-down box, as well as the rotation angle, if necessary.

Editor		$\diamond \otimes$
Disposition Type	Mineral Surface Lease 👻	
Purpose type	PNG or OS Facility-Oil/Bitumen Battery site	3. 🕶
	+ 🛧 🖌 🖾 🚺 🐣	
Buffer	10 x 110 🔻	
Rotation 5	0	

Place a point on the map display by clicking in the desired location for the centre of the MSL. A polygon representing the proposed MSL will be created in the map display.




To place a Pipeline Agreement activity (line feature), select the disposition and activity sites, proposed right of way buffer distance, angle of rotation (if required) in the Editor menu box. Position the mouse cursor within the map display and draw the proposed activity by clicking the start point, and vertices (bends) of the proposed activity using single mouse clicks. Double click the mouse to draw the end point of the activity.



The Editor menu also provides functions to select/unselect a proposed activity, move an activity, modify a vertex point of a proposed activity, rotate the proposed activity and to delete the shape. Refer to Section 4.4.1 of this document for details on how to select, move, modify or delete a Proposed Activity.

4.4.1 Selecting, Unselecting and Clearing Selection of Proposed Activities

From the Editor tool, choose "Select Shape".



In the map display window, click on the Proposed Activity you wish to select and it will be highlighted in blue, indicating that it has been selected.

WW 1159.281 NE	11 59.25 5
Cittee Simony Vised Control	
	1

To unselect the feature, select another feature. The feature will no longer be highlighted. To clear all select features, choose "**Clear Selection**" in the Editor Tool. The feature will no longer be highlighted.




4.4.2 Moving a Proposed Activity:

To move a Proposed Activity, make sure it is selected and then choose "**Move Shape**" in the Editor Tool.




To move the shape, place the mouse cursor inside the shape and hold down the left mouse key and drag the shape with your mouse to the desired location. Release to the left mouse key, and the shape will move to the new location.






4.4.3 Editing the shape (vertex) of a Proposed Activity:

To edit the vertex of a Proposed Activity, make sure it is selected and then choose "**Move Vertex**" in the Editor Tool.




Select one of the vertices (blue circles) that comprise the shape and it will highlighted in a light blue color.





Place the mouse cursor inside the shape and hold down the left mouse key and drag the vertex with your mouse to the desired location. Release to the left mouse key, and the vertex will move to the new location.




4.4.4 Rotating a Proposed Activity:

To rotate a Proposed Activity, make sure it is selected, enter in a new rotation value and then choose the "**Rotation**" button in the Editor Tool.



Place the mouse over the activity to be rotated and click the mouse inside the feature. The feature will then be rotated by the angle of rotation entered in the form.





4.4.5 Deleting a Proposed Activity:

To delete a Proposed Activity, select "Delete Shape" from the Editor Tool.



Place the mouse over the Proposed Activity to be deleted and click the left mouse button. You will be prompted whether you wish to delete the selected shape prior to deleting it. Select "**OK**" to delete the feature and this will delete the selected Proposed Activity from the Proposed Activity layer. Select "**Cancel**" to cancel the operation.

ifest \$22.75	Smoky Udpyr Reaco	
1	Windows Internet Explorer	×
	Are you sure you want to delete select	ted Shapes?
	CK Cancel	
	1	1

🕘 Generate LAT Report

Once you have completed adding your Proposed Activity(ies) to the LAT, you can generate LAT Reports and associated returns for all activities in your Proposed Activity Layer. To generate a LAT Report and returns, do the following:

From the LAT Tasks toolbar, select the "Generate LAT Report" tool.

You will then be prompted to select the Proposed Activity Layer that you wish to generate LAT Reports for. Select the required Proposed Activity data layer from the drop-down list in the form, and select **"Run".**

Report	$\bigtriangleup \otimes$
LAT Reports will be g each of the Proposed	
Project1	
Run	

When the LAT Report Generator has successfully run, you will receive a notification to indicate that your activities were received and that your results are being e-mailed to the e-mail address entered into the Project Information form. Please check your e-mail to receive your results. "Exit" the Report notice form to receive your results.

Report

Propoed activities received. Please check E-mail and downoad the results.Thanks.

2

You will also receive an e-mail notification from the system indicating that your LAT Report request has been submitted. An example of the email is shown below:

Corek Yee AT Report Request - Submitted (ref: akeofmukkk0lle45jaetiwjs) ystem Generated Email - DO NOT REPLY ****** y port request has been submitted. notified by email within the next 3 hours that your LAT Report results are ready for download. : Upon receipt, you will have 30 business days to download your LAT Reports.
ystem Generated Email - DO NOT REPLY ****** port request has been submitted. notified by email within the next 3 hours that your LAT Report results are ready for download.
ystem Generated Email - DO NOT REPLY ****** port request has been submitted. notified by email within the next 3 hours that your LAT Report results are ready for download.
, sport request has been submitted. notified by email within the next 3 hours that your LAT Report results are ready for download.
port request has been submitted. notified by email within the next 3 hours that your LAT Report results are ready for download.
notified by email within the next 3 hours that your LAT Report results are ready for download.
: Upon receipt, you will have 30 business days to download your LAT Reports.
siness days this information is automatically purged from the system.
ironment and Sustainable Resource Development and the Alberta Energy Regulator
t@gov.ab.ca
i

Upon completion of the LAT Report generation, an e-mail confirmation in the format below will be sent to you. The e-mail confirmation contains hyperlinks to:

- The location of a zipped file containing your LAT Report(s).
- The location of a zipped file containing the LAT Report data in a CSV (comma separated values) format. This format can be used to enter and analyse the LAT Report data in a spreadsheet, access database or software that accepts this format.
- The location of a zipped file containing a shapefile of the proposed activities used to generate the LAT Report (s).

A sample LAT email is shown below:

frem:	\$10 (AT 9/17)
W	# Devit Yes
9	
sheet	147 August - Results Assessed for Desertional first aller August First Barthouts
	** System Generated Email- DO NOT REPLY
Dear De	ereki
Bélow	are links to your LAT Report results as requested on 1018 11-22
	note: LAT Reports with any noted errors are a result of the data you submitted. port results are automatically purged from the system 30 business days after they are generated.
	download and save your reports immediately: dom PDP Nes (apped):
http://	por Log Files (append): admorpact(/) Alf output/ (weathing): I (#45.edm/s/Schmeson: 2/AlfteportPDFs_2.mp por LCSV (%) (append):
http://	ethnospaci0(LATOutput/seeofmukkkille45.sethys/Solumisesh_2/CATReportCSVs_2.sp port theoefine (soped):
	edmorpad10/LATOutput/akeofmukkktle45wettwts/Solomiando 2/exc 3.stp
Sincere	N.
Aberta	Environment and Sustainable Resource Development and the Alberta Energy Regulator
69.50	port@am.m.m
-	

Select the appropriate hyperlink(s) to download the zip file(s) and unzip files using your unzip file utility of choice. The following screen shots show samples of the LAT Report and associated returns:

LAT Report(s):

WinZip - LATRep								_		
New Case	1 5		Extract	2	traval	1	CheckOut	Weard	G-A Very Style	
PAMINE	Tree	Mudified		500	Rabo	Packed [P	1			
Latkeport_0000	Adobe Arro	8/12/201	0.2:35 PM	175,300	34%	151,202	2			
Labkeport_0000	Adobe Acro	8/12/201	0.2:35 PM	187,322	12%	164,285				
LatReport_0000	Adobe Acro	8/12/201	0.2:35 PM	179,681	13%	199,525				
Latikeport_0000	Adobe Acro	8/12/201	0.2:35 PM	176,989	13%	153,979				
LatReport_0000	Adobe Acro	8/12/201	0 2:35 PM	173,414	13%	150,201				
LatReport_0000	Adobe Acro	8/12/201	0.2:35 PM	170,176	24%	145,848				
LatReport_0000	Adobe Aoro	8/12/201	0 2135 PM	171,387	14%	147,116				
LatReport_0000	Adobe Acro	8/12/201	0 2 06 PM	170,870	14%	146,931				
LabReport_0000		8/12/201	0 2:06 PM	178,203	24%	153,800				
Latkeport_0000	Adobe Acro	0/12/201	0 2:36 PM	171,954	14%	148,092				
						-				
elected 0 Her, 0 byte	4					Total 10 Here	1,75588			00

The LAT Report is in a .pdf file format and can be viewed and save within a .pdf viewer such as Adobe Acrobat Viewer.

The LAT Report cover page presents the LAT number, date, time, project information, disposition and purpose type.

The listing of the Geo-administrative Base Features upon which the Proposed Activity is located appears as follows:



		Ν	lineral Surface	e Lease (MSL)	
Landscap	e Analysis Tool Repoi	rt		00000002AA Page 2 of 15	
Base Features					
Crown Ownership:	Provincial/Untitled	FMU:	W15		
		FMA:	ANC Timber Ltd.		
Green/White Area:	Green Area				
Municipality:	M.D. of Greenview No. 16				
Higher Level Plans:					
Lever Plans:		Provincial			
		Grazing Reserve:			
		Rocky			
		Mountain Forest			
		Reserve:			
		PLUZ Areas:			
	Berland Smoky				
Provincial San	ctuaries				
Wildlife Corridors:		Game Bird:			
Conneoron					
Restricted Area:		Seasonal:			
					_

The listing of the Sensitive Features upon which the Proposed Activity is located appears as follows:

1	License of Occupation (LOC)	
CHEDULE B		
andscape Analysis Tool Report	000000008E Page 3 of 14	
insitive Features	r.	
Wildlife		
Burrowing Owl Range: No Ord's Kang	aroo Rat Range: No	
	gered Species: No	
Colonial Nesting Birds: No Piping Plave	er Waterbodies: No	
Eastern Short-horned Lizard No Sensit	ve Amphiblans No	
Endangered and No Sensitive Threatened Plants Ranges: No Sensitive	a Raptor Range: No	
Greater Sage Grouse No Sensitive Habitat and Buffer:	a Snake Species No	
Greater Sage Grouse No Sharp-tailed	I Grouse Range: No	
Grizzly Bear Zone: Yes Speci	al Access Zone: No	
Key Wildlife and Biodiversity Zones: No S	wift Fox Range: No	
	Trumpeter Swan es/Watercourse: No	
Water		
Proximity to Waterbody: Waterbody:	ted Standards and Guidelines are I buffers are addressed and	
Grassland and Parkland Natural Region: Grassland and/or Parkland Natural Region:	No	


The listing of Quarter Sections in which the Proposed Activity is located appears as follows:

Alberta Energy Regulator Mineral Surface Lease (MSL) Landscape Analysis Tool Report 0000002AF Page 4 of 15 Road Allow. Sensitive Features by Quarter Section Quarter Section Township Range Meridian NE 11 59 26 5 Caribou Range,Grizzly Bear Zone SE 26 11 59 5 Caribou Range,Grizzly Bear Zone

* The Road Allow. column indicates there is a Road Allowance that may have one of the following values:

- 1. RS=South
- 2. RW=West
- 3. RI=Intersection (SW segment)
- 4. A blank value indicates no Road Allowance.

A map image of the Proposed Activity appears as follows:



The listing of applicable Provincial Approval Standards and Operating Conditions for the disposition appears as follows:



Mineral Surface Lease (MSL)

Landscape Analysis Tool Report

00000002AF Page 6 of 15

Provincial Section Approval Standards and Operating Conditions

Approval Standards

100.1.1.

Location of proposed developments shall be sited as follows, unless alternative siting can be supported by Regulated Industry Standards:

- c. New well sites and pipeline installations shall:
 - Use existing, unoccupied, disturbances, regardless of quarter or section lines, that are within 250 metres of the proposed disposition boundary, or;
 - ii. Adjoin to all existing occupied industrial dispositions and/or existing linear disturbances that are within 250 metres of the proposed disposition boundary, regardless of quarter or section lines, unless doing so results in greater disturbance (i.e., footprint hectares), and/or negative environmental impacts (e.g., impacting sensitivities)

100.1.3

Locate wellsites and roads outside of natural forest openings (> 10 hectares) such as meadows when planning development activities, unless justifiable extra-ordinary conditions require alternative siting and are supported by Regulated Industry Standards.

100.1.4

The following wellsite sizes shall apply, unless alternative sizing can be supported by Regulated Industry Standards:

- Single rig sites shall not exceed 110 metres x 100 metres or equivalent area (1.10 hectares), except stratigraphic test wells which shall not exceed 80 metres x 100 metres or equivalent area (0.8 hectares).
- b. Double/Triple rig sites with less than 5 metres of elevation difference from any corner to the well centre shall not exceed 120 x 120 metres or equivalent area (1.44 hectares).
- c. Double/Triple rig sites with greater than 5 metres of elevation difference from any corner to well centre shall not exceed 130 x 130 metres or equivalent area (1.69 hectares).
- d. Horizontal well pad sites shall not exceed 130 metres x 130 metres or equivalent area (1.69 hectares).
- e. Multi-well pad sites shall not exceed 130 metres x 130 metres or equivalent area (1.69 hectares) for the first well, up to 0.72 hectares for the second well centre; and up to 0.20 hectares for each additional well centre. Total site size shall not exceed 3.5 ha of equivalent area.
- f. Single-well pads (with existing facilities) may be upgraded to a multi-well pad providing it is only extended up to 0.72 hectares to accommodate the second well centre; and up to 0.20 hectares for each additional well centre. Approval is required for these upgrades. Total site size shall not exceed 3.5 ha of equivalent area.

100.1.5

The difference in elevation from well centre to any corner of the wellsite shall not exceed 10 metres of cut/fill, unless alternatives can be supported by Regulated Industry Standards. The listing of the applicable Approval Standards and Operating Conditions based upon sensitive features affected by the proposed activity appears as follows:



Mineral Surface Lease (MSL)

Landscape Analysis Tool Report

00000002AF Page 14 of 15

Sensitivity Section Approval Standards and Operating Conditions

Caribou Range

Approval Standards

100.9.2.1

Initiate activity as early as possible in the winter to limit late winter activities. New site preparation or construction shall not be initiated between February 15th and July 15th, with the following exceptions:

- a. Site preparation or construction initiated on a disposition before February 15th can continue until adverse ground conditions are encountered. Site preparation must be at least 50% completed prior to February 15th.
- Well tie-in activities commenced before February 15th can continue until adverse ground conditions are encountered.
- c. All wellsites or pipeline installations accessed using Class V routes can be initiated at any time (including after February 15th) provided ground conditions are favourable, and may continue until adverse ground conditions are encountered.
- d. All activities planned within 100 metres of existing arterial all-weather roads can be initiated at any time (including after February 15th) provided ground conditions are favourable, and may continue until adverse ground conditions are encountered.

100.9.2.5

Sites (e.g. plant sites, sumps) shall be constructed within 100 metres of an existing arterial all-weather permanent access.

Operating Conditions

200.9.2.1 No legumes are to be seeded for any re-vegetation.

Grizzly Bear Zone

Approval Conditions

100.9.3.6

Sites (e.g. plant sites, sumps) shall be constructed within 100 metres of an existing arterial all-weather permanent access.

Operating Conditions

200.9.3.1 No legumes are to be seeded for any re-vegetation.

200.9.3.2

CSV File(s) containing LAT Report data:

This is a zipped file containing the LAT Report data in a CSV - (comma separated values) format. This format can be used to enter and analyse the LAT Report data in a spreadsheet, access database or software that accepts this format.

De Actans New Jabs Options	TYPE									
	16 6	1	Ó	3	🔁 🥥					
New Open Povorites	Add Extract	Test	bicrypt.		CHOROM Misar	F. Ven Ryle		20		
Same Type Satisport_0000 Historisoft Of	Modified 01.2/2010 2:36 PM	1,621	Ratin P.	638				1		
Statkeport_0000 Moresoft Of	IN 12/2010 2135 PM	1,344	54%	617						
Suttleport_0000 Microsoft Of SutReport_0000 Microsoft Of	10/12/2000 2:35 PM	1,198	45%	623						
S. stReport_0000 Microsoft Of	8/12/2010 2:35 PM	3,567	81%	677						
Latheport_0000 Microsoft Of Latheport_0000 Microsoft Of		1,712 2,148	62%	662						
Latteport_0000 Microsoft OF	8/12/2010 2:36 PM	2,318	69%	652						
Asteport 0000 Microsoft Of		1,385 1,608		617 640						
		34575.1	-9-01	1000						
fected 1 file, 3/B		Te	fail 10 files, 2				00			
Second A range of the			THE REPORT							
	94				cel spre				•	
A straight of the state of the local data and	94								•	
	94								•	
	94								•	

Download Shapefile Download Proposed Activity Layer

The Download Proposed Activity Layer Tool can be initialized at any time during the LAT session. This tool provides you with the capability of downloading a shapefile of your Proposed Activity layer and storing it on your local workstation for later use. An example of when you might wish to use this tool would be the circumstance where you are working within the LAT, locating Proposed Activities, and may wish to end your session prior to generating a LAT Report(s). By using the Download Proposed Activity Layer Tool, you can save you work to your local workstation and then re-submit the Proposed Activity Layer to the LAT using the "Upload Shapefile Tool". This saves you from having to re-draw any data.

To download a shapefile of your Proposed Activities, you must make a Proposed Activity layer active in the Layer List box. Make the layer active by selecting the ¹ icon next to the layer. When the layer is active, it will be highlighted in blue.

* Proposed Activity	¥
layer1 *	🚱 🔽 🖯
layer2 *	😡 🔽 🛈

If you do not make a layer active, you will receive the following message:

Window	s Internet Explorer
♪	Please set the Proposed Activity layer to active by clicking the $\ensuremath{\mathbb{I}}^*$ in the Layer List
	ОК

Select the Download Proposed Activity Tool and you will receive request box from the LAT asking you to submit your request to download the shapefile. Select **"Submit"** to submit your request.


Download	$\bigtriangleup \otimes$
Download Shapefile Activity Layer	of Proposed
Submit	

Upon successful receipt of your request by the LAT, your will receive a confirmation message box as shown below:

Download	$\bigtriangleup \otimes$
Your download submitted. You by email shortl	

Select the "x" to cancel the message box.

You should receive and email confirming your request to download data. See the example below:



From: SRD LAT-SMTP
To: Derek Yee
Cc:
Subject: Shapefiles Available for Download (ref: 5q3fy1ut4yt1eg55nw5xi2u1)
******* System Generated Email - DO NOT REPLY ******

Dear Derek,

Below is the link to your download shapefiles as request on 2013-11-27

Please download and save your shapefiles immediately: Shapefile (zipped): http://edmoxpap10/LATOutput/5q3fy1ut4yt1eg55nw5xi2u1/Submission 3/asc 3.zip

Sincerely,

Alberta Environment and Sustainable Resource Development and the Alberta Energy Regulator

eds.support@gov.ab.ca

780-427-3570

Do you want to open or save this file? Name: layer1.zip Type: WinZip File, 1.58KB From: edmoxpap10 Open Save Cancel Always ask before opening this type of file	le Download	berlink text to downloa		0.	apenne to your loca	li worksu
Type: WinZip File, 1.58KB From: edmoxpap10 Open Save Cancel	Do you want to	open or save this file?				
	🛃 Тур	e: WinZip File, 1.58KB m. edmoxpap10	[Cruzel]			
	I Always ask bef					

.zip utility or cancel.

Navigate to the location on your workstation where you wish to save the file, open the file using your

Appendix A – LAT Shapefile Specification for Proposed Activities

Introduction:

The shapefile format is the native format of Environmental Systems Research Institute's (ESRI) ArcView product. Shape records store both geometry and attributes for features. Shape records consists of six files, however only four are required for the LAT "Upload Shapefile". The files required are:

- Shape records (geometry) are stored in the *.shp* file. This is the main file.
- Attribute records are stored in the .*dbf* file. This is a dBase file.
- An index to each shape is stored in the *.shx* file.
- A projection *.prj* file that contains the map projection and datum information.

These extensions are added to the *basename* of the file. (e.g., test.shp, test.dbf, test.shx, etc.)

****** Please note the following:

- For LAT, the shapefile can only contain polygon features
- The shapefile extension must be in lowercase (i.e. .shp, .dbf, .shx, .prj)

File naming:

There are no standards with respect to the naming convention for the basename, as long as it is supported by the ESRI shapefile format.

Map Projection and Datum:

All shapefiles must be in 10TM_AEP_FOREST projection. The following .prj file parameters are required. PROJCS["NAD_1983_10TM_AEP_Forest",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degre e",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",500000.0],PARAMETER["False_Northing",0.0],PARAMETER["Central_Meridian",115.0],PARAMETER["Scale_Factor", 0.9992],PARAMETER["Latitude_Of_Origin",0.0],UNIT["Meter",1.0]]

Geo-referencing:

There are no standards with respect to geo-referencing, however for optimal results users should consider georeferencing their data to the DIDS (Digital Integrated Dispositions) layer, or to the Base Features ATS Version 4.3.1

Shapefile Size Limitations:

The combined size of the four Shapefile files must not exceed 20480 KB.

Proposed Activity Size Limitations:

To optimize system performance, the following size limitations have been applied to Proposed Activities:

- 1. Using the online LAT Editor tool, the maximum area of a Mineral Surface Lease (MSL) and Pipeline Installation Lease (PIL) is 80 hectares (800,000 square metres);
- 2. Using the online LAT Editor tool, the maximum length of a License of Occupation (LOC) and Pipeline Agreement (PLA) Activity is 20 kilometres;
- 3. The overall maximum area of all uploaded shapefile Proposed Activities is 110 hectares (1,100,000 square metres);

**Note that these limits may be adjusted from time to time.

Using Multipart Features:

Multiple polygons in a shapefile can be merged together as a single Proposed Activity. Using multipart features will allow for a single LAT Report to be generated. Please refer to your GIS software to determine how this can be done with your shapefile. If you are using ArcGIS Desktop, you can refer to the online help for "Merging and separating features":

http://webhelp.esri.com/arcgiSDEsktop/9.3/index.cfm?TopicName=Merging_and_separating_features

Shapefile Attributes and Attribute Values:

The following Table 1 contains a description of the required attributes and attribute values represented as fields within the shape .dbf file.

Table 1

Field Name	Туре	Description	Purpose	Mandatory
DISP_TYPE	TEXT(10)	The disposition type code of the proposed activity.	This information is used to determine the types of Integrated Guidelines that may apply to the proposed activity. The disposition type will be displayed in the LAT Report.	Yes – this information must be pre-populated before uploading the shapefile. Refer to Table 2 for valid codes.
ACT_TYPE	TEXT(10)	The purpose type code for the proposed activity.	This information is used to determine the types of Integrated Guidelines that may apply to the proposed activity. The purpose type will be displayed in the LAT Report.	Yes – this information must be pre-populated before uploading the shapefile. Refer to Table 2 for valid codes.

Disposition/Purpose Type Codes

The table below lists the Disposition and Purpose Type Codes that are to be used within a Proposed Activity Shapefile.

The validation of disposition/purpose types are only performed when generating a LAT Report. If either are invalid, the corresponding proposed activity will generate a LAT Report noting that an error occurred due to the invalid/missing activity.

Disposition Type Code	Disposition Type	Purpose Code	Purpose Description
		BATT	PNG or OS Facility-Oil/Bitumen Battery site
		COMPSITE	PNG or OS Facility-Compressor Site
		FACGPLT	PNG or OS Facility-Gas Processing Plant
MSL	Mineral Surface	FACGPLTSU	PNG or OS Facility-Gas Processing Plant- Sulphur Recovery
WIGL	Lease	FACTREAT	PNG or OS Facility-Custom Treating Facility
		SAT	PNG or OS-Satellite site
		WELLINJECT	Wellsite-Injection
		WELLPRODMW	Wellsite-PNG Production (MW)
		WELLPRODSW	Wellsite-PNG Production (SW)
		CLS1RD	Access Road-Class I - All Weather
		CLS2RD	Access Road-Class II - All Weather or Dry
		CLS3RD	Access Road-Class III - All Weather or Dry
LOC	License of Occupation CLS4RD Access Road-Class I		Access Road-Class IV - Frozen/Dry Conditions
	Occupation	CLS5RD	Access Road-Class V - Frozen
		CLS6RD	Access Road-Class VI - Frozen
		DRAIN	Water Diversion-Drainage or Irrigation Ditch
		CATHPROTAG	Pipeline Installation-Cathodic protection / anode bed-above grd
		COMPSTN	Pipeline Installation-Compressor Station
	Pipeline	HDRISESITE	Pipeline Installation-Header or Riser Site
PIL	Installation	HEATERSITE	Pipeline Installation-Heater Site
	Lease	METERSITE	Pipeline Installation-Meter Station Site
		PUMPSTN	Pipeline Installation-Pumping Station
		SEPSITE	Pipeline Installation-Separator Site
		VLVSITE	Pipeline Installation-Valve Site
		CATHPROTBG	Pipeline-Cathodic protection / anode bed-below grd
PLA	Pipeline	MULTIPIPE	Pipeline-Multiple Pipeline ROW
ГLA	Agreement	PNGOSPIPE	Pipeline-PNG/OS Pipeline
		WTRPIPEFW	Pipeline-Fresh Water
		WTRPIPEINJ	Pipeline-Produced or Waste Water