

STANDATA interpretation 19-EDI-007

Elevating Devices

ON-SITE MAINTENANCE RECORDS

Date Issued: November 2022

Page 1 of 2

Purpose

To clarify that American Society of Mechanical Engineers (ASME) A17.1/CSA B44 elevator code requires Maintenance tasks to be carried out and the details are set out in the onsite maintenance records.

Discussion

ASME A17.1 / CSA B44 sets out prescriptive maintenance requirements and who can perform the tasks, Compliance Monitoring is the role of the Authority Having Jurisdiction (AHJ) in Alberta and there are requirements to provide confirmation that the tests are complete in the onsite maintenance records.

Code References

ASME A17.1-2019/CSA B44-19 8.6.1.4.1(3)(a) to (f)

Unless stated otherwise, all Code references in this STANDATA are to ASME A17.1-2019/CSA B44:19

Issued by the Provincial Elevating Devices Administrator

[Original signed]

Dean Bruce

Alberta Municipal Affairs – Technical and Corporate Services

Email: safety.services@gov.ab.ca Phone: 1-866-421-6929

To sign up for our List Subscription Service: municipalaffairs.gov.ab.ca/am_list_subscription_services

[Elevating device codes and standards | Alberta.ca](#)

(3) MCP records shall be viewable on-site by elevator personnel in either hard copy or electronic format acceptable to the authority having jurisdiction and shall include, but are not limited to, the following:

- (a) site name and address
- (b) service provider name
- (c) conveyance identification (I.D.) and type
- (d) date of record
- (e) a description of the maintenance task, interval, and associated requirements of Section 8.6
- (f) indication of completion of maintenance task

Application

This interpretation applies to all elevating devices regulated by the Elevating Devices Codes Regulation and the latest adopted A17.1/CSA B44 safety code for elevators and escalators.

Interpretation

Requirement 8.6.1.4.1(3)(a) to (f) is amended and the following is prescribed:

- a) site name and address
- b) service provider name and the printed name and signature of the persons who completed the task, except where tasks are not yet completed, or where a part directly affecting the safety of the operation is found to be defective, the record of the maintenance task shall not be signed off until the task is completed or the defect is adjusted repaired or replaced
- c) provincial I.D. number and OEM serial number
- d) date of record
- e) a description of the maintenance task, interval and associated requirements of 8.6 and 8.11 as it pertains to 8.6
- f) written confirmation that all requirements of 8.6 and 8.11 as it pertains to 8.6 testing are completed by owner/service provider.

This interpretation is applicable throughout the Province of Alberta.