The 2000 Survey About Health and the Health System in Alberta

Survey Conducted by Population Research Laboratory University of Alberta

Report Prepared by

Herbert C. Northcott and Jennifer Lynn Northcott

Social Science Consulting



2000 Health Survey about Health and the Health System In Alberta

For research or technical inquiries contact:

Alberta Health and Wellness Standards and Measures Branch 22nd Floor, 10025 Jasper Avenue Edmonton AB T5J 2N3

Phone: (780) 427-0407 Fax: (780) 422-2880

ISSN 1480-0020 Printed September 2000

Number Printed 600

Table of Contents

Exec	cutive Su	ummary	iv
1	Intro	duction	1
2	Meth	ods	2
	2.1	Survey Instrument	2
	2.2	Changes in Regional Health Authority Boundaries	3
	2.3	Sampling	3
	2.4	Response Rate	4
	2.5	Data Collection and Analysis	4
	2.6	Profile of Respondents	5
3	Healt	th and Health Service Needs	10
	3.1	Health Status	10
	3.2	Health Habits and Lifestyle	12
	3.3	Health Service Needs	15
4		vledge of the Health Care System and mation Received From Health Care Providers	18
5	Quali	ity of Health Care Services	20
	5.1	Quality of Health Care Services in the Community	20
	5.2	Quality of Care Personally Received	21
	5.3	Quality of Care Personally Received from a Physician	27
	5.4	Quality of Care Personally Received from a Hospital	29
	5.5	Quality of Hospital Care Received by a Household Member	31

Po	nulati	on Res	search	Labo	ratory
ıo	puiau	OII ICC	ocai ci i	Labo	I ator y

6	Comp	laints	32			
7	Availa	ability and Accessibility of Health Care Services	33			
	7.1	Availability of Services in the Community	33			
	7.2	Ease of Access to Needed Health Care Services	34			
	7.3 Waiting for Health Care Services					
	7.4	Inability to Obtain Needed Health Care Services	40			
8	The F	amily's Contribution to Health Care	44			
9	Satisfaction With the Health Care System					
	9.1	Overall Rating of the Health Care System	46			
	9.2	Satisfaction With the Health Care System	48			
Appendix A: Methods						
	A.1	Sampling	50			
	A.2	Response Rate	52			
Annon	div D	Quartiannaira	54			
whhen	iuix D.	Questionnaire	J 4			

Executive Summary

Introduction

The Alberta Health Survey has been conducted annually since 1995 to gather information about public perceptions of health and the health system in Alberta. Public survey information is used for developing, monitoring and reporting on several performance measures identified in the Ministry of Health and Wellness three-year Business Plan.

Method

- A representative sample of 4,000 adult Albertans participated in the telephone survey. A survey this size is accurate to within ±2%, 19 times out of 20. Interviews were conducted between March 30 and May 10, 2000.
- A high response rate of 80% was achieved. A high response rate means that one can have confidence that the results of the survey represent the views of all Albertans.
- The survey provides information for each of the 17 Regional Health Authorities for their own planning, monitoring and performance measurement requirements. Accuracy of results for individual regions varies from ±4% to ±10%, depending on regional sample size.

Results

- **Health Status.** Sixty-three per cent (63%) of Albertans reported in 2000 that their health was either very good or excellent, compared to 64% in 1999.
- **Knowledge of Health System.** Sixty-three per cent (63%) of respondents said that their knowledge of the health services available to them was excellent or good, the same as in 1999. Thirty-nine per cent (39%) indicated that they needed more information about available services, compared to 40% in 1999.
- **Health System.** Sixty-three per cent (63%) of Albertans rated the health system as either excellent or good in 2000, a significant increase from 57% in 1999.
- Quality of Care Received. Eighty-six per cent (86%) of respondents who received health services in the past year reported that quality of care was either excellent or good, a significant increase from 79% in 1999. Eighty-five per cent (85%) of respondents reported that the results of the care they received were excellent or good, compared to 83% in 1999.

- Quality of Care Received from a Physician. Albertans who reported receiving health services from a physician rated the quality of care of their most recent visit very highly: 90% indicated that quality of care was excellent or good, and 87% indicated that the results of the care received were either excellent or good. Eighty per cent (80%) of respondents reported on the care that they had received from general practitioners while 20% reported on care received from specialists.
- Waiting for the Family Physician. Regarding their most recent visit to their family physician, respondents who reported receiving physician services were asked to indicate how long they waited from the time they made the appointment. Thirty-seven per cent (37%) saw their family doctor on the same day, and an additional 42% saw the doctor in less than one week. Three per cent (3%) reported waiting more than one month.
- Waiting for the Specialist Physician. Regarding their most recent visit to a specialist physician, twelve per cent (12%) of respondents who had seen a specialist in the past year saw the specialist on the same day that they made an appointment and an additional 16% saw the specialist in less than one week. Forty per cent (40%) reported waiting more than one month.
- Quality of Care in Hospital. Eighty-three per cent (83%) of respondents who had received care at a hospital reported that quality of care received was excellent or good, a significant increase from 74% in 1999. Eighty-four per cent (84%) of respondents reported that the results of the hospital care they received were excellent or good, compared to 83% in 1999. Ratings of the quality of care received in hospital by a household member increased slightly from 77% in 1999 to 79% in 2000.
- Complaints about Health Services. Twenty-one per cent (21%) of respondents reported wanting to make a complaint about services received, but only 7% reported actually complaining (compared to 5% in 1999). Most (76%) made their complaints directly to the health service provider. Forty-two per cent (42%) reported being satisfied with the response to their complaint (compared to 36% in 1999).
- Availability of Services. Sixty-three per cent (63%) rated the availability of services in their community as excellent or good, a significant decrease from 74% in 1999.
- Ease of Access. Sixty-four per cent (64%) of Albertans reported that it was easy or very easy to obtain health services in 2000, a significant decrease from 73% in 1999. Respondents most often mentioned long waits as the reason for difficult access.

- Waiting for Health Services. Nineteen per cent (19%) of respondents reported that they or a member of their household were waiting for medical treatment, consultation or tests, surgery, or other health services, compared to 18% in 1999. Fifty-six per cent (56%) of these persons in 2000 were waiting for consultations or tests, 26% were waiting for surgery, 15% were waiting for some other treatment, and 2% were waiting for home care services or long term care placement.
- **Inability to Receive Care.** Ten per cent (10%) of Albertans reported being unable to receive needed care in 2000, up from 9% in 1999. However, most of these respondents indicated that they did eventually get the service they needed, either at a later time or at a different location. Less than two per cent said that there was an occasion during the past year when they never received the care they needed.
- Ratings by Need for Health Services. Overall, respondents with poorer health or with high need for health services provided less favourable ratings of the health system in 2000 than did more healthy Albertans, similar to patterns reported in 1999.

1 Introduction

The 2000 Survey About Health and the Health System in Alberta follows similar surveys conducted annually from 1995 to 1999. For the 1996 to 2000 surveys, Alberta Health contracted the Population Research Laboratory (PRL) at the University of Alberta to conduct a survey of 4000 adult Albertans. The purpose of the surveys was to obtain the views of the public on the performance of the health system in Alberta.

The 2000 survey questionnaire was administered to a stratified sample of Albertans in each of the province's seventeen health regions. The PRL's computer assisted telephone interviewing (CATI) system was used to conduct the survey which took place from March 30 to May 10, 2000. This report details the findings from the survey.

2 Methods

2.1 Survey Instrument

Alberta Health and Wellness established a number of objectives for the survey including the assessment of:

- self-reported health status and health needs
- behavioural and lifestyle contributions to health
- knowledge of health services
- quality of health care services received
- information received from health care providers
- involvement in decision-making
- the family's contribution to health care
- availability and accessibility of health care services
- failure to receive needed care
- satisfaction with the health care system
- awareness of statistics or reports on health service performance
- variation by age, gender, and health region

The 2000 survey follows similar surveys conducted annually since 1995. In order to allow for comparison with the data collected in previous years, a number of questions asked in earlier surveys were repeated in the 2000 survey.

A draft form of the 2000 survey instrument was developed by Alberta Health and Wellness and the PRL. This instrument was formatted for use in the PRL's computer assisted telephone interviewing system, and then pretested on a random sample of 30 Albertans on March 15-16, 2000. The purpose of the pretest was to assess the questionnaire for clarity, for ability to generate a strong response rate, and to test the programming of the CATI system. On the basis of the results, minor changes were made in order to better meet the needs of Alberta Health and Wellness. The complete questionnaire is in Appendix B of this report.

The 2000 questionnaire contained several changes from 1999 including the following:

- In the 2000 survey, a question was added to assess physical and mental health over the past 30 days (questions 2a-c).
- In the 2000 survey, respondents were asked if they had seen any statistics or reports on health service performance in Alberta (question 27a-b).
- Questions 20a-c from the 1999 survey were not asked in the 2000 survey.
 These questions had asked respondents about insurance for prescriptions drugs.

2.2 Changes in Regional Health Authority Boundaries

There were no changes to RHA boundaries in 1999/2000.

2.3 Sampling

The 4000 survey respondents were stratified by RHA, chosen according to age and gender quotas, and weighted in order to provide a representative sample of Albertans 18 or more years of age. It was decided that a minimum of 100 interviews should be conducted in each of the regions. This sample size provides an approximate accuracy level of $\pm 10\%$, nineteen times out of twenty. In the Calgary RHA, the largest health region, the accuracy level is approximately $\pm 4\%$ while for the entire province the accuracy level is approximately $\pm 2\%$, nineteen times out of twenty. When examining differences between years, a difference of 3% or larger is significant for provincial estimates, while significant differences for changes within a region range from 6% for the Calgary RHA to 15% for the smallest RHAs, depending on the regional sample size. (For more details on the sampling procedure, see Appendix A.)

2.4 Response Rate

The response rate for the 2000 survey was 80%. The response rates for the surveys from 1996 to 2000 are shown below. (For more details on the calculation of response rates, see Appendix A.)

	2000	1999	1998	1997	1996
Completed	4000	4000	4000	4000	4000
Refused	898	939	695	961	1125
Incomplete	37	38	35	31	29
Language barrier	77	77	60	117	81
Response rate	80%	79%	84%	78%	76%

2.5 Data Collection and Analysis

The PRL conducted data collection from its research facility at the University of Alberta in Edmonton. Interviewing took place from March 30 to May 10, 2000. Interviewing was scheduled from 9:30 a.m. until 9:00 p.m. on weekdays and from 10:00 a.m. until 4:00 p.m. on Saturdays and 1:00 p.m. until 7:00 p.m. on Sundays. There was no interviewing on Good Friday, Easter Sunday or Easter Monday.

After an initial blanket coverage of interviewing in the weekday daytime, interviewing schedules were concentrated in the weekday evening and weekend time periods. An experienced telephone interview supervisor monitored the work of the interviewers and validated 10% of surveys. A small oversample of interviews (22) was completed for use should any of the 4000 surveys not pass the data verification phase. It was not necessary to use the oversample.

Data collected were automatically tabulated using the PRL's CATI system. The data were imported into SPSS-Windows for data analysis. The data were analyzed for wild codes and inconsistencies. "Other" open-ended responses were coded where feasible.

For purposes of province-wide analysis, weights were assigned as described in Appendix A. The weights are not used when the analysis focuses on separate health regions or on the characteristics of the sample itself. The weights are used when the analysis focuses on the province as a whole. A set of weighted province-wide responses was provided to Alberta Health along with 17 separate sets of unweighted frequencies for each of the health regions. The data were also provided to Alberta health in machine-readable form.

The Chi-square statistic is calculated where appropriate to assess the statistical significance of trends or relationships between variables. A statistically significant pattern is unlikely to be obtained by chance.

2.6 Profile of Respondents

Unweighted data were used to provide a profile of the participants in the survey. The numbers of males and females interviewed were almost equal (1991 males and 2009 females).

Figure 1 shows the distribution of the population by age groups for persons 18 years of age and older in Alberta for both the 2000 survey sample and the 1996 census. The index of dissimilarity indicates that the survey sample accurately represents the adult population of Alberta. The average respondent was between 25 and 44 years of age.

The median household size was 3 persons and 95% of respondents indicated that their household was made up of from 1 to 5 persons including children (see Figure 2). Median household income was \$50,000-54,999 before taxes. The typical respondent had completed high school and had obtained some post-secondary education.

Figure 1: Age of Respondents





Figure 2: Number of People in Respondents' Households




It is shown in Figure 3 that just over four in every ten respondents in 2000 could correctly name the health region in which they lived. This statistic shows virtually no improvement over 1999. The percentage of respondents who could correctly name their health region ranged from a low of 23% (Westview RHA) to a high of 76% (Mistahia RHA).

Seventy-eight per cent (78%) of respondents reported that they had personally received health care services in Alberta in the past twelve months.

Forty-five per cent (45%) of respondents said that they had seen or read statistics or reports on health service performance in Alberta in the past year. Half (50%) of these respondents said that the statistics or reports that they had seen were produced by the Ministry of Alberta Health and Wellness. Eighteen per cent (18%) of respondents said that the statistics or reports were not produced by Alberta Health and Wellness while 31% did not know the origin of the statistics or reports that they had seen.

Insert map here

Figure 3: Percentage of Respondents Who Knew Their Health Region's Name




3 Health and Health Service Needs


Respondents were asked about their health status, the health of their current habits and lifestyle, recent changes made to improve health, and their need for health services (see questions 1 to 7 in Appendix B).

3.1 Health Status

Overall, 63% of Albertans rated their health as very good or excellent in 2000 (virtually the same as in 1999; see Figure 4). These self-ratings of health did not change significantly from 1998 to 2000. In all three years, almost 1 in 4 said that their health was excellent while 4 in 10 said that it was very good. One in 4 said that their health was good, less than 10% said it was fair, and less than 4% rated their health as poor.

Figure 5 shows self-reported health status, by health region and year of survey (2000, 1999). In general in 2000, residents in the southern half of the province tended to report higher health status than residents in the northern half of the province. In particular, health status in the Calgary health region was higher than the provincial average.





Males and females reported similar health levels. However, older persons reported lower health levels than younger respondents (see Figure 6).




Figure 6: Level of Self-Reported Health, by Age

The average respondent reported that over the last thirty days they had enjoyed 26.6 days in good physical health, 26.4 days in good mental health, and 28.0 days when they were able to do their usual activities unimpeded by poor physical or mental health.

3.2 Health Habits and Lifestyle

Most respondents considered their habits and lifestyle to be healthy (see Figure 7a). Furthermore, Figure 7b shows that almost one-half (48%) of respondents said that they had made changes in the past twelve months to improve their health. Figure 8 indicates that females were more likely than males to have made changes in the past twelve months to improve their health and that younger adults were most likely to have made such changes. Figure 9 shows that the most common changes made in the past twelve months by respondents to improve their health were increased exercise (32% of females and 21% of males) and changed diets (28% of females and 17% of males).

Figure 7a: In General, How Would You Describe Your Current Habits and Lifestyle




Figure 7b: In the Past 12 Months, Have You Made Any Changes in Your Habits or Lifestyle to Improve Your Health?




Figure 8: Percentage of Respondents Who in the Past 12 Months Have Made Changes in Their Habits or Lifestyle to improve Their Health, by Age and Gender





Figure 9: Percentage of Respondents Who Made Changes in the Past 12 Months to Improve Their Health, by Gender



Note: The "Other" category includes respondents who made at least one other change in the past twelve months to improve their health. Less than 5% of respondents made any one of the changes included in the "Other" category.

3.3 Health Service Needs

Twenty-six per cent (26%) of respondents in 2000 (26% in 1999 and 24% in 1998) reported a chronic health problem which requires regular health services (see Figure 10a). Respondents reported the following health conditions:

•	Muscular or skeletal diseases/conditions (including skin diseases and arthritis)	6.8%
•	Heart and circulatory diseases (including hypertension)	6.4%
•	Diabetes, thyroid, and other endocrine diseases	4.0%
•	Asthma and other chronic respiratory diseases	3.7%
•	Neurological diseases (including CNS degeneration, fibromyalgia, Parkinson's)	2.6%
•	Chronic Pain	1.7%
•	Gastro-intestinal diseases (affecting liver, pancreas, stomach, intestines, and gall bladder)	1.9%
•	Mental Health	1.5%
•	Cancer (all types)	0.9%
•	Allergies	0.8%
•	Genito-urinary (kidneys, bladder, urinary tract)	0.8%
•	Reproductive (e.g., impotence, fertility)	0.3%

Over 8% of respondents (9% in 1999 and 8% in 1998) reported that their need for health services was high (see Figure 10b). Figure 10c shows that 18% of households (18% in 1999 and 16% in 1998) had a member who had a high level of need for health services.

Females and older age groups were more likely to report chronic health problems which require regular health services (see Figure 11). Figure 12 shows that female respondents under age 65 were more likely than males to report a high level of need for health services in the past year, controlling for age. Finally, the percentage of respondents reporting a high level of need tended to rise with age for males although not for females.

Figure 10a: Do You Have A Chronic Health Problem Which Requires Regular Health Services?




Figure 10b: Describe Own Level of Need for Health Services During the Past Year




Figure 10c: Need for Health Services for Household Person Who Had the Greatest Need During the Past Year




Figure 11: Percentage of Respondents With a Chronic Health Problem Requiring Regular Health Services, by Age and Gender





Figure 12: Percentage of Respondents With a High Need for Health Services During the Past Year, by Age and Gender



4 Knowledge of the Health Care System and Information Received From Health Care Providers.

Respondents were asked several questions about their knowledge of health services. In addition, respondents who had personally received health care in Alberta in the past twelve months were asked about the information that they received from health care providers and their involvement in health care decision-making (see questions 8-10 and 20-22 in Appendix B).

Respondents said their knowledge of the health services available to them was either excellent (17%) or good (46%) (see Figure 13). Almost all (98%) knew where to go for emergency medical services. Nevertheless, 39% of respondents said that they needed more information about health services available to them.

Figure 14 shows that the majority of respondents who had personally obtained health care service in Alberta in the past twelve months said that they received either a lot of information (36%) or some information (44%) about the health services offered to them. Figure 14 also shows that 46% said they were involved "a lot" while another 32% indicated that they were involved "somewhat" in making the decisions about the health care services they received. Finally, 1 in 4 respondents felt that they always had enough information to make informed decisions about needed health care services while 39% and 30% respectively felt that they often or sometimes had enough information. These results were similar to those reported in 1999.

Figure 13: Knowledge of Health Services





Figure 14: Amount of Information Received by Respondent From Health Care Provider and Involvement in Decision-Making




5 Quality of Health Care Services

Respondents were asked to rate the overall quality of health care available in their community, the quality of care personally received, the quality of care received from a physician, and the quality of care received at a hospital. (See questions 12 and 15 to 18 in Appendix B.)

5.1 Quality of Health Care Services in the Community


Overall, 67.6% of Albertans rated the quality of health care services available in their community as either good or excellent in 2000 (compared to 74.8% in 1999; see Figure 15). These ratings changed significantly from 1998 to 2000 with respondents in 2000 more likely to judge health care services in the community to be fair or poor and less likely to rate them as excellent or good. In 2000, 14.7% of respondents rated the quality of health care services in their community as excellent, 52.9% said quality was good, 25.9% chose fair, while 6.6% said quality was poor.





5.2 Quality of Care Personally Received

A total of 3116 of the 4000 survey respondents (78%) had personally received health care service in Alberta in the past twelve months. Overall, 85.7% of Albertans rated the quality of health care services personally received as good or excellent in 2000 (compared to 78.5% in 1999; see Figure 16). These ratings changed significantly. In comparison to 1999, respondents in 2000 were more likely to rate the quality of care received as good or excellent and were less likely to rate care received as fair or poor. In 2000, 31.4% of respondents said that the quality of health services that they had personally received was excellent, 54.3% said good, 11.8% chose fair, while 2.5% said quality was poor.








Figure 17 shows ratings of the quality of health care personally received by health region and year of survey (2000, 1999). Ratings of the quality of health care personally received by respondents in the Calgary region and in the Capital (Edmonton) region were close to the provincial average. Ratings rose from 1999 to 2000 in 14 of the 17 health regions.

Figure 17: Quality of the Health Care Services Personally Received, by Health Region




Ratings of the quality of health care personally received in the past twelve months did not vary noticeably by gender. Older Albertans, however, tended to give higher ratings of quality of care received (see Figure 18).

Figure 18: Average Rating of Quality of Health Care Personally Received in the Past 12 Months, by Age and Gender




The reasons given by the 14% of respondents who had received care and rated it as either fair or poor are shown in Figure 19 (multiple responses were recorded). The most frequent complaint concerned having to wait too long (40%) or feeling too rushed (35%). Others complained that they received poor service (18%) or that there were not enough staff or that staff were overworked (16%). Some said that they lacked confidence in provider of care (16%), experienced poor communication (15%), did not get the desired treatment (12%), had problems with access to care (9%), did not have the opportunity to ask questions (8%), were not treated with courtesy and respect (7%), or were given incorrect information or incorrect treatment (5%). A few felt that their health did not get better (3%), or that it got worse (3%).

Figure 19: Reasons Why Respondents Who Received Health Care Services in the Past 12 Months Rated That Service as Fair or Poor (Respondents Could Give More Than One Reason)



Overall, 84.9% of Albertans rated the results of health care services personally received as good or excellent in 2000 (compared to 83.0% in 1999; see Figure 20). A total of 29.0% of respondents in 2000 said that the results of health care services that they had received were excellent, 55.9% said good, 11.4% chose fair, while 3.8% said results were poor.

Figure 20: How Did the Health Care Services You Received in the Past 12 Months Affect Your Health? Would You Say the Results Were...



Ratings of the quality of care personally received were significantly related to the respondent's health status and level of need for health services (see Tables 1 and 2). That is, respondents with better health tended to rate the quality of care received higher than respondents with poorer health. Similarly, respondents with a low level of need for health services tended to rate the quality of care received higher than respondents with a high level of need.

Table 1 Rating of Quality of Care Personally Received in Past 12 Months, by Self-Reported Health Status

Rating of	<u> </u>									
Quality of Care	Self-Reported Health Status (%)									
Personally	Excellent		Very Good		Good		Fair		Poor	
Received in Past 12 Months	2000	1999	2000	1999	2000	1999	2000	1999	2000	1999
Excellent	41.0	38.4	33.1	29.5	24.5	21.6	23.9	18.3	29.2	16.7
Good	48.2	44.6	54.6	52.0	60.0	55.0	56.9	52.6	38.9	38.0
Fair	9.6	12.4	10.8	14.5	13.0	20.0	14.1	23.2	18.8	31.5
Poor	1.2	4.6	1.5	4.0	2.6	3.4	5.1	5.9	13.1	13.8
Total	100	100	100	100	100	100	100	100	100	100
(n)	(627)	(642)	(1246)	(1195)	(816)	(794)	(292)	(270)	(125)	(123)

 x^{2} 1999 = 130, df = 12, p < .000; x^{2} 2000 = 134, df = 12, p < .000

Table 2 Rating of Quality of Care Personally Received in Past 12
Months, by Own Level of Need for Health Services in Past Year

with the state of									
Rating of									
Quality of Care	Own Level of Need for Health Services in Past Year (%)								
Personally	Lo	OW	Mod	erate	High				
Received in Past 12 Months	2000	1999	2000	1999	2000	1999			
Excellent	32.2	29.7	27.5	24.8	39.2	27.2			
Good	54.9	52.1	57.1	52.3	42.3	38.9			
Fair	11.0	14.7	12.8	17.9	12.7	25.0			
Poor	1.9	3.5	2.6	5.0	5.8	9.0			
Total	100	100	100	100	100	100			
(n)	(1740)	(1688)	(1036)	(1000)	(325)	(339)			

 x^2 1999 = 54, df = 6, p < .000; x^2 2000 = 40, df = 6, p < .000

5.3 Quality of Care Personally Received from a Physician

Respondents who had personally received health care services in Alberta in the past twelve months were asked if they had received health services from a physician in Alberta during that time. Ninety-six per cent (96%) of respondents who had received some form of care had received health services from a physician (n=3000). For those receiving physician services, the most recent service was obtained from a family doctor (80%) or from a specialist (20%).

Respondents who had most recently seen their family doctor indicated how long they had to wait from the time they made the appointment. Thirty-seven per cent (37%) of respondents saw their doctor on the same day, an additional 42% saw their doctor in less than one week, 12% waited from one week up to two weeks, and 6% waited from two weeks to a month. Three per cent (3%) waited more than one month.

Respondents who had most recently seen a specialist indicated how long they had to wait from the time they made the appointment. Twelve per cent (12%) of respondents saw the specialist on the same day, 16% saw the doctor in less than one week, 14% waited from one week up to two weeks, and 18% waited from two weeks to a month. Forty per cent (40%) waited more than one month including 25% who waited for up to three months, 12% for three to six months, and 4% who waited more than six months.

Overall, 90.4% of Albertans rated the quality of health care service received from a physician as either excellent or good in 2000 (compared to 89.3% in 1999; see Figure 21). In 2000, 49% of respondents rated the quality of physician care most recently received as excellent, 42% rated it as good, 7% indicated fair, and 2% said poor.

Ten per cent (10%) of those respondents receiving physician care (n=289) rated the quality of care received as fair or poor. The reasons these persons gave for their rating of physician care (multiple responses were recorded) included feeling too rushed (55%), lack of attention to respondent's needs (30%), poor communication (21%), lacking confidence in physician (20%), waiting too long to get the appointment (12%), or no time to ask questions/not involved in decisions (12%). Others complained that they did not get desired treatment (21%) or got incorrect treatment (5%). Others said there was a lack of courtesy and respect (10%).

Overall, 86.5% of Albertans rated the effect of health services received from their doctor as good or excellent in 2000 (compared to 85.7% in 1999; see Figure 22). In 2000, 35% of respondents who had received physician services in the past twelve months said that the results of physician care were excellent, 51% indicated good, 10% selected fair, and 4% said the results were poor.

Figure 21: Overall, How Would You Rate the Quality of Care You Personally Received from a Physician in the Past 12 Months?





Figure 22: How Did the Physician Services You Received in the Past 12 Months Affect Your Health? Would You Say the Results Were...



5.4 Quality of Care Personally Received from a Hospital

Respondents who had personally received health care services in Alberta in the past twelve months were asked if they had received health services at a hospital in Alberta during that time. Thirty-nine per cent (39%) of respondents who had received some form of care had received health services at a hospital (n=1203). For those receiving hospital services, the most recent services utilized were emergency care (38%), day (outpatient) services (37%), and overnight (inpatient) care (26%).

Overall, 82.5% of respondents who had personally received health care services at a hospital rated the care they had most recently received in 2000 as good or excellent (compared to 74.3% in 1999; see Figure 23). These ratings changed significantly from 1998 to 2000 with respondents in 2000 more likely to judge the hospital care that they had received as good or excellent and less likely to judge that care as fair or poor. In 2000, 41% of respondents rated the quality of hospital care most recently received as excellent, 42% rated it as good, 10% indicated fair, and 7% said poor.

Seventeen per cent (17%) of those respondents receiving hospital care (n=210) rated the quality of care received as fair or poor. The reasons these persons gave for their rating of hospital care (multiple responses were recorded) included waiting too long at the hospital before service was provided (45%) and waiting too long to get into the hospital (8%). Others complained that care was too rushed (32%), or that there was a shortage of staff and overworked staff (25%). Some complained of a lack of confidence in provider of care (16%), or of a lack of attention to respondent's needs from staff (15%) and from doctors (15%), or lack of courtesy and respect from staff (14%) and from doctors (10%). Others said that they did not get desired treatment (14%) or got incorrect treatment (9%) or that there was poor communication (12%).

Overall, 84.0% of respondents who had personally received health services in a hospital rated the effect of the hospital care that they had most recently received as good or excellent (compared to 82.8% in 1999; see Figure 24). These ratings changed significantly from 1998 to 2000 improving from 1999 to 2000 following a decline from 1998 to 1999. In 2000, 36% of respondents who had received hospital services in the past twelve months said that the results of hospital care were excellent, 48% indicated good, 9% selected fair, and 7% said the results were poor.

Figure 23: Overall, How Would You rate the Quality of Care You Personally Received in a Hospital in the Past 12 Months?





Figure 24: How Did the Hospital Services You Received in the Past 12 Months Affect Your Health? Would You Say the Results Were...



5.5 Quality of Hospital Care Received by a Household Member

Respondents were asked if any members of their household other than the respondent had received health services at a hospital in Alberta during the past twelve months. Thirty-eight per cent (38%) of respondents (n=1473) reported that at least one household member had received health services at a hospital. Forty-two per cent (42%) of the household members who had most recently received health services at a hospital were children, 38% were the spouse of the respondent, 10% were a parent of the respondent, and 10% were other household members. For those receiving hospital services, the most recent services utilized were emergency care (46%), day (outpatient) services (27%), and overnight (inpatient) care (27%).

Thirty-six per cent (36%) of respondents who had a household member who had received hospital services rated the quality of care that member had received as excellent, 43% rated it as good, 12% indicated fair, and 9% said poor.

Twenty-one per cent (21%) of respondents who had a household member who had received hospital care (n=300) rated the care as either fair or poor (multiple responses were recorded). The most frequent complaints concerned waiting too long at the hospital before service was provided (41%), waiting too long to get into the hospital (11%), and care being too rushed (24%). Others complained of a shortage of staff or overworked staff (18%) or of a lack of confidence in provider of care (17%). Some complained that they did not get desired treatment (14%) or got incorrect treatment (11%). Others complained of a lack of attention to patients' needs from staff (10%) and from doctors (10%), lack of courtesy and respect from staff (9%) and from doctors (7%), poor communication (9%), and being sent home too soon (7%).

Thirty-four per cent (34%) of respondents who had a household member who had received hospital services in the past twelve months said that the results were excellent, 48% indicated good, 10% selected fair, and 8% said the results were poor.

6 Complaints

Respondents were asked if they had wanted to complain or had made a complaint about health services received in the past year either by themselves or a member of their household (see questions 19a to 19e in Appendix B).

Twenty-one per cent (21%) of respondents had wanted to make a complaint about health services that they or someone in their household had received during the past year. Of the 723 persons who had wanted to complain, 230 (32%) did make a complaint. The 230 complainants represented 7% of the 3443 households which had received health services during the past year.

The 230 complainants made their complaints to the following: the person in charge of the health care facility or unit (26%), their doctor (30%), the person providing the service (20%), the regional health authority (12%), a professional group such as the College of Physicians and Surgeons (7%), an appeals body such as the Health Services Review Committee (1%), Alberta Health and Wellness (5%), and elected government officials (14%). Some complained to more than one person or agency. Some complained informally to family or friends (7%). Only one person complained to the media.

Of 200 respondents who had made a formal complaint, 11% said that they were very satisfied with the response to their complaint and another 31% indicated they were satisfied. However, 25% said they were dissatisfied and 33% indicated that they were very dissatisfied. An additional 7 respondents made formal complaints but declined to comment on whether or not they were satisfied with the response to their complaint.


A total of 506 respondents had wanted to complain but did not make a formal complaint. Reasons given for not formally complaining included believing that nothing would be done about the complaint (34%), not knowing how to make a formal complaint (33%), feeling it was too much trouble (16%), perceiving that there was no one to complain to (9%), feeling that their complaint was not important enough (9%), and fearing that complaining would make things worse (6%). (Note that respondents could give more than one reason for not making a formal complaint.)


7 Availability and Accessibility of Health Care Services

Respondents were asked to rate the availability of health care services in their community and to comment on the ease or difficulty of obtaining health care services when needed. Respondents were also asked if they or a person in their household was currently waiting for health care services or if they had been unable to obtain health care services when needed (see questions 11, 13, 14, and 24 in Appendix B).

7.1 Availability of Services in the Community

Overall, 63.0% of Albertans rated the availability of health care services in their community as good or excellent in 2000 (compared to 73.9% in 1999; see Figure 25). These ratings of health care availability fell significantly from 1999 to 2000 with fewer respondents selecting good or excellent in 2000 and more selecting fair or poor. In 2000, 14.3% of respondents rated the availability of health services in their community as excellent, 48.6% said good, 26.6% chose fair, and 10.4% said availability was poor.






7.2 Ease of Access to Needed Health Care Services

Overall, 64.4% of Albertans rated health care accessibility as easy or very easy in 2000 (compared to 72.6% in 1999: see Figure 26). Ratings of access to health care services changed significantly from 1998 to 2000 with fewer respondents in 2000 indicating that access was very easy or easy and more saying that access was a bit difficult or very difficult. In 2000, 15.5% of respondents said access was very easy, 48.9% said easy, 29.0% indicated access was a bit difficult, while 6.6% said it was very difficult.









Figure 27 shows ratings of health care accessibility by health region and year of survey (2000, 1999). Ratings of accessibility were generally lower in the northern regions of the province than in the southern regions. Ratings of accessibility declined from 1999 to 2000 in 14 of the 17 health regions.


Figure 28 shows that ratings of accessibility were slightly lower for females and were slightly higher for the youngest and oldest adult age groups.

Figure 28: Average Rating of Ease or Difficulty of Getting "Health care Services You Need When You Need Them," by Age and Gender




Over six per cent (6.6%) of respondents said that it was "very difficult" for them to get the health care services they needed when they needed them and another 29.0% said that it was "a bit difficult." For those respondents who reported a degree of difficulty accessing services, Figure 29 shows that the services respondents most frequently reported having difficulty obtaining were general practitioners, medical specialists, emergency care, tests and diagnostic services, and hospital admission or surgery. Figure 30 shows that the most frequently mentioned reason given for rating access to services difficult was long waits (70%). Other reasons given were: not enough health professionals, long distances to travel for service, difficulty getting quality care or advice from service providers, transportation problems, and service not available at certain times or at a convenient time.

Figure 29: Services Difficult to Obtain, for Respondents Who Reported Some Difficulty Accessing Needed Services (Respondents Could Select More Than One Service)



Note: The "Other" category includes respondents who had some difficulty accessing at least one other needed service. Less than 5% of respondents mentioned any one of the services included in the "Other" category.

Figure 30: Reasons Given for Difficulty Accessing Health Care Services When Needed (Respondents Could Give More Than One Reason)



Note: The "Other" category includes respondents who gave at least one other reason for access difficulty. Less than 5% of respondents mentioned any one of the resons included in the "Other"

category.
* Not coded in 1998.

Ease of access is significantly related to self-reported health status (see Table 3). That is, respondents in better health were more likely to say that it was easy to get the health care services that they needed when they needed them while persons in worse health were more likely to say that it was difficult to get the health care services they needed when they needed them. Similarly, Table 4 shows that the higher a respondent's level of need for health services in the past year, the more likely they were to say that it was difficult to get the health care services they needed when they needed them.

Table 3 Ease of Access to Health Care Services, by Self-Reported Health Status

Ease of		Self-Reported Health Status (%)									
Access to	Exce	ellent	Very Good		Go	ood	Fa	ir	Poor		
Health Care Services	2000	1999	2000	1999	2000	1999	2000	1999	2000	1999	
Very Easy	20.4	24.5	15.9	18.5	11.5	14.6	14.5	14.1	11.0	6.8	
Easy	50.8	50.3	50.9	56.4	49.9	57.3	40.1	51.7	24.7	43.6	
A Bit Difficult	24.9	21.4	27.8	22.4	31.7	24.9	33.4	27.2	40.3	31.4	
Very Difficult	3.9	3.7	5.4	2.6	6.8	3.3	11.9	7.0	24.0	18.2	
Total	100	100	100	100	100	100	100	100	100	100	
(n)	(863)	(918)	(1582)	(1543)	(980)	(953)	(318)	(317)	(130)	(132)	

 x^2 1999 = 140, df = 12, p < .000; x^2 2000 = 150, df = 12, p < .000

Table 4 Ease of Access to Health Care Services, by Own Level of Need for Health Services in Past Year

101 11001011 201 11002 111 1000 1 001											
Ease of Access	Own Level of Need for Health Services in Past Year (%)										
to Health Care	Lo)W	Mod	erate	High						
Services	2000	1999	2000	1999	2000	1999					
Very Easy	15.9	19.2	14.5	17.2	16.2	14.3					
Easy	53.0	55.7	45.2	55.1	31.6	42.8					
A Bit Difficult	26.1	22.1	33.4	24.0	34.5	31.6					
Very Difficult	5.0	3.0	6.9	3.6	17.8	11.3					
Total	100	100	100	100	100	100					
(n)	(2379)	(2371)	(1158)	(1131)	(327)	(357)					

 x^2 1999 = 80, df = 6, p < .000; x^2 2000 = 122, df = 6, p < .000

7.3 Waiting for Health Care Services

Almost one in five respondents (19%) said that they or a household member were waiting for a health care service in 2000 (compared to 18% in 1999). Of those persons who were waiting, 56% were waiting for medical consultation, diagnosis, tests or to see a specialist. Twenty-six per cent (26%) were waiting for surgery and 12% were waiting to see a doctor or for medical treatment. Others were waiting for rehabilitation treatment (2%), dental treatment (1%), home care services (1%) or long-term care placement (1%).

7.4 Inability to Obtain Needed Health Care Services

A total of 390 respondents (9.8%) said that they were unable to obtain health care services when needed (see Table 5). Most obtained service later or elsewhere. Some got better on their own. A total of 74 respondents (19% of those unable to obtain service and 1.8% of all respondents) said that they never received the needed service.

Table 5 Unable to Obtain Health Care Services When Needed

	1998	1999	2000
Unable to obtain health care service when needed	8.0	8.8	9.8
Never received the service	1.6	1.7	1.8
Obtained the service later	4.0	3.1	3.7
Obtained the service elsewhere	1.4	2.8	2.9
Obtained a different service	0.4	0.3	0.4
Health improved without service	0.5	0.9	0.9

Being unable to obtain the services of medical doctors (either general practitioners or specialists) was the most frequently reported problem (although by only 4.0% and 2.7% of respondents respectively; see Figure 31). The next most common problems were being unable to obtain medical test services and emergency care when needed (each reported by 1.2% of respondents).

The 9.8% of respondents who were unable to obtain health care services when needed in the past 12 months were asked to give one reason to explain why they could not get the service (see Figure 32). Of these respondents, 38% said that the reason was that they had to wait too long, another 30% said that they could not get an appointment with a health professional, 8% indicated that the service was not available nearby or was not conveniently located, and 5% cited lack of staff.

Figure 31: Percentage of Respondents Unable to Obtain Specific Health Care Services When Needed






Figure 32: Reasons Why Respondents Could Not Obtain Health Care Services When Needed (Respondents Could Provide Only One Reason)



When asked if not being able to obtain a health service when needed had any effect on themselves, 83% said "yes." Figure 33 shows that the effects on those unable to get care when needed included physical distress such as pain and discomfort (reported by 28%), emotional distress such as anxiety, worry, fear, and depression (29%), worsening health or delayed recovery (12%), and anger and frustration (15%).

Figure 33: Effects Reported by Respondents Who Could Not Obtain Health Care Services When Needed (Respondents Could Provide Only One Reason)



8 The Family's Contribution to Health Care

Respondents were asked about health care support that they had provided recently to a family member (see questions 23a to 23f in Appendix B). Thirty-six per cent (36%) said that they had provided health care support to a family member in the past six months. Support provided included emotional support (51% of those persons who provided care), home/personal care (47%), transportation (26%), help with household chores (16%), child care (10%), financial assistance (9%), and palliative care (2%).

Thirty-one per cent (31%) of males and 41% of females provided health care support to a family member in the past six months (see Figure 34). Indeed, women at all ages under 75 years of age were more likely to provide health care support to family members than were their male counterparts. Males and females 25-64 years of age were most likely to have provided health care support.

Of those persons who provided support, 42% said that it was not an inconvenience, 43% said that it was a minor inconvenience or disruption, while 15% (5.1% of the total sample) indicated that providing health care support to a family member was a major disruption of their normal activities. Women were more likely than men to report that providing health care support to a family member was a major disruption (see Figure 35). Disruption was most likely to be reported by women 25 to 64 years of age.

Respondents were asked if in the past six months they had paid to obtain health care support in the home for self or for a family member (spouse/partner, parent, grandparent, sibling, child, or grandchild). A total of 7% answered yes to this question. Twenty-eight per cent (28%) of those persons who paid to obtain health care support in the home had some or all of the cost paid through private insurance. The types of health care support most frequently purchased included home care nurse (26% of those paying for health care support in the home), prescriptions and medical supplies (27% and 15% respectively), housekeeping services (12%), health care professionals such as physiotherapists (7%), alternative therapy such as chiropractic, homeopathy, massage, or acupuncture (10%), child care (2%), and counselling (1%). Another 17% said that they had provided financial support.

Figure 34: Percentage of Respondents Who Provided Health Care Support To a Family Member in the Past 6 Months, by Age and Gender





Figure 35: Percentage of Respondents Reporting They Had Provided Health Care Support for a Family Member and That This Had Been a Major Disruption, by Age and Gender




9 Satisfaction With the Health Care System

Respondents provided an overall rating of the health care system in Alberta and also indicated how satisfied they were with the health system (see questions 25 and 26 in Appendix B).

9.1 Overall Rating of the Health Care System


Overall, 62.7% of Albertans rated the health care system in Alberta as either good or excellent in 2000 (compared to 57.4% in 1999; see Figure 36). Ratings of the health care system became increasingly favourable from 1998 to 2000. In 2000, 11.7% rated the health care system in Alberta as excellent, 51.0% rated it as good, 28.9% chose fair, and 8.5% said it was poor.





Males tended to rate the health care system in Alberta a little higher than did females (see Figure 37).

Figure 37: Average Rating of the Health Care System in Alberta, by Age and Gender



Nine per cent (9%) of respondents rated the health care system in Alberta as "poor" while another 29% rated it as "fair." The respondents who rated the health care system as fair or poor were asked to provide up three reasons for their rating. Most of the reasons given can be grouped into three categories (data not shown).

The most common category of responses focused on accessibility and availability of services. Indeed, the most frequent criticism was long waiting times given by 56% of those respondents who rated the health care system as fair or poor. Other reasons relating to accessibility and availability included harder to get services, fewer health services, more staff needed, hospital closures, and doctors leaving.

The second category of reasons given for a fair or poor rating of the health care system focused on dissatisfaction with quality (low quality, not satisfied with service received, system getting worse). The third category of reasons addressed funding issues (cuts, focus on costs and not health, user fees).

9.2 Satisfaction With the Health Care System

Overall, 68.3% of Albertans said that they were either very satisfied or somewhat satisfied with the health care system in Alberta in 2000 (compared to 66.9% in 1999; see Figure 38). In 2000, 18.7% of respondents were very satisfied, 49.6% said they were somewhat satisfied, 13.3% chose neither satisfied nor dissatisfied, 13.8% were somewhat dissatisfied, while 4.6% said they were very dissatisfied.





Figure 38: Overall, How Satisfied Are You With the Health System in Alberta?

Satisfaction with the health system in Alberta was somewhat higher among males in comparison to females and tended to be higher for the youngest and oldest adults in comparison to the middle age groups (see Figure 39).

Figure 39: Average Level of Satisfaction With the Health System in Alberta, by Age and Gender



Appendix A

Methods

A.1 Sampling

The delivery of public health care in Alberta is the responsibility of seventeen health regions. These regions vary greatly in size and demographics. In order to provide accurate information for the seventeen regions, it was important that each region obtain sufficiently detailed data.

In accordance with the methodology used from 1996 to 1999 the four health regions with the smallest populations were each assigned a minimum of 100 interviews and the remaining sample of 3600 was divided between the remaining 13 regions. The formula used to divide the sample allocated survey quotas proportionate to the square root of the population 18 years of age and older in each of the regions, using 1999 Alberta Health Registration Population data provided by Alberta Health.

In order to conduct valid analysis of the all-Alberta data, the responses from the various health regions were weighted appropriately. For example, although 100 interviews were conducted in the Northwestern Health region, the adult population of that region represents only approximately 21/4000 of the total adult population of Alberta (meaning that in a proportionate sample, only 21 interviews would have been assigned to this region). The responses from the 100 surveys conducted in that region were merged into the full Alberta data with a weight of 0.21. The calculation resulted in the following breakdown of actual surveys and weighted samples between regions:

Region	Sample	Weighted	Region	Sample	Weighte
	size	sample		size	d sample
1 - Chinook	263	198.70	10 - Capital	632	1146.39
2 - Palliser	208	124.18	11 - Aspen	194	108.44
3 - Headwaters	188	101.49	12 - Lakeland	221	140.66
4 - Calgary	670	1287.54	13 - Mistahia	204	119.41
5 - Health	158	72.06	14 - Peace	100	26.02
Authority 5					
6 - David	298	254.26	15 - Keeweetinok	100	31.15
Thompson					
7 - East Central	222	141.65	16 - Northern	100	52.70
			Lights		
8 - WestView	206	120.93	17 - Northwestern	100	21.18
9 - Crossroads	136	53.26			
		·	TOTAL	4000	4000.00

The weights attached to the data from each region for all-Alberta analysis purposes are as follows:

Region	Weighting	Region	Weighting
	multiplier		multiplier
1 - Chinook	0.7555143566	10 - Capital	1.8139031961
2 - Palliser	0.5970246920	11 - Aspen	0.5589473615
3 - Headwaters	0.5398621803	12 - Lakeland	0.6364809955
4 - Calgary	1.9216963456	13 - Mistahia	0.5853408601
5 - Health	0.4560495958	14 - Peace	0.2601502727
Authority 5			
6 - David	0.8532340353	15 - Keeweetinok	0.3114519812
Thompson		Lakes	
7 - East Central	0.6380473017	16 - Northern	0.5269863888
		Lights	
8 - WestView	0.5870374971	17 - Northwestern	0.2118179751
9 - Crossroads	0.3915958642		

Based on the population estimates for each region, quotas were established for the number of interviews to be conducted with persons in specific age and gender categories for each of the regions. This sampling method assures proportional representation for age and gender groups which might be underrepresented in a fully random sample. Typically, underrepresented groups would include young people, especially males, and the elderly. Young people are less likely to be home and available for an interview, while some elderly Albertans take extended vacations or are living in residential facilities and may not be accessible through random digit dialing. The full quota table is reproduced below:

					Quo	ta Ta	ble B	y Hea	lth R	egion	, Age	and (Gende	er					
			Health Region																
Age	Gen	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	Total
	der																		
18 -	M	20	15	13	43	10	22	15	15	10	42	14	16	17	8	9	8	10	287
24	F	19	14	13	42	10	20	14	14	9	42	12	15	16	7	8	9	11	275
25 -	M	51	44	42	161	32	64	43	46	28	140	41	44	49	22	25	27	27	886
44	F	51	43	42	160	32	65	43	46	28	140	41	47	46	22	25	26	25	882
45 -	M	37	28	27	93	23	42	32	33	20	90	30	32	28	14	13	15	11	568
64	F	37	28	26	92	23	41	31	30	20	91	27	31	26	13	11	12	10	549
65 -	M	12	9	7	22	8	12	11	7	6	24	9	10	7	4	3	1	2	154
74	F	13	10	7	25	8	12	11	7	6	27	8	10	6	4	2	1	2	159
75 -	M	9	7	4	12	5	8	9	3	4	13	5	7	4	3	2	0	1	96
plus	F	14	10	7	20	7	12	13	5	5	23	7	9	5	3	2	1	1	144

A random digit dialing approach was used in each health region to contact respondents. This method ensures that a random sample of Albertans is selected. The PRL uses its databank of Alberta telephone numbers to identify which telephone banks (the first five digits of the seven digit telephone number) in each health region (xxx-xxyy) are in operation. A simple program is then used to randomize the last two digits (yy) in each bank. The resultant output is loaded into the CATI system, which randomly allocates these numbers to the various interviewing stations. In order to assure accurate allocation of respondent to health region, each respondent was asked to indicate their residential postal code, which was matched against a list of postal codes by health region.

As with any telephone-administered survey, certain categories of resident are excluded. These would include all those living in a household without a telephone, many of those living in long-term care facilities, and persons residing in correctional facilities. Estimates suggest that approximately 97% of Canadians can be reached by a telephone survey.

A.2 Response Rate

One important factor in ensuring the reliability of data collected through random digit dialing surveys is the response rate achieved for the survey. Certain groups of potential respondents are less likely to be available for a telephone interview than others. While the stratified sample used in this survey compensates for age and gender bias, other potential biases can only be addressed by assuring the highest possible response rate. For example, unemployed, sick, and disabled persons may be more likely to be at home and therefore will tend to be overrepresented in a random survey with a low response rate.

The PRL uses two methods to improve response rate. First, telephone numbers allocated by the CATI system were redialed at least fifteen times at different times of the day before they were coded as "no response". This increased the likelihood of securing an interview with busy individuals. Second, the PRL employs specially trained and experienced "refusal interviewers" to "convert" potential respondents' initial refusals to agreement to participate.

Two methods are used to calculate response rates. The first calculation uses the following formula:

Response rate = # of completed interviews

of completed interviews plus # refused plus # incompletes plus # language barrier

Using this formula, the response rate for 2000 is 79.8% compared to 79.1% in 1999, 83.5% in 1998, 78.3% in 1997, and 76.4% in 1996.

A number of categories of uncompleted call dispositions, which are disregarded in the above formula, are incorporated in the following formula. This calculation will show a

lower response rate than the above calculation. The formula used by the PRL follows, using disposition codes from the disposition table following.

Response rate = # of completed interviews # of completed interviews plus disposition codes 1-3,6-10,13,14,20

CATI	Frequencies					
Disposit	Final Outcome of Call Attempt	1996	1997	1998	1999	2000
ion						
1	No answer *	748	932	548	711	687
2	Busy *	44	25	24	38	20
3	Answering machine *	248	225	288	442	433
4	Completed Interviews	4000	4000	4000	4000	4000
5	Line Trouble *	53	32	60	162	53
6/14	Respondent not home / household	88	148	65	94	155
	residents away					
7	Callback - Time specified *	155	136	139	111	72
8/13/20	Initial refusals/Final Refusals/Refusal	1125	961	695	939	898
	Callbacks					
9	Incomplete interviews	29	31	35	38	37
10	Language problems	81	117	60	77	77
11	Not in service	4431	5159	4225	4241	5537
12	Business / Fax	2956	3681	3321	3771	3597
16	Second residence, New resident	34	24	64	52	69
19	Quota filled	2353	3544	2382	2353	2361
	TOTAL TELEPHONE NUMBERS	16457	19015	15906	17029	17996
	ALLOCATED			_	_	_
	* Minimum 15 callbacks made to					
	household					

Using this method, the response rate for the 2000 survey is 62.7% compared to 62.0% for 1999, for 1998, 60.8% for 1997, and 61.4% for 1996.

Appendix B

Questionnaire

The 2000 Public Survey about Health and the Health System in Alberta

CATI Telephone Questionnaire

1	Telephone Number	
2	CATI Record Number	
3	Interviewer's Name	
4	Date	
5	Start Time	
6	Finish Time	

Population Research Laboratory University of Alberta

March 30, 2000

TELEPHONE INTRODUCTION SHEET 2000

1.		my name is and I'm calling (long distance) from the ation Research Lab at the University of Alberta.							
2.	I have dialled XXX-XXXX. Is this correct?								
3.	Your	Your telephone number was selected at random by computer.							
4.	The Lab is conducting a public opinion study to help Alberta Health and Wellness better understand the views of Albertans on health and the health care system in this province.								
5.	To ensure that we speak to a good cross-section of people for your health region can you please tell me the following:								
	a.	How many women aged 18 or over live at this number?							
		NUMBER OF WOMEN?							
		98 Refused							
		And how many men aged 18 or over live at this number?							
		NUMBER OF MEN?							
		98 Refused							
		RECORD GENDER OF POTENTIAL RESPONDENT							
		Male 1 Female 2							
	b.	In which age category do you belong? (READ CATEGORIES)							
		18 - 24 years 1 25 - 44 years 2 45 - 64 years 3 65 - 74 years 4 75 years or older 5							
		0 Refused Thank you very much for your time. INTERVIEW WILL TERMINATE IF "1" IS PRESSED.							

IF AGE/GENDER QUOTAS ARE FILLED, LOOK AT QUOTA SHEET TO ASK FOR SOMEONE ELSE WHO MAY BE QUALIFIED AND BACK UP (ESC) KEY TO REQUALIFY. TERMINATE INTERVIEW IF AGE REFUSED OR AGE/GENDER QUOTAS ARE FILLED; OTHERWISE CONTINUE.

6. I would like to interview you and I'm hoping that now is a good time for you. Your opinions are very important for the research that is being done for health care decision-makers in Alberta. The interview should take 10-12 minutes, depending on the questions that apply to you.

May we proceed with the interview now? (IF NO, SCHEDULE CALLBACK OR TERMINATE CALL AND CODE APPROPRIATELY)

- 7. Before we start, I'd like to assure you that your participation is voluntary and that any information you provide will be used only for the indicated purposes in conformity with the Alberta Freedom of Information and Protection of Privacy Act. If there are any questions that you do not wish to answer, please feel free to point these out to me and we'll go on to the next question. You of course have the right to terminate the interview at any time.
- 8. Your name is not required and no one can identify individual answers in this study. If you have any questions about the survey, you can call (collect) to Cathy Drixler, the project coordinator at the Population Research Lab (780-492-4659 ext. 226) for further information. You may also check the legitimacy of this study with the Registration Branch of Alberta Health and Wellness at 427-1432 (if long distance, dial toll free 310-0000 and then dial the phone number).

I WOULD LIKE TO BEGIN WITH SOME QUESTIONS ON YOUR HEALTH.

1. In general, compared with other people your age, would you say your health is....(READ)

Excellent	1
Very Good	2
Good	3
Fair	4
Poor	5
Don't Know (VOLUNTEERED)	6
No Response	0

2a.		Now, thinking of your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health NOT good?					
	Numb	per of days physical health NOT good					
	97 Dor	n't know					
	99 No	response					
2b.	_ ,	tal health, which includes stress, depression, and r how many days during the past 30 days was your					
	Numb	er of days mental health NOT good					
	97 Dor	n't know					
	99 No	response					
2c.		about how many days did poor physical or mental your usual activities, such as self-care, work, or					
	Number of days activities	physical or mental health kept you from usual					
	97 Dor	n't know					
	99 No	response					
3.	In general, how would you say they are(READ)	describe your current habits and lifestyle? Would you					
	· · · · · · · · · · · · · · · · · · ·	1					
		hy 3 4					
		UNTEERED) 5					
	= == 0 ==== (- · · · · · · · · · · · · · · · · · · ·					

	No Response 0
4a.	In the past 12 months, have you made any changes in your habits or lifestyle to improve your health?
	Yes
	No Response
4b.	What changes have you made? (DO NOT READ LIST. SELECT ALL THAT APPLY)
	Increased exercise/physical activity Changed diet/improved diet Quit/reduced smoking Used vitamin or herbal remedy Managed/reduced stress Reduced/quit alcohol consumption Lost weight Changed sexual behaviour/reduced risk of STD Reduced drug/medication use Managed/reduced blood pressure Managed/reduced cholesterol Changed physical environment/moved Received medical treatment Improved dental hygiene Reduced risk of injury Other (PLEASE SPECIFY) No Response
5.	How would you describe your own level of need for health services during the past year? Would you say it was(READ)
	Low
	Don't Know (VOLUNTEERED) 4 No Response
6а.	Do you have a chronic health problem which requires regular health services?
	Yes

	No Response
6b.	Could you please describe your chronic health problem(s) or condition(s)? (DO NOT READ. SELECT ALL THAT APPLY)
	Neurological diseases (e.g., CNS degeneration, fibromyalgia, Parkinson's) Mental health Heart and circulatory diseases (e.g., hypertension, high blood pressure) Asthma and other chronic respiratory diseases (e.g., emphysema, chronic bronchitis) Diabetes, thyroid, other endocrine diseases Cancer (all types) Gastro-intestinal diseases (affecting liver, pancreas, stomach, intestines, gall bladder) Genito-urinary (kidneys, bladder, urinary tract) Reproductive (e.g., impotence, fertility) Allergies (e.g., hay fever) Muscular or skeletal diseases/conditions (including skin diseases, arthritis) Chronic pain Other (specify) No response
7.	Now, including yourself, think about the person <u>living</u> in your household with the greatest need for health services during the past year. How would you describe this person's level of need? Would you say it was(READ)
	Low
	No Response 0

NOW I WOULD LIKE TO ASK YOU SOME GENERAL QUESTIONS ABOUT THE HEALTH SERVICES THAT ARE AVAILABLE TO YOU. HEALTH SERVICES INCLUDE SERVICES AVAILABLE FROM HOSPITALS, PHYSICIANS' CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY HEALTH SERVICES, AND REGIONAL HEALTH AUTHORITIES

8.	In general, how would you rate your knowledge of the health services that are available to you? Would you say		
	Excellent 1		
	Good		
	Fair		
	Poor		
	Don't Know (VOLUNTEERED) 5		
	No Response 0		
9.	Do you think you need more information about the health services that are available to you?		
	Yes 1		
	No 2		
	Don't Know (VOLUNTEERED) 3		
	No Response 0		
10.	Do you know where to go if you need emergency medical services? (PROBE: in your own area)		
	Yes 1		
	No 2		
	No Response 0		
THE TERM COM	NEXT QUESTIONS ARE ABOUT THE HEALTH SYSTEM IN GENERAL. HEALTH SYSTEM INCLUDES HOSPITALS, PHYSICIANS' CLINICS, LONG M CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND IMUNITY HEALTH SERVICES, REGIONAL HEALTH AUTHORITIES, AND PROVINCIAL DEPARTMENT OF HEALTH.		
11.	Overall, how would you rate the AVAILABILITY of health care services in your community? Would you say it is(READ)		
	Excellent 1 Good 2 Fair 3 Poor 4		
	Don't Know (VOLUNTEERED) 5 No Response		

12.	Overall, how would you rate the QUALITY of health care services that are available in your community? Would you say(READ)
	Excellent 1 Good 2 Fair 3 Poor 4
	Don't Know (VOLUNTEERED) 5 No Response
13a.	How easy or difficult is it for you to get the health care services you need when you need them? Would you say it is(READ)
	Very easy
	No Response
	(INTERVIEWER NOTE: respondent must be involved with getting services for family member if not answering this question about self, e.g., getting service for child or for invalid spouse)
13b.	Which services do you have difficulty obtaining? (DO NOT READ LIST. SELECT ALL THAT APPLY)
	General practitioner Medical specialist Tests, diagnostic services (e.g., xrays, MRIs) Mental health services Hospital admission, surgery Long term care facility Home care support Aids to Daily Living (AADL) supplies & supports Emergency care Rehabilitation therapy General, all kinds (ask for specifics) Other (PLEASE SPECIFY) No Response

13c. What makes it difficult for you? (DO NOT READ LIST. SELECT ALL THAT APPLY)

Transportation problems

User fees for service

Long distance to travel for service

Getting time off work

Service provided at inconvenient time; unavailable certain days

Cost of drugs, supplies, etc. is too high

Long waiting period for appointments

Hard to get quality care/advice from service providers

Not enough health professionals

Difficulty understanding what I am told by service providers

I don't know how to get what I need

Other (PLEASE SPECIFY)_____

No Response

14a. Over the past 12 months, were you ever unable to obtain health care services when you needed them?

Yes..... 1 (ASK 14b) No...... 2 (GO TO 15)

No Response.. 0 (GO TO 15)

(INTERVIEWER NOTE: respondent must be involved with getting services for family member if not answering this question about self, e.g., getting service for child or for invalid spouse)

14b. What type of service or services were you unable to obtain? (DO NOT READ LIST. SELECT ALL THAT APPLY)

Medical doctor (gp)

Medical doctor (specialist)

Emergency care

Ambulance service

Hospital in-patient care

Hospital out-patient care

Long-term care in a facility

Medical test services

Home care services

Therapy (not mental health)

Immunization for self/child

Mental health services or counselling

Other (PLEASE SPECIFY)_____

No Response

14c. Why could you not get this needed service? (DO NOT READ LIST. RECORD ONE ANSWER ONLY. HAVE RESPONDENT CHOOSE MOST RELEVANT IF MORE THAN ONE)

	Could not afford the cost1
	Could not get an appointment with health professional2
	No emergency available/emergency closed
	Had to wait too long and/or gave up
	I was not given the treatment I asked for5
	Not available nearby/not convenient to get to6
	Service not covered by health system
	No hospital bed available8
	Lack of medical staff/too busy9
	Medical staff incompetent/wrong diagnosis
	Cutbacks (general)11
	No health card12
	Other (PLEASE SPECIFY)13
	Don't Know/No Response0
14d.	Did this have any effect on you?
	Yes 1 (ASK 14e)
	No
	No Response
14e.	What effect did this have on you? (DO NOT READ LIST. RECORD ONE ANSWER ONLY)
	Physical pain/suffering/discomfort
	Emotional stress/anxiety/worry/depression/fear2
	Got angry/upset/frustrated
	Health got worse/illness untreated/recovery delayed4
	Travelled/looked elsewhere for service 5
	Turned to family/others for support
	Treated self/refused to go back to hospital
	Inconvenience/disruptive/difficulty managing 8
	Affected employment (e.g. unable to work; missed work)9
	Financial impact (e.g. had to pay; can't afford; lost wages). 10
	Loss of function (e.g., difficulty doing daily activities) 11
	Other (PLEASE SPECIFY)12
	,
	No response

14f. What happened next? Did you... (READ)

Get the service you needed somewhere else	1
Get a different service	2
Get better on your own	3
Get the service you needed at a later time	4
Never receive the needed service	5
Other (PLEASE SPECIFY)	6
No Response	0

THE NEXT QUESTIONS ARE ABOUT THE HEALTH CARE SERVICES YOU PERSONALLY HAVE RECEIVED IN ALBERTA. HEALTH SERVICES INCLUDE SERVICES AVAILABLE FROM HOSPITALS, DOCTOR'S CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY HEALTH SERVICES, AND REGIONAL HEALTH AUTHORITIES.

15a. Have you PERSONALLY received any health care services IN ALBERTA in the past 12 months?

Yes	,
No Response	0 (GO TO 18a)

Overall, how would you rate the quality of care you personally have received in the past 12 months? Would you say it was...(READ)

Excellent	1 (GO TO 15d)
Good	2 (GO TO 15d)
Fair	3 (ASK 15c)
Poor	4 (ASK 15c)
Don't Know (VOLUNTEERED)	5 (GO TO 15d)
No Response	0 (GO TO 15d)

15c. Why do you say that the quality of health service you received was (fair/poor)? (DO NOT READ LIST. SELECT ALL THAT APPLY.)

Care too rushed, not thorough, not complete

Lack of confidence in provider, lack of professional competence

Poor communication, poor follow-up, poor coordination of care, multiple referrals

Service poor, improper, bad result

Shortage of staff, overworked/overloaded staff

Access issues, hard to get needed care, care not available (e.g., distance)

Did not get the treatment I wanted

Had to wait too long

Lack of courtesy and respect

No time to ask questions/not allowed

Did not get better

Health got worse

Got incorrect information/treatment

Other (PLEASE SPECIFY)

No Response

15d. How did the health care services you received in the past 12 months affect your health? Would you say the results were...(READ)

Excellent	1
Good	2
Fair	3
Poor	4
Don't Know (VOLUNTEERED)	5
No Response	

(OPTIONAL READ: Results might include understanding your own personal health or treatment if your health didn't change)

THE NEXT QUESTIONS ARE ABOUT CARE YOU HAVE PERSONALLY RECEIVED FROM A PHYSICIAN IN ALBERTA IN THE PAST 12 MONTHS, EITHER AT THE PHYSICIAN'S OFFICE OR CLINIC. (INTERVIEWER NOTE: IF PERSON MENTIONS GOING TO THE HOSPITAL TO SEE HIS/HER DOCTOR, PROBE TO FIND OUT IF HIS/HER DOCTOR HAS AN OFFICE OR CLINIC AT THE HOSPITAL.)

16a.	a. In the past 12 months, have you personally received health services from a physician in Alberta, either a FAMILY DOCTOR or a MEDICAL SPECIALIST?		
	Yes		
	No response 3 (GO TO 17a)		
16b.	Think of the most recent time that you obtained a service from a physician. Was this service from a family doctor or a specialist?		
	Family doctor (general practitioner). 1 (ASK 16c) Specialist 2 (ASK 16c)		
	Don't know (VOLUNTEERED) 3 (GO TO 17a) No response		
16c.	How long did you have to wait from the time you made the appointment until you were able to see your doctor on this occasion? Would you say it was(READ) (INTERVIEWER NOTE: IT DOESN'T MATTER IF SOMEONE OTHER THAN THE RESPONDENT MADE THE APPOINTMENT, WE JUST WANT TO KNOW HOW LONG HE/SHE WAITED)		
	Same day (e.g., walk in clinic) 1 Less than 1 week 2 1 to less than 2 weeks 3 2 weeks to less than 1 month 4 1 to less than 3 months 5 3 to less than 6 months 6 6 months or longer 7 Don't know (VOLUNTEERED) 8		
	No Response 0		
16d.	How would you rate the QUALITY of care you received from this physician on this occasion? Would you say it was(READ)		
	Excellent 1 (GO TO 16f) Good 2 (GO TO 16f) Fair 3 (ASK 16e) Poor 4 (ASK 16e)		
	Don't Know (VOLUNTEERED) 5 (GO TO 16f) No Response		

16e. Why do you say that the quality of health services you received from the physician was (fair/poor)? (DO NOT READ LIST. SELECT ALL THAT APPLY.)

Care too rushed, not thorough, not complete

Lack of confidence in provider, lack of professional competence

Poor communication, poor follow-up, poor coordination of care, multiple referrals

Waited too long to get the appointment

The doctor was late for the appointment

Lack of privacy

Poor environment (e.g., messy, noisy)

Did not get the desired treatment

Got incorrect treatment

Lack of courtesy, respect

Lack of attention to my needs

No time to ask questions; not involved in decisions

Not given adequate instructions on self-care

Other (PLEASE SPECIFY)

No Response

16f. How did the health care services you received from your doctor on this occasion affect your health? Would you say the RESULTS were...(READ)

Excellent	1
Good	2
Fair	3
Poor	4
Don't Know (VOLUNTEERED)	5
No Response	

(OPTIONAL READ: Results might include understanding your own personal health or treatment if your health didn't change)

THE NEXT QUESTIONS ARE SPECIFICALLY ABOUT HEALTH SERVICES THAT YOU PERSONALLY RECEIVED AT A HOSPITAL IN ALBERTA IN THE PAST 12 MONTHS.

17a.	In the past 12 months, have YOU PERSONALLY received health services a HOSPITAL in Alberta, either as an overnight patient, a day patient, or through emergency?	
	Yes	
	No Response	
17b.	What type of hospital service did you receive? Was it(READ)	
	(INTERVIEWER NOTE: If more than one, ask for the most recent service received)	
	Overnight (Inpatient)	
	Don't Know (VOLUNTEERED) 4 (GO TO 18a) No response 0 (GO TO 18a)	
17c.	How would you rate the QUALITY of care you most recently received at the hospital? Would you say it was(READ)	
	Excellent 1 (GO TO 17e) Good 2 (GO TO 17e) Fair 3 (ASK 17d) Poor 4 (ASK 17d)	

Don't Know (VOLUNTEERED)..... 5 (GO TO 17e) No Response 0 (GO TO 17e) Why do you say that the quality of health services you received at the hospital was (fair/poor)? (DO NOT READ LIST. SELECT ALL THAT APPLY.)

Care too rushed, not thorough, not complete

Lack of confidence in provider, lack of professional competence

Poor communication, poor follow-up, poor coordination of care, multiple referrals

Waited too long to get into hospital (before admission)

Waited too long at hospital before service provided

Lack of privacy

Too crowded

Shortage of staff, overworked/overloaded staff

Poor environment (e.g., messy, noisy)

Did not get the desired treatment

Got incorrect treatment

Lack of courtesy, respect from doctors

Lack of courtesy, respect from staff

Lack of attention to my needs from doctors

Lack of attention to my needs from staff

No time to ask questions; not involved in decisions

Sent home too soon

Not given adequate instructions on self-care

Other (PLEASE SPECIFY)_____

No Response

17e. How did the health care services you received at the hospital affect your health? Would you say the RESULTS were...(READ)

Excellent	1
Good	2
Fair	3
Poor	
Don't Know (VOLUNTEERED)	5
No Response	

THE NEXT QUESTIONS ARE ABOUT THE HEALTH SERVICES THAT OTHER MEMBERS OF YOUR HOUSEHOLD RECEIVED AT A HOSPITAL IN ALBERTA IN THE PAST 12 MONTHS.

18a.	In the past 12 months, did another person living in your household, like a spouchild, parent, or roommate receive health services at a HOSPITAL in Alberta. This could have been either as an overnight patient, a day patient, or through emergency?		
	Yes		
	No Response		
18b.	Which household member most recently received health services at a hospital in Alberta in the past 12 months? (DO NOT READ)		
	Spouse (including common-law)1Child (including step, adopted, foster)2Parent (including in-laws)3Other4		
	No response 0		
18c. What type of hospital service did he/she receive? Was it(READ)			
	Overnight (Inpatient)		
	Don't Know (VOLUNTEERED) 4 (GO TO 19a) No response		
18d.	How would you rate the quality of care he/she received at the hospital? Would you say it was(READ)		
	Excellent 1 (GO TO 18f) Good 2 (GO TO 18f) Fair 3 (ASK 18e) Poor 4 (ASK 18e) Don't Know (VOLUNTEERED) 5 (GO TO 18f) No Response 0 (GO TO 18f)		

18e. Why do you say that the quality of health service your household member received was (fair/poor)? (DO NOT READ LIST. SELECT ALL THAT APPLY.)

Care too rushed, not thorough, not complete

Lack of confidence in provider, lack of professional competence

Poor communication, poor follow-up, poor coordination of care, multiple referrals

Waited too long to get into hospital (before admission)

Waited too long at hospital before service provided

Lack of privacy

Too crowded

Shortage of staff, overworked/overloaded staff

Poor environment (e.g., messy, noisy)

Did not get the desired treatment

Got incorrect treatment

Lack of courtesy, respect from doctors

Lack of courtesy, respect from staff

Lack of attention to my needs from doctors

Lack of attention to my needs from staff

No time to ask questions; not involved in decisions

Sent home too soon

Not given adequate instructions on self-care

Other (PLEASE SPECIFY)_____

No Response

18f. How did the health care services your household member received at the hospital affect his/her health? Would you say the results were...(READ)

Excellent	1
Good	2
Fair	3
Poor	4
Don't Know (VOLUNTEERED)	5
No Response	0

(OPTIONAL READ: Results might include understanding his/her own personal health or treatment if his/her health didn't change)

19a. Did you ever want to make a complaint about health services you or someone in your household received during the past year?

Yes 1 (ASK 19b) No..... 2 (GO TO 20)

19b. Have you made a complaint about any health service you or someone in your household received during the past year?

Yes 1 (ASK 19c) No..... 2 (GO TO 19e)

19c. To whom did you complain?

(DO NOT READ LIST. SELECT ALL THAT APPLY)

The person providing service (e.g., nurse in charge of care)

My doctor

The person in charge of the facility or unit

The regional health authority

Professional group (e.g. College of Physicians & Surgeons)

An appeals body (e.g. Health Services Review Committee)

Alberta Health and Wellness

The government (MLAs; Minister; Premier)

My family, friends, or neighbours....

The media

Don't remember

No Response

If response is Yes to any of the first eight items, then ask 19d.

If response is "My family, friends, or neighbours", or "the media", ask 19e.

If response "Don't remember", or "No response", GO TO 20.

	How satisfied were you with the response to your complaint? Were you(READ)		
	Very satisfied 1 (GO TO 20) Satisfied 2 (GO TO 20) Dissatisfied 3 (GO TO 20) Very dissatisfied 4 (GO TO 20)		
	No response 0 (GO TO 20)		
	lid you not make a complaint to someone in the health system? (DO NOT D LIST. SELECT ALL THAT APPLY)		
	Didn't know how to go about it Too much trouble My complaint was not important enough They wouldn't do anything about it anyway Afraid that complaining would make things worse There's no one to complain to Other (PLEASE SPECIFY) No response		
ABOUT HEA INCLUDE SE LONG TERM COMMUNIT	QUESTIONS ARE ABOUT INFORMATION AND DECISION-MAKING LTH SERVICES. (OPTIONAL READ: HEALTH SERVICES RVICES AVAILABLE FROM HOSPITALS, PHYSICIANS' CLINICS, CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND Y HEALTH SERVICES, AND REGIONAL HEALTH AUTHORITIES.) LY OF THOSE PERSONS THAT SAID YES TO Q15a.]		
the hea	you receive health services, how much information do you usually get from alth care provider about the health service offered to you. Would you READ)		
	A Lot 1 Some 2 Very Little 3 None 4 No Response 0		
	110 Response		

	general, how INVOLVED were you in making the decisions about the health re services you received? Would you say you were involved(READ)
	A Lot
	Don't Know (VOLUNTEERED) 5 No Response
	eneral, do you believe you have enough information to make informed isions about the health care services you need? Would you say(READ)
	Always
	Don't Know (VOLUNTEERED) 5 No Response
THE NEX	T QUESTIONS ARE ABOUT OTHER HEALTH ISSUES.
m	the past 6 months, have you PROVIDED any health care support to a family ember? (A family member includes spouse/partner, parent, grandparent, bling, child, or grandchild.)
	Yes
	No Response 0 (GO TO 23d)
(0	OPTIONAL READ: Health care support includes any type of support or help

to a person because of a health condition.)

23b.	What kind of help did you provide? (DO NOT READ LIST. SELECT ALL THAT APPLY.)	
	Emotional/moral support/companionship/advice Home care/personal care Palliative care (care for the dying) Household cleaning/cooking/grocery shopping/errands Child care Transportation Financial support/paid for supplies or medicine Other (PLEASE SPECIFY) No response	
23c.	How would you describe the effects of providing this support? Would you say that it was(READ)	
	Not an inconvenience	
	No Response 0	
23d.	In the past 6 months, have you paid to obtain health care support IN THE HOME, either for yourself or for a family member? (A family member includes spouse/partner, parent, grandparent, sibling, child, or grandchild.)	
	Yes	
	No Response 0 (GO TO 24a)	
	(OPTIONAL READ: includes any type of support to a person because of a health condition.)	
23e.	Was any of this cost paid through private insurance?	
	Yes	
	Don't Know	

23f.	What type of health care support was involved? (DO NOT READ LIST.
	SELECT ALL THAT APPLY.)

Home care nurse/attendant Housekeeper/cleaner/yard worker Child care/postnatal services Live-in companion Medical supplies Prescriptions/medications Health professionals (e.g. physiotherapists) Alternative therapies (e.g. acupuncture, chiropractor, homeopath, massage) Counselling Financial support/pay premiums Other (PLEASE SPECIFY)_____ No Response 24a. At this time, are you or a person LIVING in your household waiting for a medical treatment, consultation, surgery, home care services, or long term care placement? Yes ... 1 (ASK 24b) No...... 2 (GO TO 25a) What are you or the person in your household waiting for? (DO NOT READ. 24b. SELECT ONE RESPONSE) Surgery/cataract removal......1 Home care services4 Long-term placement5 Community rehabilitation services: physiotherapy, audiology, speech therapy 6 Dental treatment/dental surgery.......7

(INTERVIEWER NOTE: if person is waiting for more than one service, choose the "highest level". E.g., if waiting for medical treatment and surgery, choose surgery.)

Other (PLEASE SPECIFY)8

Health Survey 2000

THE NEXT QUESTIONS ARE AGAIN ABOUT ALBERTA'S HEALTH SYSTEM OVERALL. (OPTIONAL READ: The health system includes hospitals, physicians' clinics, long term care facilities, public health services, home and community health services, regional health authorities, and the provincial department of health.)

25a. Thinking now about the health care system in Alberta, overall, how would you rate it? Would you say it is...(READ)

Excellent	1 (GO TO 26)
Good	2 (GO TO 26)
Fair	3 (ASK 25b)
Poor	4 (ASK 25b)
Don't Know (VOLUNTEERED)	5 (GO TO 26)
No Response	0 (GO TO 26)

25b. What is it about the health system that makes you rate it (fair/poor)? (DO NOT READ LIST. SELECT A MAXIMUM OF 3 RESPONSES)

Not satisfied with service received

Cuts in funding

Hospital closures, bed shortages

Fewer health services

Staff shortage (doctors, nurses, other health personnel, staff overworked)

Doctors leaving

Low quality of care (includes all interactions with staff)

User fees

It is getting worse

Health system should be privatized (support Bill C-11)

Health system should NOT be privatized (oppose Bill C-11)

Abortion funding

Focus on costs, not health

Hard to get services (e.g., access problems like travel)

Long wait time for service (e.g., long wait to see professional)

Alberta Health Care Insurance premiums (all comments)

Board members should be elected (not appointed)

Other (PLEASE SPECIFY)

No Response

26.	Overall, how satisfied are you with the health system in Alberta? Would you say you are(READ)
	Very satisfied1Somewhat satisfied2Neither satisfied nor dissatisfied3Somewhat dissatisfied4Very dissatisfied5
	No Response 0
INFOR INCLU ACCE WITH	NEXT QUESTION IS ABOUT HEALTH SERVICE PERFORMANCE RMATION. HEALTH SERVICE PERFORMANCE INFORMATION UDES STATISTICS OR REPORTS ABOUT THE QUALITY OF SERVICES, ISS TO SERVICES, NUMBER OF SERVICES PROVIDED, SATISFACTION CARE, AND SIMILAR TOPICS RELATED TO THE DELIVERY OF THE SERVICES IN ALBERTA.
27a.	In the past year, have you seen or read any statistics or reports on health service performance in Alberta?
	Yes
	Don't Know
27b.	Were these statistics or reports produced by the Ministry of Alberta Health and Wellness (Alberta government department of Health)?
	Yes
	Don't Know

THESE FINAL QUESTIONS WILL GIVE US A BETTER PICTURE OF THE PEOPLE WHO TOOK PART IN THIS STUDY.

28a.	Including yourself, how many people NORMALLY live in your household?
	Total number of people including children
	98 No Response
28b.	How many of these people are under 18 years of age?
	Number of children
	98 No Response
29.	What is the highest level of education you have attended or completed? (DO NOT READ LIST)
	No schooling1Some Elementary2Completed Elementary3Some Secondary4Completed Secondary5Some college, technical, or nurse's training6Completed college, technical, or nurse's training7Some University8Completed University9Other education or training (PLEASE SPECIFY)10
	No Response 0

30. What is the name of the Health Region in which you live? (DO NOT READ LIST. CODE THE ANSWER PROVIDED BY THE RESPONDENT, EVEN IF IT IS THE WRONG HEALTH REGION. THE NUMBER OF THE HEALTH REGION DOES NOT HAVE TO BE MENTIONED EXCEPT FOR HEALTH REGION 5)

```
Chinook Health Region 1..... 1
Palliser Health Region 2...... 2
Headwaters Health Region 3. ...... 3
Calgary Health Region 4...... 4
Health Authority 5 .... 5
David Thompson Health Region 6 ... .......... 6
East Central Health Region 7 ...... 7
Westview Health Region 8.... 8
Capital Health Region 10..... 10
Aspen Health Region 11 ...... 11
Lakeland Health Region 12... 12
Mistahia Health Region 13.... 13
Peace Health Region 14 ...... 14
Keeweetinok Lakes Health 15...... 15
Northwestern Health Region 17 ...... 17
Don't Know/No Response/Incorrect Name ... 18
```

31. What was your total household income before taxes last year? (IF NECESSARY, PROBE WITH CATEGORIES)

```
UNDER $6000......1
                       $26000-27999 ..... 12
                                             $60000-64999....23
6000-7999...... 2
                        28000-29999 ..... 13
                                             65000-69999.....24
8000-9999...... 3
                        30000-31999 ..... 14
                                             70000-74999.....25
10000-11999......4
                        32000-33999 ..... 15
                                             75000-79999.....26
12000-13999......5
                        34000-35999 ..... 16
                                             80000-84999.....27
36000-37999 ..... 17
                                             85000-89999.....28
16000-17999 .. ...... 7
                        38000-39999 ..... 18
                                             90000-94999.....29
                        40000-44999 ..... 19
18000-19999......8
                                             95000-99999.....30
                                              100000+ ......31
20000-21999 .. ..... 9
                        45000-49999 ..... 20
22000-23999............. 10
                        50000-54999 ..... 21
                                             Don't know .....32
24000-25999......11
                        55000-59999 ..... 22
                                             No response ..... 0
```

and cooperation.

32.	To ensure that we reach respondents in all areas of the province, would you please tell me your postal code?
	1Press 1 to open a window and enter the postal code 2Don't Know - Press 2 to open a window and ask: What is the name of your city/town? 0No Response
	(INTERVIEWER NOTE: IF RESPONDENT DOESN'T WISH TO GIVE ALL 6 DIGITS/LETTERS OF POSTAL CODE, ASK FOR NAME OF CITY/TOWN HE/SHE LIVES IN)
33.	Finally, if you could change ONE thing in the health care system, what would it be?

We've reached the end of our survey and I'd like to thank you very much for your time