

Air Monitoring Directive

CHAPTER 1: INTRODUCTION

[referred to as the 'AMD Introduction' chapter of the Air Monitoring Directive]

Effective Date: July 30, 2015

ISBN No. 978-1-4601-1059-1 (Printed Edition)
ISBN No. 978-1-4601-1060-7 (On-line Edition)

Web Site: <http://aep.alberta.ca>

Any comments or questions regarding the content of this document may be directed to:

ESRD.AMDFeedback@gov.ab.ca
Air and Climate Change Policy Branch
Alberta Environment and Parks
12th floor, Baker Centre
10025 – 106th Street
Edmonton, Alberta T5J 1G4

TABLE OF CONTENTS

DEFINITIONS AND ACRONYMS	2
1.0 PURPOSE	15
2.0 COMPONENTS OF THE AIR MONITORING DIRECTIVE	16
2.1 Review and Revision of the Air Monitoring Directive.....	17
2.2 Amendments to the Air Monitoring Directive.....	17
3.0 GENERAL REQUIREMENTS	18
4.0 CONFIDENTIALITY	18
5.0 FEEDBACK PROCESS	19

DEFINITIONS AND ACRONYMS

The following definitions shall apply to all chapters of the AMD, unless otherwise stated:

- (1) “accuracy” means the level of agreement between a measurement or measurements and a known value;
- (2) “Act” means the *Environmental Protection and Enhancement Act*, RSA 2000, c. E-12, as amended from time to time;
- (3) “AEMERA” means the Alberta Environmental Monitoring, Evaluation and Reporting Agency, as established by the *Protecting Alberta’s Environment Act*;
- (4) “air data” means any measurements or information that describe air quality processes, location, or conditions; ecological or health effects and consequences; or the performance of technology (for example including, but not limited to, information collected directly from measurements, produced from models, and compiled from other sources, such as databases or the literature);
- (5) “Alberta airshed” means a registered society whose objects and operations control, manage or administer ambient air monitoring stations in a specified geographic area in Alberta and whose operations include monitoring and reporting of ambient air quality to the public and the Regulator. Without limiting the generality of the foregoing, Alberta airsheds include the following: West Central Airshed Society, Wood Buffalo Environmental Association, Parkland Airshed Management Zone, Peace Airshed Zone Association, Lakeland Industry and Community Association, Fort Air Partnership, Calgary Region Airshed Zone, Palliser Airshed Society, and Alberta Capital Airshed;
- (6) “Alberta’s Ambient Air Quality Data Warehouse” means Alberta’s current central repository for ambient air quality data collected in the province, made available online to the public;
- (7) “ambient air” means the portion of the atmosphere, external to structures (i.e., outside);
- (8) “AMD” means Alberta’s Air Monitoring Directive, as amended from time to time;
- (9) “AMD Introduction” means the Introduction chapter of the AMD (Chapter 1), which contains requirements that apply to the entire AMD as a whole;
- (10) “analyzer” means any of various instruments used for performing an analysis (e.g., continuous ambient air analyzer);
- (11) “analyzer drift” means a gradual increase or decrease in analyzer output over a period of time;

- (12) “anomalous data” means data that are incongruous or inconsistent with data expected for a particular time or place;
- (13) “approval” means an approval issued under the Act in respect of an activity, and includes the renewal of or an amendment to an approval;
- (14) “ASTM” means American Society for Testing and Materials;
- (15) “audit” means a systematic and independent examination to determine whether activities and related results comply with defined specifications and requirements, including, but not limited to, audits of the performance of air quality monitoring equipment, calibration gas standards used in air quality monitoring, and air quality monitoring station(s);
- (16) “Audit Chapter” means the Ambient Audit Chapter (Chapter 8) of the AMD;
- (17) “auditor” means the person working on behalf of the Regulator to audit the air quality monitoring station or equipment;
- (18) “Audit Summary Report” means a concise record of the audit findings for critical, non-critical, or inspection items, indicating the cause of an audit failure and the specific need or opportunity for improvement;
- (19) “background” means an ambient air monitoring station which is sited in a rural or remote area with essentially no local source contribution;
- (20) “BAM” means Beta Attenuation Monitor;
- (21) “base average” means the minimum time resolution of averaged data values collected;
- (22) “baseline concentration” when pertaining to ambient data verification means the minimum measured concentration over an extended period of time (e.g., days or weeks);
- (23) “baseline correction” means an adjustment applied to data based on elevated baseline concentrations;
- (24) “BTEX” means benzene, toluene, ethylbenzene, xylene;
- (25) “calibration” means the steps taken to establish a quantitative relationship between the actual value of a standard and an analyzer’s or instrument’s response. This relationship can then be used to convert subsequent analyzer response values to corresponding concentrations;
- (26) “Calibration Acceptance Criteria” means measurement quality objectives for calibrations checks;

- (27) “Calibration Chapter” means the Calibration Chapter (Chapter 7) of the AMD;
- (28) “calibration gas” means a reference gas or gas mixture of precisely defined concentration used as a comparative standard in the calibration of air analyzers;
- (29) “calibration system” means the calibrators, calibration gases, gas cylinder regulators, zero air systems, flow measurement devices, calculations, calculators and procedures used to conduct a calibration of air analyzers;
- (30) “calibrator” means a device used to check or determine, by comparison with a standard, the operation of a quantitative measuring device;
- (31) “canister” means a sampling device or sampling system for conducting canister sampling;
- (32) “canister sampling” means intermittent sampling using canisters as sampling media;
- (33) “CAPMoN” means Canadian Air and Precipitation Monitoring Network;
- (34) “CEMS” means Continuous Emissions Monitoring System;
- (35) “CEMS Code” means the Alberta Continuous Emission Monitoring System Code (Alberta Environment and Sustainable Resource Development 2012), as amended from time to time;
- (36) “Certified Reference Material” means a reference material having one or more property values that are certified by a technically valid procedure, accompanied by or traceable to a certificate or other documentation that is issued by a certifying authority;
- (37) “CH₄” means methane;
- (38) “CGA” means cylinder gas audit;
- (39) “CO” means carbon monoxide;
- (40) “continuous” means measurements available in or near real-time without interruption of the measurement cycle;
- (41) “controlled documents” mean documents detailing the processes for, or critical to the function of, the person responsible’s Quality System (for example, operator manuals, QAP, SOPs);
- (42) “correction” means the immediate actions taken to address the effects of an actual or potential non-compliance;
- (43) “correction factor” means a mathematical adjustment made to a calculation to account for deviations in either the sample or the method of measurement;

- (44) “corrective action” means the steps taken to correct the root cause of a non-compliance in order to prevent re-occurrence;
- (45) “cycle time” when pertaining to semi-continuous monitoring methods (such as gas chromatography and beta attenuation methods) means the time required to complete the active measurement cycle including sample collection, analysis, measurement and output;
- (46) “data acquisition system” (DAS) means the system used to collect and transfer data to a data management system;
- (47) “data management system” means the system used to organize, store, verify, validate, and report data;
- (48) “data quality objectives” mean the qualitative and quantitative statements that clarify study objectives, define the appropriate type of data, and specify tolerable levels of potential decision errors that will be used as the basis for establishing the quality and quantity of data needed to support decisions;
- (49) “Data Quality Chapter” means the Ambient Data Quality chapter (Chapter 6) of the AMD;
- (50) “data validation” means determination of data quality based on defined data quality objectives;
- (51) “data validation code” means a code or flag associated with a data record as an indicator of validity or of the fact and reason that a data record is considered invalid;
- (52) “data verification” means an evaluation of instrument performance against the method and procedural requirements;
- (53) “defensible” means the ability to withstand any reasonable challenge related to the veracity or integrity of monitoring and reporting records, and derived data;
- (54) “Department” means the responsible Government of Alberta department, as designated under the Act;
- (55) “deposition” means a complex chemical and atmospheric process whereby emitted compounds are transferred from the air to surfaces including vegetation, water and soil in wet or dry form;
- (56) “derived parameters” means data that is created or calculated from other data within the database or system;
- (57) “Director” means a person designated as a Director for the purposes of the Act;
- (58) “disposition” means the final action taken with records that are no longer in active use; for example filing, storing or destroying;

- (59) “distance constant” means the length of fluid flow past the sensor required to cause it to respond to 63.2% of the increasing step-function change in speed;
- (60) “document” (noun) means information and its supporting medium (e.g., the written requirements of a Quality System);
- (61) “document” (verb) means to produce documentary evidence of an activity;
- (62) “downwash” means turbulent eddies formed on the downwind side of a building or structure forcing the air current down to the ground;
- (63) “drift” means a gradual increase or decrease in analyzer output over a period of time;
- (64) “emergency monitoring” means air quality monitoring that is conducted during an unplanned event with the intent to assess an environmental emergency situation, such as fire or release of substances in potentially hazardous quantities;
- (65) “EPEA” means the *Environmental Protection and Enhancement Act*;
- (66) “fail” or “failure” means a term used in the audit process or an Audit Summary Report to denote that demonstrated response to audit standards is outside the audit limits on at least one criterion;
- (67) “fall time” means the time interval between the initial analyzer response (the first observable change in analyzer output) and a steady signal output after a step decrease in input concentration;
- (68) “FDMS” means Filter Dynamics Measurement Systems;
- (69) “filtration sampler” means a sampling device or sampling system for conducting filtration sampling;
- (70) “filtration sampling” means intermittent sampling using filters as sampling media;
- (71) “GC” means gas chromatography;
- (72) “GPT” mean gas phase titration;
- (73) “guidance” means a suggested best practice that is not mandatory, but is intended as an aid or example in complying with a standard or requirement;
- (74) “HC” means hydrocarbons;
- (75) “HiVol” means a type of intermittent sampler called a high-volume air sampler;
- (76) “H₂S” means hydrogen sulphide;

- (77) “independent assessment” means an assessment of validated data by someone independent of both field operations and primary data validation;
- (78) “industrial operation” means (i) any facility, plant, site, mine, structure or thing where an activity listed in any of sections 2 to 11 of the Activities Designation Regulation occurs, including all the buildings, equipment, machinery and vehicles that are an integral part of the activity, or (ii) any energy resource activity, as defined in the *Responsible Energy Development Act*, including, but not limited to, pipelines, wells, processing plants, mines and other facilities and operations for the recovery and processing of energy resources;
- (79) “initial instrument calibration” means the first calibration of a monitoring or measurement device, generally a multipoint calibration;
- (80) “inspection” means a formal or official evaluation of the conformity of a property, commodity, or process by observation or judgment to confirm that it meets a specified requirement; generally including measurement, testing, or gauging, as appropriate.
- (81) “instrument” means any of various equipment used for air monitoring, reporting and maintenance activities (e.g., monitoring equipment, calibrator);
- (82) “integrated sampler” means a sampling device or sampling system for conducting integrated sampling;
- (83) “integrated sampling” means an ambient air monitoring method such as passive sampling, intermittent sampling, and static sampling, where a concentration or mass uptake of a pollutant in the ambient air is determined by laboratory analysis and integrated over the sampling period for a time-weighted average measurement;
- (84) “intermittent sampler” means a sampling device or sampling system for conducting intermittent sampling;
- (85) “intermittent sampling” means a discrete, non-continuous measurement of a pollutant concentration using a filter, sorbent, canister or other sampling media through which air is either actively pumped or flows by differential pressure (vacuum);
- (86) “invalid data” means data which do not satisfy the quality assurance objectives set out in the AMD or a person responsible’s Quality System;
- (87) “linearity” means the maximum deviation between the actual analyzer output reading and the predicted analyzer output from a least square fit to the actual readings;
- (88) “Lower Detection Limit” means the lowest detectable quantity of analyte that can be distinguished from the absence of the analyte (i.e., zero-air for gas analyzers);

- (89) “manifold” means a pipe or chamber having multiple apertures for making connections (to analyzers);
- (90) “may” means the element is recommended;
- (91) “measurement uncertainty” – see “uncertainty of measurement”;
- (92) “meteorological sensor” means a device that measures or estimates the state of the atmosphere at a given time, such as temperature, pressure, humidity, wind speed and direction;
- (93) “method blank” as it relates to passive sampling, means an unexposed passive sample;
- (94) “mobile air monitoring” means ambient air monitoring that is conducted using a motorized, mobile vehicle that houses instruments and supplies power for these instruments for measuring continuous ambient air pollutant concentrations and meteorology in both stationary and moving scenarios;
- (95) “Monitoring Chapter” means the Monitoring Requirements and Equipment Technical Specifications chapter (Chapter 4) of the AMD;
- (96) “monitoring network” means the various ambient air monitoring sites that support one or more monitoring program(s) for an area;
- (97) “monitoring objective” means the purpose and scope of monitoring in a given area – the foundation upon which a monitoring network is designed;
- (98) “monitoring plan” means a comprehensive document containing the purpose, design and operations of an ambient air monitoring program(s);
- (99) “monitoring program” means a series of activities required to collect ambient air quality data for a specific purpose (objective) within a defined area;
- (100) “month” means calendar month;
- (101) “must” means deviation from requirements will constitute non-compliance with the AMD;
- (102) “N₂” means nitrogen;
- (103) “NAPS” means National Air Pollution Surveillance program;
- (104) “NH₃” means ammonia;
- (105) “NIST” means United States National Institute of Standards and Technology;
- (106) “NMHC” means non-methane hydrocarbons;

- (107) “NO” means nitrogen oxide;
- (108) “NO₂” means nitrogen dioxide;
- (109) “non-compliance” means the failure to meet a requirement set out within the AMD, the person responsible’s Quality System or other requirement specified in writing by the Director;
- (110) “NO_x” means oxides of nitrogen;
- (111) “noise” means variability in the signal of an analyzer (the difference between the maximum and minimum values of the signal);
- (112) “O₃” means ozone;
- (113) “outliers” means subjectively (as opposed to statistically), values which are unusually high or low, inconsistent with data expected for the site;
- (114) “passive sampler” means a sampling device or sampling system for conducting passive sampling;
- (115) “passive sampling” means determination of a pollutant concentration in ambient air by collecting gases or vapours from the atmosphere at a rate controlled by a physical process such as gaseous diffusion through a static air layer or a porous material, or permeation through a membrane, but which does not involve active pumping of ambient air through the sampler;
- (116) “personnel” means anyone performing monitoring, maintenance or reporting activities, including, but not limited to, employees and volunteers;
- (117) “person responsible” means (i) the owner of a facility that is the subject of an approval or other authorization under the *Environmental Protection and Enhancement Act*, (ii) the holder of an approval or other authorization under the *Environmental Protection and Enhancement Act*, (iii) the Alberta airshed, or (iv) any other person specified in any other part of the AMD;
- (118) “Planning Chapter” means the Ambient Air Monitoring Program Planning chapter (Chapter 2) of Alberta’s Air Monitoring Directive;
- (119) “PM₁₀” means particulate matter (airborne particles) smaller than 10 micrometres in diameter;
- (120) “PM_{2.5}” means fine particulate matter (airborne particles) smaller than 2.5 micrometres in diameter;
- (121) “ppb” means parts per billion;
- (122) “ppm” means parts per million;

- (123) “precision” means the agreement between repeated measurements;
- (124) “preventive action” means the steps taken to correct the root cause of a potential non-compliance;
- (125) “promulgated” means formally accepted, or approved for use, by a qualified government organization, such as the United States Environmental Protection Agency;
- (126) “QA/QC” means Quality Assurance and Quality Control;
- (127) “QAP” means Quality Assurance Plan;
- (128) “Quality Assurance (QA)” means the administrative and procedural activities implemented in a Quality System to prevent mistakes or defects and to avoid problems in the resulting product, service or activity;
- (129) “Quality Assurance Plan” means the documentation of a Quality System;
- (130) “Quality Control (QC)” means the technical activities implemented in a Quality System to review and inspect the quality of a product, service or activity against defined standards or requirements;
- (131) “quality management” means the coordinated activities including quality assurance and quality control used by an organization to ensure that its products, services or activities are delivered with consistent quality;
- (132) “Quality System Chapter” means the Quality System Chapter (Chapter 5) of the AMD;
- (133) “Quality System” means a structured system consisting of the policies, objectives, principles, organizational authority, responsibilities, accountability, and implementation plan of an organization, for ensuring quality in its work processes, products, services and activities. The Quality System provides the framework for planning, implementing, documenting, and assessing work performed by the organization and for carrying out required Quality Assurance and Quality Control;
- (134) “raw data” means the original, un-manipulated value obtained from an instrument or analysis. For continuous analyzers, the original un-manipulated value means the value obtained after conversion of the voltage to a concentration;
- (135) “RATA” means Relative Accuracy Test Audit;
- (136) “receptors” means an ecological entity that may be exposed to contaminants;
- (137) “record” (noun) means a document describing results achieved or providing evidence of activities performed (e.g., calibration reports, maintenance records, non-compliance reports, field sheets, station log books);

- (138) “record” (verb) means to keep an account of facts or events, for example by writing them down or storing electronically;
- (139) “reference method monitor”, as it relates to passive sampling, means a suitable monitor or sampler of known performance, such as a continuous analyzer, for comparison with the performance of a passive sampler;
- (140) “Regulator” means a person who is vested with a power, duty or function under the *Environmental Protection and Enhancement Act* and includes, without limiting the generality of the foregoing: (i) a designated Director or other official, (ii) the responsible Government of Alberta department, as designated under the *Environmental Protection and Enhancement Act*, and (iii) the Alberta Energy Regulator, as designated under the *Responsible Energy Development Act*;
- (141) “regulator” (pertaining to analyzer calibration) means a valve that is used to regulate the pressure of a gas;
- (142) “Reporting Chapter” means the Reporting Chapter (Chapter 9) of the AMD;
- (143) “required operating range” (full scale) means the ranges allowed for analog data collection from analyzers;
- (144) “requirement” means a formal statement of an action which is mandatory and must be followed;
- (145) “resolution” means the minimum discernible difference that can be determined between incremental measurements; can be determined operationally through data collection configurations;
- (146) “rise time” means the time interval between initial response (the first observable change in analyzer output) and a steady signal output after a step increase in input concentration;
- (147) “root mean square” or “RMS” means the square root of the average of the squares of differences from zero;
- (148) “sample” means (i) a single item or specimen from a larger whole or group, such as any single air quality sample of any medium or (ii) a group of samples from a statistical population whose properties are studied to gain information about the whole;
- (149) “samplers” means equipment used for sampling components of ambient air;
- (150) “sampling” means the process of obtaining a subset of measurements from a population;
- (151) “sampling inlet” means the opening to the atmosphere for sampling line(s) or a manifold;

- (152) “sampling period” means the period of time between the start and end of a sampling event;
- (153) “sampling system” means all the equipment used for sampling or measuring components of ambient air (e.g., manifolds, analyzers, precipitation samplers, wind instruments, etc.);
- (154) “scan rate” means the interval at which a datalogger retrieves an instrument value which is used for subsequent averaging;
- (155) “SDWD” means Standard Deviation of Wind Direction;
- (156) “secondary standard” is a synonym for working standard;
- (157) “semi-continuous” means measurements available in near real-time, with measurement cycles up to one hour;
- (158) “sensor” means a mechanical device sensitive to light, temperature, radiation level, or the like, that transmits a signal to a measuring or control instrument;
- (159) “sensor grid” means the surface of a wetness sensor that comes into contact with precipitation;
- (160) “shall” means deviation from requirements will constitute non-compliance with the AMD;
- (161) “should” means the element is recommended;
- (162) “Site Selection Chapter” means the Ambient Monitoring Site Selection and Sampling System Chapter (Chapter 3) of the AMD;
- (163) “span” means an instrument’s output range, from minimum to maximum scale value;
- (164) “span drift” means the percent change in analyzer output response to a consistent upscale pollutant concentration within a 24 hour period of unadjusted continuous operation;
- (165) “special air studies” means any additional air monitoring studies carried out by an industrial operation or Alberta airshed that go beyond their normal routine air monitoring (for example for the industrial operation’s or Alberta airshed’s own purposes, or to satisfy an EPEA approval or Code of Practice registration requirement or written notice from the Director);
- (166) “spectral range” when pertaining to solar radiation measurements means the range of incident radiation a sensor can detect;
- (167) “standard” means something considered by an authority or by general consent as a basis of comparison (e.g., a certified test gas);

- (168) “Standard Operating Procedure” or “(SOP)” means a document that details in writing the procedure for an operation, analysis, or action with thoroughly prescribed techniques and steps, designated as the official method for performing routine or repetitive tasks;
- (169) “Standard Reference Material” means a reference material distributed and certified by the appropriate national institute for standardization;
- (170) “starting threshold” when pertaining to wind speed and wind direction measurements means the minimum wind speed required for an instrument response;
- (171) “static sampler” means a sampling device or sampling system for conducting static sampling;
- (172) “static sampling” means a measurement of total accumulated mass uptake of a pollutant in ambient air using a container for gravitational settling of particulate matter, or a cylinder or plate containing a filter coated with a reactive surface to absorb the pollutant of interest;
- (173) “station operator” means the party that operates an air monitoring station and conducts the monitoring activities, which can be the person responsible or someone acting on behalf of the person responsible, who is responsible for the day to day maintenance of the station;
- (174) “substance” means any matter, as defined in EPEA, that (i) is capable of becoming dispersed in the environment, and/or (ii) is capable of becoming transformed in the environment.
- (175) “support equipment” means devices that are not the actual monitoring instrument, but are necessary to support monitoring and reporting operations;
- (176) “SWD” means Scalar Wind Direction;
- (177) “SWS” means Scalar Wind Speed;
- (178) “TEOM” means Tapered Element Oscillating Microbalance;
- (179) “THC” means total hydrocarbons;
- (180) “third party” means an individual or company who has no connection to the operation of the monitoring station, its associated network or the data arising from it, but has demonstrated applicable expertise.
- (181) “traceable” means information is available regarding where and how a product and its parts or contents were made;
- (182) “TRS” means total reduced sulphur;

- (183) “TSP” means total suspended particulate;
- (184) “uncertainty of measurement” means a parameter associated with the result of a measurement that characterizes the dispersion of values that could reasonably be attributed to the actual value being measured;
- (185) “US EPA” means United States Environmental Protection Agency;
- (186) “UV” means ultraviolet;
- (187) “validation” means the confirmation by examination and provision of objective evidence that the particular requirements for a specific intended use are fulfilled;
- (188) “valid data” means data of known and documented quality that satisfy, at a minimum, the requirements set out in the AMD;
- (189) “VOC” means volatile organic compound;
- (190) “VSL” means Van Swinden Laboratorium, the National Metrology Institute of the Netherlands;
- (191) “VWD” means Vector Wind Direction;
- (192) “VWS” means Vector Wind Speed;
- (193) “wetness sensor” means a component of precipitation sampling equipment used to indicate the occurrence of precipitation;
- (194) “wind instrument” means an instrument used for measuring the direction and speed of the wind.
- (195) “working standard” means a measurement standard used to check or calibrate measuring instruments. A working standard is a standard that is prepared for a specific analysis. It is usually standardized against a primary standard;
- (196) “year” means calendar year, unless otherwise specified;
- (197) “zero” means an instrument’s response as compared to a zero reference standard;
- (198) “zero drift” means the change in analyzer output response to a consistent zero air input concentration within a 24 hour period of unadjusted continuous operation; and
- (199) “zero noise” means a measure of the deviations from zero while sampling constant zero air input, measured as the root mean square (RMS).

1.0 PURPOSE

Alberta's Air Monitoring Directive (AMD) sets out the requirements for monitoring and reporting air quality in the province of Alberta.

The purpose of the AMD is to:

- outline the minimum requirements for the collection and reporting of air monitoring data in Alberta;
- establish a set of consistent requirements for quality assurance practices that ensure, and allow for verification of, the quality of the air data collected in Alberta and ensure data comparability among monitoring sites; and
- provide guidance and criteria to operators of monitoring equipment, auditors, and the Regulator on minimum quality assurance requirements and air monitoring and reporting requirements.

The AMD outlines the methods acceptable to the Regulator for air monitoring and reporting, as required by an Alberta EPEA approval, Code of Practice registration, or any other air monitoring and reporting activities for which data is submitted to the Regulator or any other person acting on its behalf. In addition to the AMD, other regulatory tools exist to specify air monitoring requirements, including, but not limited to, the CEMS Code, Stack Sampling Code, and Substance Release Regulation.

Air monitoring data may be used to:

- assess and report on the state or quality of the environment;
- assess trends or perform analyses;
- determine compliance with guidelines and standards;
- input into modeling or forecasting applications; and
- make management and policy decisions.

Hence, it is essential that air data submitted is consistent, of high quality, and reliable.

In all parts of the AMD, mandatory requirements, which are enforceable and legally binding, are indexed and written in italicized text. Explanation and guidance regarding the requirements are provided in regular text.

The AMD uses the following definitions of shall, must, should, and may:

- shall, must: means deviation from requirements will constitute non-compliance with the AMD; and
- should, may: means the element is recommended.

Clauses in the AMD use the following format for numbering:

XX #-A, where

- “XX” is a string of letters which is unique to each chapter of the AMD (e.g., for the AMD Introduction, the string of letters is “Int”);
- “#” gives the section number according to the document’s outline numbering; and
- “A” provides an alphabetical listing of the clauses in that section of the document.

<i>Int 1-A</i>	<i>Unless otherwise specified, the requirements of the AMD apply to the person responsible, which includes:</i> <ul style="list-style-type: none"> <i>(a) the owner of a facility that is the subject of an approval or other authorization under the Environmental Protection and Enhancement Act;</i> <i>(b) the holder of an approval or other authorization under the Environmental Protection and Enhancement Act;</i> <i>(c) the Alberta airshed; or</i> <i>(d) any other person specified in any other part of the AMD.</i>
<i>Int 1-B</i>	<i>The person responsible shall conduct all air (a) monitoring and (b) reporting in accordance with the requirements of the AMD.</i>
<i>Int 1-C</i>	<i>The person responsible must adhere to the (a) monitoring, (b) reporting, and (c) maintenance requirements set out in the AMD for any air monitoring data or reports submitted to the Regulator or any other person acting on its behalf.</i>

The Regulator will not accept any data or information that has been collected or derived from monitoring which has not been carried out in accordance with the requirements of the AMD.

2.0 COMPONENTS OF THE AIR MONITORING DIRECTIVE

The AMD is comprised of the following components, as amended:

- Air Monitoring Directive – Monitoring and Reporting Procedures for Industry (Alberta Environment, 1989);
- 2006 Amendments to the Air Monitoring Directive, 1989 (Alberta Environment, 2006);
- Chapter 1: AMD Introduction (Alberta Environment and Sustainable Resource Development, 2014);
- Chapter 2: Ambient Air Monitoring Program Planning (Alberta Environment and Sustainable Resource Development, 2014);
- Chapter 3: Ambient Monitoring Site Selection and Sampling System (Alberta Environment and Sustainable Resource Development, 2014);
- Chapter 4: Monitoring Requirements And Equipment Technical Specifications (Alberta Environment and Parks, 2015)
- Chapter 5: Quality System (Alberta Environment and Sustainable Resource Development, 2014);

- Chapter 6: Ambient Data Quality (Alberta Environment and Sustainable Resource Development, 2014);
- Chapter 7: Calibration (Alberta Environment and Sustainable Resource Development, 2014); and
- Chapter 8: Audit (Alberta Environment and Sustainable Resource Development, 2014).

2.1 Review and Revision of the Air Monitoring Directive

The Air Monitoring Directive will be amended from time to time. This introduction chapter will be amended to give a current record of what constitutes the AMD (see Section 2.0).

Each chapter of the AMD has an effective date and date for compliance. Individual chapters may also have compliance dates for specific requirements. Each chapter has an amendments section which outlines any amendment since release of the chapter.

Information on revisions to the AMD can be found on the AMD website.

Interested stakeholders will have the opportunity to review and provide feedback on draft chapters, amendments and guidance documents. The AMD website includes a table of contents, providing links to all chapters of the AMD, as well as links to any documents or materials referred to in the AMD. .

2.2 Amendments to the Air Monitoring Directive

The 2006 Amendments to the Air Monitoring Directive, 1989 (Alberta Environment 2006), also called the AMD 2006, is hereby amended as follows:

<i>Int 2-A</i>	<i>The section entitled “Guidance For Use” of the AMD 2006 is repealed and replaced with the AMD Introduction.</i>
<i>Int 2-B</i>	<i>The section entitled “Purpose” of the AMD 2006 is repealed and replaced with the AMD Introduction.</i>
<i>Int 2-C</i>	<i>The section entitled “About Shall, Must, Should, and May” of the AMD 2006 is repealed and replaced with the AMD Introduction.</i>
<i>Int 2-D</i>	<i>The section entitled “Overview of the AMD 2006” of the AMD 2006 is repealed and replaced with the AMD Introduction.</i>
<i>Int 2-E</i>	<i>The section entitled “Data Confidentiality” of the AMD 2006 is repealed and replaced with the AMD Introduction.</i>
<i>Int 2-F</i>	<i>The section entitled “Review Process for the MRD” of the AMD 2006 is repealed and replaced with the AMD Introduction.</i>

Int 2-G The section entitled “1.0 Application” of the AMD 2006 is repealed and replaced with the AMD Introduction.

3.0 GENERAL REQUIREMENTS

Int 3-A If there is any discrepancy between submitted documents, records or data and the terms and conditions of the AMD the discrepancy shall be resolved in favour of the AMD.

Int 3-B Any discrepancy between guidance documents supporting the AMD and the terms and conditions of the AMD shall be resolved in favour of the AMD.

Int 3-C The terms and conditions of the AMD do not affect any rights or obligations created under any approval issued in accordance with the Act.

Int 3-D The person responsible shall provide the Director, or anyone acting on the Director’s behalf, with any documents, records and data related to air monitoring, reporting or maintenance activities that are requested in writing by the Director.

Int 3-E The mention of trade names, commercial products or named technologies in the AMD does not constitute an endorsement or recommendation by Her Majesty the Queen in Right of Alberta, her employees, agents and the Director for general use.

Int 3-F The terms and conditions of the AMD are severable. If any term or condition of the AMD or the application of any term or condition is held invalid, the application of such term or condition to other circumstances and the remainder of the AMD shall not be affected thereby.

Int 3-G In the event that the person responsible (a) transfers responsibility of monitoring, reporting and maintenance or (b) transfers ownership of a facility, the person responsible must transfer all records and data to the successor.

Int 3-H In the event that the person responsible goes out of business, the person responsible must immediately notify the Director in writing.

4.0 CONFIDENTIALITY

All air data submitted to the Regulator are subject to Alberta’s *Freedom of Information and Protection of Privacy Act* (FOIP) requirements. In accordance with Section 35 of EPEA

(disclosure of information), when the person responsible provides information that relates to a trade secret, process or technique that the person submitting the information keeps confidential, the person submitting the information may make a request in writing to the Director that the information be kept confidential and not be disclosed.

Preparing a confidentiality request cannot delay the submission of any required air data to the Regulator. All regulatory obligations must still be met, regardless of whether confidentiality is being requested.

Parties conducting air monitoring activities are encouraged to work with interested stakeholders (for example, the surrounding community) to ensure the timely sharing of requested air data, and to proactively make air data available (for example, in a community newsletter or on websites).

5.0 FEEDBACK PROCESS

Stakeholders can submit any questions or comments on the AMD in writing to either of the addresses provided below.

ESRD.AMDFeedback@gov.ab.ca

or

Air Monitoring Directive Comments
Air and Climate Change Policy Branch
Alberta Environment and Parks
12th floor, Baker Centre
10025 – 106 Street
Edmonton, Alberta T5J 1G4